AUTHOR INDEX

VOLUME 76

British Journal of Anaesthesia

ARS = Anaesthetic Research Society Abstracts

EACTA = European Association of Cardiothoracic Anaesthesiologists

C = Correspondence

E = Editorial

R = Book Review

e = Erratum

ABBOUD, T. *see* LEE, J. S., (*C*) 169–170
ABDEL-GAFFAR, M. E. *see* ABDULATIF, M. 239–244
ABDULATIF, M., AL-GHAMDI, A., AL-SANABARY, M. and ABDEL-GAFFAR, M. E. Edrophonium antagonism of intense mivacurium-induced neuromuscular block in children 239–244
ÅBERG, B. *see* VAN DER LINDEN, J., (*EACTA*) A.84
ADACHI, T. *see* KURATA, J. 721–725
ADAMS, A. P. *see* WEST, M. R. J. 673–679
ADISESHIAH, M. *see* BARANOWSKI, A. P., (*C*) 882–883
ADRIAENSEN, H. A. *see* VERCAUTEREN, M. P. 731–733
AGUILAR, J. L., RINCÓN, R., DOMINGO, V., ESPACHS, P., PRECIADO, M. J. and VIDAL, F. Absence of an early pre-emptive effect after thoracic extradural bupivacaine in thoracic surgery 72–76
AKAZAWA, S. *see* IKENO, S. 573–575
VAN AKEN, H. *see* CAPOUET, V. 54–60
AKSOY, N. *see* ÖZYURT, A., (*EACTA*) A.25
ALAHUHTA, S. *see* KARINEN, J. 616–620
ALDERSON, J. *see* WARD, J. E. H., (*C*) 889
ALDRIDGE, L. A. *see* SEMPLE, D. 310–312
AL-GHAMDI, A. *see* ABDULATIF, M. 239–244
ALLEN, J. D. and HERITY, N. A. Prospects for management of peripheral vascular failure in septic shock, (*E*) 177–178
ALLMAN, C. *see* GREBENIK, C., (*EACTA*) A.76
AL-SANABARY, M. *see* ABDULATIF, M. 239–244
AL-SHAIKH, B. and STACEY, S. *Essentials of Anaesthetic Equipment*, (*R*) 751
ALTHAUS, U. *see* WALPOTH, B. H., (*EACTA*) A.7; (*EACTA*) A.58
AMARI, B. *see* PAINO, R., (*EACTA*) A.40
ANDREWS, C. J. *see* DANIELL, C. J., (*ARS*) 586–587P
ANDREWS, P. J. D. *see* SOUTER, M. J. 744–746
ANTHUBER, M. *see* WELTE, M. 90–98
APPADU, B. *see* STANLEY, G. 484–486
APPADU, B. L. and LAMBERT, D. G. Interaction of i.v. anaesthetic agents with 5-HT_3 receptors 271–273
AQUILINA, R. *see* CRABB, I. 795–801
ARENDT-NIELSEN, L. *see* ROTH, D. 38–42; WILDER-SMITH, O. H. G. 816–821
ARMSTRONG, M. *see* TURNER, G. 606–610
AROWSMITH, J. E., STYGALL, J., TIMBERLAKE, N., SHAH, T., NEWMAN, S. P., HARRISON, M. J. G. and PUGSLEY, W. B. Double blind, placebo controlled study of the effects of remacemide HCl on neuropsychological deficits following coronary artery surgery, (*EACTA*) A.83
ARSENIEV, L. *see* LEUWER, M., (*ARS*) 585P
ASAI, T., BARCLAY, K., MCBETH, C. and VAUGHAN, R. S. Cricoid pressure applied after placement of the laryngeal mask prevents gastric insufflation but inhibits ventilation 772–776
ASBURY, A. J. *see* FLETCHER, G. C. 20–22; LEVACK, I. D. 567–569; TZABAR, Y. 194–197
ASTUDILLO, R. *see* VAN DER LINDEN, J., (*EACTA*) A.84
AUBAS, P. *see* BIBOULET, P. 81–84
AUBOYER, C. *see* MOLLIEX, S. 151–153
AUDIBERT, G. and DONATI, F. Factors governing onset of neuromuscular block, (*C*) 597–598
AYKAÇ, Z. *see* SÜZER, Ö., (*EACTA*) A.9; SÜZER, Ö, (*EACTA*) A.68

BABA, H. *see* DENDA, S. 258–265
BABIC, M. *see* JOVIC, M., (*EACTA*) A.49
BACH, A. *see* SCHMIDT, H. 707–712
BACHER, A. *see* LAßNIGG, A., (*EACTA*) A.18
BADDOO, H. H. K. *see* POULTON, B. B., (*EACTA*) A.15
BAELE, Ph., D'HOORE, W., BUREAU, M., LAURENT, S. and STORDEUR, S. Anaemia and transfusion; major determinants of pressure sores after cardiac surgery, (*EACTA*) A.60
BAELE, Ph. *see* DENEYS, V., (*EACTA*) A.56; VUYLSTEKE, A., (*EACTA*) A.50
BAK, P. *see* ROTH, D. 38–42
BAKER, A. B. *see* JOYCE, C. J. 292–296
BAKER, R. D. *see* MARTLEW, R. A. 308–309
BAKHAMEES, H. S. *see* NAGUIB, M., (*e*) 339
BALAKRISHNAN, V. R. *see* THORPE, S. J., (*ARS*) 576P
BALIGA, N. CSF progesterone concentrations in pregnancy, (*C*) 886
BANKS, R. E. *see* PITTARD, A. J. 629–631
BARANOWSKI, A. P. and ADISESHIAH, M. Aortic stent surgery, (*C*) 882–883
BARCLAY, K. *see* ASAI, T. 772–776
BARKER, I. Cost of volatile agents, (*C*) 749
BARLAS, A. *see* SÜZER, Ö., (*EACTA*) A.9
BARR, G. *see* GÅRDEBÄCK, M., (*EACTA*) A.36
BASTIEN, O. *see* PAULUS, S., (*EACTA*) A.73; VEDRINNE, C., (*EACTA*) A.85
BAYLOT, D. *see* MOLLIEX, S. 151–153
BEAUFORT, A. M., NIGROVIC, V., PROOST, J. H. and WIERDA, J. M. K.H. Onset time of neuromuscular block is determined by the pharmacokinetics of the blocking drug, (*ARS*) 580P
BEDNARKIEWICZ, M. *see* LICKER, M. 632–639
DE BEER, N. A. M., VAN HOOFF, J. C., CLUITMANS, P. J. M., KORSTEN, H. H. M. and GROULS, R. J. E. Haemodynamic responses to incision and sternotomy in relation to the auditory evoked potential and spontaneous EEG 685–693
BEISEL, B. *see* BRASE, R., (*EACTA*) A.47
BELLAMY, M. C., YOUNG, Y., GUILLOU, P. J. and O'BEIRNE, H. Effects of dopamine and dopexamine on splanchnic microcirculation during major surgery in humans, (*ARS*) 587P
BELLAMY, M. C. *see* ENRIGHT, S., (*ARS*) 587–588P; O'BEIRNE, H., (*ARS*) 592P; PITTARD, A. J., (*ARS*) 587P; SNOOK, N. J. 740–743
BENETREAU, D. *see* BIBOULET, P. 81–84
BENGTSSON, L. *see* VAN DER LINDEN, J., (*EACTA*) A.82
BENHAMOU, D. *see* LENTSCHENER, C., (*C*) 882
BENSON, J. P. and HUTTON, P. Use of i.m. temperature probes during cardiopulmonary bypass in humans, (*C*) 472
BENUSSI, S. *see* GUARRACINO, F., (*EACTA*) A.45
VAN DEN BERG, A. A. Comparison of ondansetron and prochlorperazine for the prevention of nausea and vomiting after adenotonsillectomy 449–451
BERGER, R. *see* HIESMAYR, M., (*EACTA*) A.32
BERGH, C.-H. *see* HARALDSSON, A., (*EACTA*) A.27
BERKENBOSCH, A. *see* DAHAN, A. 374–381; (*C*) 747
BERRADA, K. R. *see* TOURNADRE, J. P. 130–132
BERRY, A. J. and KNOS, G. B., (editors) *Anesthesiology, House Officer Series*, (*R*) 891
BIBOULET, P., CAPDEVILA, X., BENETREAU, D., AUBAS, P., D'ATHIS, F. and DU CAILAR, J. Haemodynamic effects of moderate normovolaemic haemodilution in conscious and anaesthetized patients 81–84
BILGEN, F. *see* TORAMAN, F., (*EACTA*) A.21
BIRRELL, H. *see* LEVACK, I. D. 567–569
BJERRING, P. *see* ROTH, D. 38–42
BJÖRKMAN, J.-A. *see* NORDLANDER, M., (*EACTA*) A.24

BLAKE, D. *see* TURNER, G. 606–610
BLANC, P. *see* FILLEY, S., (*EACTA*) A.63
BLOGG, C. E. *see* KITCHING, A. J. 874–876
BOER, F., OLOFSEN, E., BOVILL, J. G., BURM, A. G. L., HAK, A., GEERTS, M. and WETSELAAR, K. E. Pulmonary uptake of sufentanil during and after constant rate infusion 203–208
BÖHMERT, F. *see* BRASE, R., (*EACTA*) A.47
BÖHRER, H. Porphyria, propofol and rats, (*C*) 172
BÖHRER, H. *see* SCHMIDT, H. 707–712
BOISSEAU, M. R. *see* FREYBURGER, G. 519–525
BOJIC, M. *see* JOVIC, M., (*EACTA*) A.49
BOLTZ, G. *see* HIESMAYR, M., (*EACTA*) A.32
BOMPARD, D. *see* LEHOT, J. J., (*EACTA*) A.43
BONNEFOY, E. *see* FILLEY, S., (*EACTA*) A.63; VEDRINNE, C., (*EACTA*) A.66
BONNET, F. *see* GENTILI, M. 872–873
BOOIJ, L. H. D. J. *see* VANLINTHOUT, L. E. H. 389–395
BOOKER, P. D., TAYLOR, C. and SABA, G. Perioperative changes in α_1-acid glycoprotein concentrations in infants undergoing major surgery 365–368
BOOKER, P. D. *see* KARMAKAR, M. K. 811–815
BOSNJAK, Z. J. *see* MAZZEO, A. J. 841–846
BOULETREAU, P. *see* TOURNADRE, J. P. 130–132
BOUREL, P. *see* PÉTRIE, J., (*EACTA*) A.54
BOUVIER, H. *see* FILLEY, S., (*EACTA*) A.63
BOVILL, J. G. *see* BOER, F. 203–208
BOWER, S. *see* GORMLEY, W. P. 802–805
BOWIE, R. A. *see* LEVACK, I. D. 567–569
BOYD, A. H., EASTWOOD, N. B., PARKER, C. J. R. and HUNTER, J. M. Comparison of the pharmacodynamics and pharmacokinetics of an infusion of *cis*-atracurium (51W89) or atracurium in critically ill patients undergoing mechanical ventilation in an intensive therapy unit 382–388
BOYD, O. and GROUNDS, R. M. Effects of propofol and isoflurane on right ventricular function, (*C*) 598; Gastric tonometry, (*C*) 750
BOYS, R. J. *see* THOMAS, D. G. 61–65
BOZKURT, K. *see* SÜZER, Ö., (*EACTA*) A.9
BRAID, D. P. *see* LEVACK, I. D. 567–569
BRAITHWAITE, P. *see* MALLICK, A., (*C*) 335
BRÄNSTRÖM, R. *see* SELLDÉN, E. 227–234
BRASE, R., KRUG, A., BEISEL, B., MANHOLD, C., STICKEL, R., KUCKELT, W. and BÖHMERT, F. Does perioperative transoesophageal echocardiography change the therapy of cardiothoracic patients? (*EACTA*) A.47
BRENNUM, J. *see* ILKJAER, S. 829–834
BRIQUET, F., HARMAND, M. F. and ISETTA, C. Comparative assessment of the biocompatibility of 4 types of tubing for cardiopulmonary bypass, (*EACTA*) A.31
BROKA, S., DUCART, A., COLLARD, E., DURSIN, A., DELIRE, V., MAYNÉ, A., RANDOUR, P., MARCHANDISE, B. and JOUCKEN, K. Doppler-derived left ventricular DP/DT: peroperative feasibility of the method during mitral valve surgery, (*EACTA*) A.44
BROOMHEAD, C. J. *see* TONER, C. C. 347–351
BROSNAN, C. M., WOOD, M. L. B. and WHEILDON, M. Extradurals and infection, (*C*) 887–888
BROWN, B. B. JR *see* FINK, E. J. JR, (*R*) 173
BROWN, J. H. *see* FLETCHER, G. C. 20–22
BROWNRIDGE, P. *see* ELLIOTT, D. W. 322–324
BRUNAT, G. *see* RYCKWAERT, F., (*EACTA*) A.34
BRUNDIN, T. *see* SELLDÉN, E. 227–234
BRUNNER, M. D., NATHWANI, D., RICH, P. A., THORNTON, C., DORÉ, C. J. and NEWTON, D. E. F. Effect of suxamethonium on the auditory evoked response in humans 34–37
BRUNNER, M. D., THORNTON, C. and NEWTON, D. E. F. Suxamethonium and auditory evoked potentials, (*C*) 881
BRUNNER, M. D. *see* SHANNON, C., (*C*) 472
BRYAN, A., POLLARD, B. J., KEEGAN, M. A. and CAMPBELL, I. T. Post-tetanic constant stimulus train patterns during neuromuscular block with atracurium and vecuronium, (*ARS*) 579P
BUCKLAND, M. *see* TURNER, G. 606–610
BUGGY, D. and MACDOWELL, C. Extradural analgesia in the first stage of labour, (*C*) 887
BUGGY, D. J. and MACDOWELL, C. Extradural analgesia with clonidine and fentanyl compared with 0.25% bupivacaine in the first stage of labour 319–321
BUHRE, W., SCHORN, B., KAZMAIER, S., WEYLAND, A., GIANNARIS, S., HOEFT, A. and SONNTAG, H. Assessment of right and left heart volume indices in patients undergoing coronary artery bypass surgery, (*EACTA*) A.37
BUHRE, W. *see* KAZMAIER, S., (*EACTA*) A.5
BULDER, E. R. *see* JANSEN, P. G. M. 13–19
BULLINGHAM, A. and STRUNIN, L. Venous thromboembolism and cardiovascular surgery, (*C*) 473
BUNTING, H. E., KELLY, M. C. and MILLIGAN, K. R. Nebulized lignocaine before gaseous induction with desflurane, (*C*) 596
BUREAU, M. *see* BAELE, Ph., (*EACTA*) A.60
BURM, A. G. L. *see* BOER, F. 203–208
BURNS, T. *see* DHOND, G., (*EACTA*) A.57
BURROWS, C. *see* DHOND, G., (*EACTA*) A.57
BUSTO, N. *see* LÓPEZ-OLAONDO, L. 835–840
BUZELLO, W. *see* NIGROVIC, V., (*ARS*) 580–581P

DU CAILAR, J. *see* BIBOULET, P. 81–84
CALDER, I. and KOH, K. F. Cervical haematoma and airway obstruction, (*C*) 888
CALLESEN, T. *see* PEDERSEN, J. L. 806–810
CALVERT, B., COLSON, P., CUCHET, D., PÉASTAING, M. and WINTREBERT, P. Organ dysfunctions after cardiac surgery: definitions and prognosis, (*EACTA*) A.78
ÇALÝÞÝRIÞÇI, Ü. *see* TORAMAN, F., (*EACTA*) A.21
CAMANN, W. Intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia, (*C*) 169
CAMPBELL, C. E. *see* CORK, R. C. 492–498
CAMPBELL, I. T. *see* BRYAN, A., (*ARS*) 579P
CANIK, S. *see* ÖZYURT, A., (*EACTA*) A.25; TORAMAN, F., (*EACTA*) A.21
CAPDEVILA, X. *see* BIBOULET, P. 81–84
CAPOUET, V., DE PAUW, C., VERNET, B., IVENS, D., DERIJCKE, V., VERSICHELEN, L., VAN AKEN, H., ICKX, B., RITTER, L. and HULSTAERT, F. Single dose i.v. tropisetron in the prevention of postoperative nausea and vomiting after gynaecological surgery 54–60
CARDAN, E. *see* GOTA, M., (*EACTA*) A.20; VUYLSTEKE, A., (*EACTA*) A.51
CARLI, F. and MACDONALD, I. A. Perioperative inadvertent hypothermia: what do we need to prevent? (*E*) 601–603
CARLI, F. *see* WEST, M. R. J. 673–679
CARR , C. A. *see* SMITH, G. B., (*R*) 891
CARRASCOSA, F. *see* LÓPEZ-OLAONDO, L. 835–840
CARRIE, L. E. S., SIMPSON, P. J. and POPAT, M. T. *Understanding Anaesthesia*, 3rd Edn, (*R*) 892–893
CARROLL, M., DAY, F., HENNESSY, A. and COONEY, C. Patient attitudes to perioperative suppository administration for postoperative analgesia, (*ARS*) 581P
CASATI, V., GUZZON, D., OPPIZZI, O., TULLII, M., FIORUCCI, A., VENTURINO, M. and PAOLILLO, G. High dose aprotinin *vs* tranexamic acid in elective cardiac surgery: effects on bleeding and necessity of transfusion, (*EACTA*) A.53
CASEY, W. *see* LYONS, B., (*ARS*) 589P
CAUNT, J. A. *see* WARD, J. E. H., (*C*) 889
CHADD, G. D. *see* NEWTON, M. C. 352–357
CHAMLEY, D. *see* TURNER, G. 606–610
CHAMPSAUR, G. *see* VEDRINNE, C., (*EACTA*) A.66
CHAN, A. *see* CRABB, I. 795–801
CHANTIGIAN, R. C. *see* SOUTHORN, P. 467–469
CHASSARD, D. *see* TOURNADRE, J. P. 130–132
CHECKETTS, M. R., GILHOOLY, C. J. and KENNY, G. N. C. Patient-maintained analgesia with alfentanil after cardiac surgery: a comparison with morphine PCA, (*EACTA*) A.69
CHENG, E. Y. *see* MAZZEO, A. J. 841–846
CIRRI, S. *see* RANUCCI, M., (*EACTA*) A.71
CLARK, V. A. *see* DUNN, T. J., (*C*) 168
CLAY, R. *see* WATT, J. W. H. 870–871
CLEWLOW, F. *see* DEAKIN, C. D., (*EACTA*) A.41
CLUITMANS, P. J. M. *see* DE BEER, N. A. M. 685–693
COCHRAN, D., PRICE, W. and GWINNUTT, C. L. Unilateral convulsion after induction of anaesthesia with propofol 570–572
CODDENS, J., DELOOF, T. and HOUSMANS, P. Haemodynamic effects of sodium nitroprusside *versus* prostaglandin E_1 in heart transplant candidates, (*EACTA*) A.26
COETZEE, J. F., MARITZ, J. S. and DU TOIT, J. C. Effect of tramadol on depth of anaesthesia 415–418
COHEN, P. J. *see* HEALY, T. E. J., (*R*) 477
COLLARD, E. *see* BROKA, S., (*EACTA*) A.44
COLQUHOUN, A. *see* SMITH, E., (*EACTA*) A.86
COLQUHOUN, M. C., HANDLEY, A. J. and EVANS, T. R., (editors) *The ABC of Resuscitation*, 3rd Edn, (*R*) 338–339
COLSON, P. *see* CALVERT, B., (*EACTA*) A.78; RYCKWAERT, F., (*EACTA*) A.34
COLUMB, M. O. *see* MURPHY, P. G. 536–543
CONSONNI, F. *see* FIACCHINO, F., (*C*) 883
CONTI, D. *see* RANUCCI, M., (*EACTA*) A.71
CONTI, E. *see* RANUCCI, M., (*EACTA*) A.71
CONTI, J. and SMITH, D. Haemodynamic effects of continued sedation during tracheal extubation, (*EACTA*) A.72
CONWAY, F. *see* CRITCHLEY, L. A. H. 734–736
COOK, B. and DOYLE, E. Extradural clonidine for postoperative pain relief, (*C*) 881

COOK, L. B. *see* SMITH, A. F., (*ARS*) 577P; THORPE, S. J., (*ARS*) 576P
COON, R. L. *see* MAZZEO, A. J. 841–846
COONEY, C. *see* CARROLL, M., (*ARS*) 581P
COOPER, D. W., RYALL, D. M., MCHARDY, F. E., LINDSAY, S. L. and ELDABE, S. S. Patient-controlled extradural analgesia with bupivacaine, fentanyl, or a mixture of both, after Caesarean section 611–615
COPPEJANS, H. C. *see* VERCAUTEREN, M. P. 731–733
CORBETT, A. *see* EDDLESTON, J. M. 66–71
CORBETT, A. R. and WISNEWSKI, J. Use of regional i.v. morphine analgesia in patients undergoing total knee arthroplasty, (*ARS*) 593–594P
CORIAT, P. *see* LANGERON, O. 783–789
CORK, R. C., HEATON, J. F., CAMPBELL, C. E. and KIHLSTROM, J. F. Is there implicit memory after propofol sedation? 492–498
COTTAM, S. and MILROY, S. J. Aprotinin during liver transplantation, (*C*) 882
COUTURE, P. *see* LANGERON, O. 783–789
CRABB, I., THORNTON, C., KONIECZKO, K. M., CHAN, A., AQUILINA, R., FRAZER, N., DORÉ, C. J. and NEWTON, D. E. F. Remifentanil reduces auditory and somatosensory evoked responses during isoflurane anaesthesia in a dose-dependent manner 795–801
CRITCHLEY, L. A. H. and CONWAY, F. Hypotension during subarachnoid anaesthesia: haemodynamic effects of colloid and metaraminol 734–736
CROSBY, G. *see* GOTO, T. 702–706
CROSS, M. *see* DANIELL, C. J., (*ARS*) 586–587P
CUCHIET, D. *see* CALVERT, B., (*EACTA*) A.78
CUNNINGHAM, A. J., (editor) *Anaesthesia and Critical Care Manual*, 2nd Edn, (*R*) 338
CUNNINGHAM, A. J. *see* O'LEARY, E. 640–644
CURATOLO, M., DERIGHETTI, M., PETERSEN-FELIX, S., FEIGENWINTER, P., FISCHER, M. and ZBINDEN, A. M. Fuzzy logic control of inspired isoflurane and oxygen concentrations using minimal flow anaesthesia 245–250
CURATOLO, M., ORLANDO, A., ZBINDEN, A. M., SCARAMOZZINO, P. and VENUTI, F. S. A multifactorial analysis to explain inadequate surgical analgesia after extradural block, (*e*) 598
CURTIL, A. *see* VEDRINNE, C., (*EACTA*) A.66
CZAPLA, J. *see* KNAPIK, P., (*EACTA*) A.28

DABORN, A. K. *see* PHILLIPS, S., (*C*) 471
DAÐSALÝ, S. *see* ÖZYURT, A., (*EACTA*) A.25
DAENEN, W. *see* HERIJGERS, P., (*EACTA*) A.79; MEYNS, B., (*EACTA*) A.38
DAHAN, A. and BERKENBOSCH, A. Ventilatory response to carbon dioxide, (*C*) 747
DAHAN, A., VAN KLEEF, J., VAN DEN ELSEN, M., VALK, R. and BERKENBOSCH, A. Slow ventilatory dynamics after isocapnic hypoxia and voluntary hyperventilation in humans: effects of isoflurane 374–381
DAHL, J. B. *see* ILKJAER, S. 829–834
DAHLIN, L. G., LUNDBERG, C., KÅGEDAL, B., NYLANDER, E., RUTBERG, H. and SVEDJEHOLM, R. Troponin-T for asessment of myocardial damage in CABG surgery, (*EACTA*) A.62
DAHLIN, L. G. *see* SVEDJEHOLM, P., (*EACTA*) A.61
DALMAS, J. P. *see* LEHOT, J. J., (*EACTA*) A.43
DALMAS, S., MARSCH, S. C. U., PHILBIN, D. M., GAVAGHAN, D. J., RYDER, W. A. and FOËX, P. Effects and interactions of myocardial ischaemia and alterations in circulating blood volume on canine left ventricular diastolic function 419–427
DANIELL, C. J., CROSS, M., SNEYD, J. R., THOMPSON, P., WEIDEMAN, M. M. and ANDREWS, C. J. Org 21465 a new i.v. anaesthetic agent, (*ARS*) 586–587P
D'ATHIS, F. *see* BIBOULET, P. 81–84
DAVIES, A. *see* GOODCHILD, C. S. 544–551
DAVIES, F. W. *see* WOLF, A. R. 362–364
DAVIES, M. J. *see* MURPHY, P. G. 536–543
DAVIS, G., KHAN, R. M., RANDALL, N., WRIGHT, J. S. and ROBERTS, D. H. Balloon mitral valve dilatation as an aid to weaning from ventilatory support in patients with intractable pulmonary oedema caused by severe mitral stenosis 879–880
DAWSON, P. *see* TURNER, G. 606–610
DAY, F. *see* CARROLL, M., (*ARS*) 581P
DEAKIN, C. D. Evaluation of an oesophageal intubation detector device using electrical resistance, (*ARS*) 590P
DEAKIN, C. D., SEWELL, A. C., CLEWLOW, F. and PIERCE, J. M. T. A comparison of core temperature with thermal energy balance in predicting adequacy of rewarming from hypothermic cardiopulmonary bypass, (*EACTA*) A.41
DEBRUYÈRE, M. *see* DENEYS, V., (*EACTA*) A.56
DE HERT, S. G. *see* DEIRUE, G. L., (*EACTA*) A.10
DEIRUE, G. L., DE HERT, S. G., TEN BROECKE, P. W. and VERMEYEN, K. M. Effects of lidoflazine on left ventricular function, (*EACTA*) A.10
DELHAAS, E. M. Extradural and subarachnoid catheterization using the Seldinger technique 149–150
DELIRE, V. *see* BROKA, S., (*EACTA*) A.44
DELOOF, T. *see* CODDENS, J., (*EACTA*) A.26
DELPY, D. T. *see* OWEN-REECE, H. 43–48
DEMEYERE, R. *see* MEYNS, B., (*EACTA*) A.38
DEMIRTAŞ, M. *see* TORAMAN, F., (*EACTA*) A.21
DENDA, S., SHIMOJI, K., TOMITA, M., BABA, H., YAMAKURA, T., MASAKI, H., ENDOH, H. and FUKUDA, S. Central nuclei and spinal pathways in feedback inhibitory spinal cord potentials in ketamine-anaesthetized rats 258–265
DENEYS, V., VANDYCK, M., DEBRUYÈRE, M., WATERLOOS, H. and BAELE, Ph. Use of blood products in cardiovascular surgery 4 years after the Sanguis study, (*EACTA*) A.56
DE PAUW, C. *see* CAPOUET, V. 54–60
DEPLACE, C. *see* PAULUS, S., (*EACTA*) A.73
DERIGHETTI, M. *see* CURATOLO, M. 245–250
DERIJCKE, V. *see* CAPOUET, V. 54–60
DE WOLF, A. M., FREEMAN, J. A., SCOTT, V. L., TULLOCK, W., SMITH, D. A., KISOR, D. F., KERLS, S. and RYAN COOK, D. Pharmacokinetics and pharmacodynamics of cisatracurium in patients with end-stage liver disease undergoing liver transplantation 624–628
D'HOLLANDER, A. *see* NYARWAYA, J.-B. 428–434
DHOND, G., BURNS, T., BURROWS, C., WHEELDON, D., GHOSH, S. and ODURO-DOMINAH, A. Pilot evaluation of RMI haemoconcentrator during cardiopulmonary bypass, (*EACTA*) A.57
D'HOORE, W. *see* BAELE, Ph., (*EACTA*) A.60
DHOSTE, K. *see* KARAYAN, J. 459–460
DIEMUNSCH, P. *see* WILSON, A. J. 515–518
DIJKHUIS, J. P. *see* VAN DER STROOM, J. G. 645–651
DION, R. *see* VUYLSTEKE, A., (*EACTA*) A.50
DJAIANI, G. N. *see* KNOWLES, P. R., (*EACTA*) A.42
DOCKAL, M. *see* LAßNIGG, A., (*EACTA*) A.18
DODDS, C. *see* ROSENBERG-ADAMSEN, S. 552–559
DOHMEN, P. *see* HERIJGERS, P., (*EACTA*) A.13
DOLISI, C. *see* RAUCOULES-AIMÉ, M. 198–202
DOMINGO, V. *see* AGUILAR, J. L. 72–76
DONATELLI, F. *see* GUARRACINO, F., (*EACTA*) A.45
DONATI, F. *see* AUDIBERT, G., (*C*) 597–598
DÖPFMER, S. *see* DÖPFMER, U. R. 77–80
DÖPFMER, U. R., MALONEY, D. G., GAYNOR, P. A., RATCLIFFE, R. M. H. and DÖPFMER, S. Prilocaine 3% is superior to a mixture of bupivacaine and lignocaine for peribulbar anaesthesia 77–80
DORAN, B. R. H. *see* PEARSON, A. J., (*ARS*) 577–578P
DORÉ, C. J. *see* BRUNNER, M. D. 34–37; CRABB, I. 795–801; RICHMOND, C. E. 446–448
DOYLE, A. R. *see* POULTON, B. B., (*EACTA*) A.15
DOYLE, E. *see* COOK, B., (*C*) 881; SEMPLE, D. 310–312
DRESNER, M. *see* HAWTHORNE, L. 680–684
DRIVER, I., WILTSHIRE, S., MILLS, P., LILLYWHITE, N. and HOWARD-GRIFFIN, R. Midazolam before induction improves conditions for laryngeal mask insertion, (*e*) 175
DRUMMOND, G. B. Comparison of sedation with midazolam and ketamine: effects on airway muscle activity 663–667; Effect of apparatus on functional residual capacity 560–562
DRUMMOND, G. B. *see* FOO, I. T. 214–220; SPENS, H. J. 369–373; SUTHERLAND, R. W. 777–779
DRYDEN, C. M. *see* WOLF, A. R. 362–364
DUBREUIL, M. *see* FREYBURGER, G. 519–525
DUCART, A. *see* BROKA, S., (*EACTA*) A.44
DUDEA, S. *see* GOTA, M., (*EACTA*) A.20
DU GRES, B. *see* VEDRINNE, C., (*EACTA*) A.85
DULCAMARA, A. *see* FIACCHINO, F., (*C*) 883
DUNN, T. J., CLARK, V. A. and JONES, G. Naproxen after day-case laparoscopic sterilization, (*C*) 168
DURAND, P. G. *see* VEDRINNE, C., (*EACTA*) A.85
DURSIN, A. *see* BROKA, S., (*EACTA*) A.44
DUTHIE, D. J. R. *see* KNOWLES, P. R., (*EACTA*) A.42; POULTON, B. B., (*EACTA*) A.15

EASTWOOD, N. B. *see* BOYD, A. H. 382–388
EDDLESTON, J. M., HOLLAND, J. J., GRIFFIN, R. P., CORBETT, A., HORSMAN, E. L. and REYNOLDS, F. A double-blind comparison of 0.25% ropivacaine and 0.25% bupivacaine for extradural analgesia in labour 66–71
EDERBERG, S., RICKSTEN, S-E., SVENSSON, S.-E. and WESTERLIND, A. The effects of propofol on cerebral blood flow velocity and oxygenation during cardiopulmonary bypass, (*EACTA*) A.17
EDWARDS, N. D. *see* MASON, D. G. 396–400
EGGENSPERGER, N. *see* WALPOTH, B. H., (*EACTA*) A.58
VAN EGMOND, J. *see* VANLINTHOUT, L. E. H. 389–395

EHRLICH, M. *see* LAßNIGG, A., (*EACTA*) A.18
EIJSMAN, L. *see* JANSEN, P. G. M. 13–19
EKBERG, K. *see* GÅRDEBÄCK, M., (*EACTA*) A.36
EL-BAKRY, A. K. *see* NAGUIB, M., (*e*) 339
ELDABE, S. S. *see* COOPER, D. W. 611–615
ELKHOURY, Z. *see* MOLLIEX, S. 151–153
ELLIOTT, D. W., VOYVODIC, F. and BROWNRIDGE, P. Sudden onset of subarachnoid block after subdural catheterization: a case of arachnoid rupture? 322–324
VAN DEN ELSEN, M. *see* DAHAN, A. 374–381
ELWELL, C. E. *see* OWEN-REECE, H. 43–48
ENDOH, H. *see* DENDA, S. 258–265
ENGBERG, G. *see* REBER, A. 760–766
ENGLAND, A. J., RICHARDS, K. and FELDMAN, S. A. Effect of cooling on the force of contraction of rat and guineapig phrenic nerve hemidiaphragm preparations, (*ARS*) 592–593P
ENGLAND, A. J. *see* RICHARDS, K., (*ARS*) 579–580P
ENRIGHT, S. and BELLAMY, M. C. White blood cell cytosolic calcium changes during human orthotopic liver transplantation, (*ARS*) 587–588P
ENRIGHT, S. *see* SNOOK, N. J. 740–743
ERDEMIR, H. *see* ÖZYURT, A., (*EACTA*) A.25
ESPACHS, P. *see* AGUILAR, J. L. 72–76
ESPINET, A., HENDERSON, D. J., FACCENDA, K. A. and MORRISON, L. M. M. Does pre-incisional thoracic extradural block combined with diclofenac reduce postoperative pain after abdominal hysterectomy? 209–213
EVANS, M. J., HARRISON, C. A. and MAPLESON, W. W. A pitfall in the use of the Altman nomogram for power estimation, (*C*) 334
EVANS, S. J. W. *see* TONER, C. C. 347–351
EVANS, T. R. *see* COLQUHOUN, M. C., (*R*) 338–339

FACCENDA, K. A. *see* ESPINET, A. 209–213
FAIRFIELD, M. C. Visceral pain during Caesarean section, (*C*) 167
FARMERY, A. D. and ROE, P. G. A model to describe the rate of oxyhaemoglobin desaturation during apnoea 284–291; A model to describe the rate of oxyhaemoglobin desaturation during apnoea, (*e*) 890
FARRELL, P. T. Suxamethonium in children, (*C*) 883–884
FAVRE, H. *see* LICKER, M. 632–639
FEE, J. P. H. *see* GORMLEY, W. P. 802–805
FEIGENWINTER, P. *see* CURATOLO, M. 245–250
FELDMAN, A. *see* RICHARDS, K., (*ARS*) 579–580P
FELDMAN, S. *Neuromuscular Block*, (*R*) 893
FELDMAN, S. and HOOD, J. Factors governing onset of neuromuscular block, (*C*) 596–597
FELDMAN, S. A. *see* ENGLAND, A. J., (*ARS*) 592–593P
FENECK, R. *see* VUYLSTEKE, A., (*EACTA*) A.30; (*EACTA*) A.77
FERDINANDE, P. *see* MEYNS, B., (*EACTA*) A.38
FERNANDO, R. and PARRY, M. G. Extradural analgesia in the first stage of labour, (*C*) 886–887
FERNANDO, R. *see* ROBBINS, P. M., (*C*) 170
FERRANTE, M. *see* PAINO, R., (*EACTA*) A.40
FIACCHINO, F., CONSONNI, F., DULCAMARA, A. and GRANDI, L. Suxamethonium in children, (*C*) 883
FILLEY, S., BONNEFOY, E., BLANC, P., BOUVIER, H., GUIDOLLET, J. and LEHOT, J. J. Time course of serial serum troponin I levels after coronary artery bypass surgery (CABG), (*EACTA*) A.63
FINDLAY, G. P. and SPITTAL, M. J. Rocuronium pretreatment reduces suxamethonium-induced myalgia: comparison with vecuronium 526–529
FINK, E. J. JR and BROWN, B. B. JR, (EDITORS) *Baillière's Clinical Anaesthesiology: New Pharmacological Vistas*, (*R*) 173
FIORUCCI, A. *see* CASATI, V., (*EACTA*) A.53
FISCHER, M. *see* CURATOLO, M. 245–250; ROTH, D. 38–42
FLAMENG, W. *see* HERIJGERS, P., (*EACTA*) A.13; (*EACTA*) A.14; (*EACTA*) A.79; MEYNS, B., (*EACTA*) A.38
FLAMENS, C. *see* LEHOT, J. J., (*EACTA*) A.43; PAULUS, S., (*EACTA*) A.73
FLEMING, B. G. *see* MUNGLANI, R., (*E*) 1–4
FLETCHER, G. C., ASBURY, A. J. and BROWN, J. H. Pupil changes during cardiopulmonary bypass 20–22
FLETCHER, S. J. *see* HEATH, K. J. 877–878
FOËX, P. *see* DALMAS, S. 419–427
FOLLIGUET, T. *see* PÉTRIE, J., (*EACTA*) A.54
FOO, I. T., WARREN, P. M. and DRUMMOND, G. B. Influence of oral clonidine on the ventilatory response to acute and sustained isocapnic hypoxia in human males 214–220
FORD, S. *see* PRICE, C. M. 464–466
FORSE, R. A. *see* TELLADO, J. M., (*R*) 173–174
FOSTER, R. N. Effect of transdermal hyoscine on nausea and vomiting, (*C*) 749
FOTHERGILL, J. *see* SECKER, C., (*ARS*) 581–582P
FOURIE, J. *see* JAMES, M. F. M. 713–720
FOX, A. and MUSHAMBI, M. C. Accidental insertion of an extradural catheter, (*C*) 336
FRANCO, A. *see* OPPIZZI, M., (*EACTA*) A.46
FRANKS, R. *see* KARMAKAR, M. K. 811–815
FRASER, M. H. *see* WATT, J. W. H. 870–871
FRAZER, N. *see* CRABB, I. 795–801
FREEMAN, J. A. *see* DE WOLF, A. M. 624–628
FREY, L. *see* WELTE, M. 90–98
FREYBURGER, G., DUBREUIL, M., BOISSEAU, M. R. and JANVIER, G. Rheological properties of commonly used plasma substitutes during preoperative normovolaemic acute haemodilution 519–525
FRUHWALD, F. M. *see* FRUHWALD, S., (*EACTA*) A.65
FRUHWALD, S., FRUHWALD, F. M., GÜTL, M. and METZLER, H. QTc-dispersion in patients undergoing CABG surgery, (*EACTA*) A.65
FUCHS-BUDER, T. and TASSONYI, E. Magnesium sulphate enhances residual neuromuscular block induced by vecuronium 565–566
FUKUDA, H. *see* HIRABAYASHI, Y., (*C*) 167; 508–510; (*C*) 886
FUKUDA, S. *see* DENDA, S. 258–265
FUKUSHIMA, T., HIRASAKI, A., JONES, K. A. and WARNER, D. O. Halothane and potassium channels in airway smooth muscle 847–853
FURUSE, M. *see* HIRABAYASHI, Y. 508–510
FUSCIARDI, J. *see* KARAYAN, J. 459–460

GAJRAJ, N. M. and HUTTER, C. Serotonin in pre-eclampsia, (*C*) 748–749
GALLETLY, D. C., WILLIAMS, T. B. and ROBINSON, B. J. Periodic cardiovascular and ventilatory activity during midazolam sedation 503–507
GALLEY, H. F. *see* PITTARD, A. J. 629–631
GÅRDEBÄCK, M., SETTERGREN, G., WAHREN, J., EKBERG, K. and BARR, G. Splanchnic blood flow during cardiopulmonary bypass assessed by indicator dilution technique, (*EACTA*) A.36
GARRAFFO, R. *see* ISETTA, C., (*EACTA*) A.52
GASTAUD, P. *see* RAUCOULES-AIMÉ, M. 198–202
GAVAGHAN, D. J. *see* DALMAS, S. 419–427
GAYNOR, P. A. *see* DÖPFMER, U. R. 77–80
GEERTS, M. *see* BOER, F. 203–208
GELINDER, S., ORRE, L., SETTERGREN, G., SAMUELSON, S. and NORMAN, M. Stable right ventricular pressure-volume relation during lung volume reducing surgery for diffuse emphysema, (*EACTA*) A.80
GENT, J. P. *see* GOODCHILD, C. S. 544–551
GENTILI, M. and BONNET, F. Spinal clonidine produces less urinary retention than spinal morphine 872–873
GEORGE, M. *see* VEDRINNE, C., (*EACTA*) A.85
GEORGE, S. J. Transoesophageal echocardiography in chest trauma, (*C*) 336–337
GERLI, C. *see* OPPIZZI, M., (*EACTA*) A.81
GERSBACH, Ph. *see* WALPOTH, B. H., (*EACTA*) A.7
GESKES, G. *see* PIETERSEN, H. G., (*EACTA*) A.2
GHOSH, S. *see* DHOND, G., (*EACTA*) A.57
GIANNARIS, S. *see* BUHRE, W., (*EACTA*) A.37
GILHOOLY, C. J. *see* CHECKETTS, M. R., (*EACTA*) A.69
GILLON, K. R. W. *see* LEVACK, I. D. 567–569
GINSBURG, R. *see* KAUFMAN, L., (*R*) 174
GLYNN, C. J. *see* SOUTER, A. J., (*C*) 595–596
GOLDSTONE, J. *see* OWEN-REECE, H. 43–48
GOODCHILD, C. *see* TURNER, G. 606–610
GOODCHILD, C. S., GUO, Z., DAVIES, A. and GENT, J. P. Antinociceptive actions of intrathecal xylazine: interactions with spinal cord opioid pathways 544–551
GOODMAN, N. W. Measurement of competence, (*C*) 750
GOODMAN, N. W. and JOHNSON, C. *600 MCQs in Anaesthesia: Clinical Practice*, 2nd Edn, (*R*) 751
GOODYER, P. *see* SECKER, C., (*ARS*) 581–582P
GOOLD, J. E. Day-case cataract surgery, (*C*) 333
GOPINATH, S. *see* KNOWLES, P. R., (*EACTA*) A.42
GORCHEIN, A. Porphyria, propofol and rats, (*C*) 172
GORMLEY, W. P., MURRAY, J. M., FEE, J. P. H. and BOWER, S. Effect of the addition of alfentanil to lignocaine during axillary brachial plexus anaesthesia 802–805
GOSLING, A. J. *see* SABAR, M. A., (*ARS*) 584P
GOTA, M., DUDEA, S., SANDOR, V., KNOWLES, P., LATIMER, R. D. and CARDAN, E. Topical nitroglycerin dilates the radial artery, (*EACTA*) A.20
GOTO, T., MAROTA, J. J. A. and CROSBY, G. Volatile anaesthetics antagonize nitrous oxide and morphine-induced analgesia in the rat 702–706
GOUWY, S., WOUTERS, P., VERHAMME, B., VEBRUGGEN, W. and LAUWERS, P. Autotransfusion of unwashed shed blood after

CABG, using the Atrium 2052® blood recovery system, (*EACTA*) A.59
GRAHAM, D. and KADDOUR, H. S. RAE tube obstruction during tonsil dissection, (*C*) 170–171
GRANDI, L. *see* FIACCHINO, F., (*C*) 883
GREBENIK, C. and ALLMAN, C. Nausea and vomiting after cardiac surgery, (*EACTA*) A.76
GREIFF, J. *see* THOMPSON, M. M., (*C*) 883
GRIFFIN, R. P. *see* EDDLESTON, J. M. 66–71
GRIMAUD, D. *see* ISETTA, C., (*EACTA*) A.52; RAUCOULES-AIMÉ, M. 198–202
GROH, J. *see* WELTE, M. 90–98
GROSSI, A. *see* GUARRACINO, F., (*EACTA*) A.45
GROULS, R. J. E. *see* DE BEER, N. A. M. 685–693
GROUNDS, R. M. *see* BOYD, O., (*C*) 598; (*C*) 750
GRÜNE, F. *see* WEYLAND, A., (*EACTA*) A.35
GUARRACINO, F., OPPIZZI, M., TRIGGIANI, M., BENUSSI, S., DONATELLI, F., PAOLILLO, G. and GROSSI, A. Transoesophageal echocardiography and haemodynamic monitoring in emergency surgical revascularization for extensive acute myocardial infarction, (*EACTA*) A.45
GUARRACINO, F. *see* OPPIZZI, M., (*EACTA*) A.46; (*EACTA*) A.81
GUERIT, J. M. *see* VUYLSTEKE, A., (*EACTA*) A.50
GUIDOLLET, J. *see* FILLEY, S., (*EACTA*) A.63
GUILLOU, P. J. *see* BELLAMY, M. C., (*ARS*) 587P
GUNAWARDANA, R. H. Difficult laryngoscopy in cleft lip and palate surgery 757–759
GÜNNICKER, M. *see* KARZAI, W. 5–8
GUO, Z. *see* GOODCHILD, C. S. 544–551
GÜRTLER, C. *see* REBER, A., (*ARS*) 584P
GÜTL, M. *see* FRUHWALD, S., (*EACTA*) A.65
GUZZON, D. *see* CASATI, V., (*EACTA*) A.53
GWINNUTT, C. L. *see* COCHRAN, D. 570–572
GYI, A. *see* SELWYN, D. A. 111–115

HÄGGLÖF, B. *see* SCHUG, S. A. 487–491
HAGON, O. *see* WILDER-SMITH, O. H. G., (*C*) 472–473
HAHN, M. B., MCQUILLAN, P. M. and SHEPLOCK, G. J., (editors) *Regional Anesthesia: An Atlas of Anatomy and Techniques*, (*R*) 751
HAHN, R. G. *see* OLSSON, J. 85–89
HAIDER, W. *see* MARES, P., (*EACTA*) A.75; RAJEK, A., (*EACTA*) A.39
HAK, A. *see* BOER, F. 203–208
HÅKANSON, E., SZABO, Z., SVEDJEHOLM, R., LINDAHL, M. and TAGESSON, C. Phospholipase A_2 in cardiac surgery, (*EACTA*) A.1
HALL, G. M. *see* NEWTON, M. C. 352–357
HALL, J. L. *see* MYLES, P. S. 694–698
HALL, L. W. *see* POULTON, B. B., (*EACTA*) A.29
HALLER, M. *see* WELTE, M. 90–98
HALLIGAN, A. W. *see* MUSHAMBI, M. C. 133–148; (*C*) 889–890
HAMILTON, R. C. *see* MALTBY, J. R., (*C*) 333; SMITH, G. B., (*R*) 891
HAMMARÉN, E., YLI-HANKALA, A., ROSENBERG, P. and HYNYNEN, M. Plasma concentration and protein binding of propofol during cardiac surgery, (*EACTA*) A.16
HAMMOND, E. J. *see* MCINDOE, A. K., (*C*) 332–333
HANCOCK, L. *A Physicians's Guide to the Internet*, (*R*) 893
HANDLEY, A. J. *see* COLQUHOUN, M. C., (*R*) 338–339
HANN, H. C. L. and RAPHAEL, J. H. Investigation into the effects of midazolam and propofol on human respiratory cilia beat frequency *in vitro*, (*ARS*) 591P
HANN, H. C. L. *see* RAPHAEL, J. H. 854–859
HANNING, C. D. *see* SECKER, C., (*ARS*) 581–582P
HANSSON, L.-O. *see* VAN DER LINDEN, J., (*EACTA*) A.84
HARALDSSON, A., KIELER-JENSEN, N., NATHORST-WESTFELT, U., BERGH, C.-H. and RICKSTEN, S.-E. Inhaled prostacyclin compared to inhaled nitric oxide in the evaluation of heart transplant candidates with elevated pulmonary vascular resistance, (*EACTA*) A.27
HARKNESS, W. *see* OWEN-REECE, H. 43–48
HARKNESS, W. F. J. *see* SMITH, M. 499–502
HARMAND, M. F. *see* BRIQUET, F., (*EACTA*) A.31
HARRISON, C. A. *see* EVANS, M. J., (*C*) 334
HARRISON, M. J. G. *see* AROWSMITH, J. E., (*EACTA*) A.83
HARRISON, S. J. and PONTE, J. Convective warming combined with vasodilator therapy accelerates core rewarming after coronary artery bypass surgery 511–514
HARTIALA, J. *see* KENTALA, E., (*EACTA*) A.64
HATCH, D. J. Airway management in cleft lip and palate surgery, (*E*) 755–756
HATCH, D. J. *see* PHILLIPS, S., (*C*) 471
HAWTHORNE, L., WILSON, R., LYONS, G. and DRESNER, M. Failed intubation revisited: 17-yr experience in a teaching maternity unit 680–684
HEALY, T. E. J. and COHEN, P. J., (editors) *Wylie & Churchill-Davidson's A Practice of Anaesthesia*, 6th Edn. (*R*) 477
HEALY, T. E. J. and POMFRETT, C. J. D. Isolated forearm technique, (*C*) 885–886
HEATH, K. J., PALMER, M. and FLETCHER, S. J. Fracture of the cricoid cartilage after Sellick's manoeuvre 877–878
HEATH, M. *see* THOMAS, V. J., (*C*) 595
HEATON, B. *see* MCGOWAN, C. 868–869
HEATON, J. F. *see* CORK, R. C. 492–498
HECHEMA, R. *see* ISETTA, C., (*EACTA*) A.52
HEDENSTIERNA, G. *see* REBER, A. 760–766
HEINE, J. F. *see* LEUWER, M., (*ARS*) 585P
HELBO-HANSEN, H. S. *see* WILSON, A. J. 515–518
HELMINEN, A. *see* KENTALA, E., (*EACTA*) A.64
HENDERSON, D. J. *see* ESPINET, A. 209–213
HENDERSON, J. D. *see* IRELAND, N. 657–662
HENDRATA, M. *see* MYLES, P. S. 694–698; TURNER, G. 606–610
HENNESSY, A. *see* CARROLL, M., (*ARS*) 581P
HENSLEY, F. A. JR and MARTIN, D. E., (editors) *A Practical Approach to Cardiac Anesthesia*, (*R*) 174
HERIJGERS, P., MUBAGWA, K., DOHMEN, P. and FLAMENG, W. Brain death induced haemodynamic failure in the rat is solely due to autonomic denervation, (*EACTA*) A.13
HERIJGERS, P., NISHIMURA, Y. and FLAMENG, W. Serotonin induces coronary spasms after brain death in dogs, (*EACTA*) A.14
HERIJGERS, P., SZÉCSI, J., DAENEN, W., SERGEANT, P. and FLAMENG, W. Use of internal mammary artery improves prognosis in patients under 70 undergoing combined valve and coronary artery surgery, (*EACTA*) A.79
HERIOT, J. A., STEVEN, C. M. and SATTIN, R. S. Elective forceps delivery and extradural anaesthesia in a primigravida with portal hypertension and oesophageal varices 325–327
HERITY, N. A. *see* ALLEN, J. D., (*E*) 177–178
HETT, D., PILKINGTON, S., JANKE, E., SHEPPARD, S. and SMITH, D. Blood lactate during cardiopulmonary bypass with a lactated priming solution, (*EACTA*) A.33
HICKMAN, R. *see* JAMES, M. F. M. 713–720
HIESMAYR, M., SPITTLER, A., Laßnigg, A., BERGER, R., BOLTZ, G. and ROTH, E. Perioperative changes in receptors for ICAM-1/CD54 and immunglobulin G on monocytes by extracorporeal circulation (ECC), (*EACTA*) A.32
HIESMAYR, M. *see* Laßnigg, A., (*EACTA*) A.18; MARES, P., (*EACTA*) A.75; RAJEK, A., (*EACTA*) A.39
HIND, C. J. and WATSON., D. *Intensive Care: A Concise Textbook*, 2nd Edn, (*R*) 599
HIRABAYASHI, Y., SAITOH, K., FUKUDA, H. and SHIMIZU, R. Visceral pain during Caesarean section, (*C*) 167
HIRABAYASHI, Y., SHIMIZU, R., SAITOH, K. and FUKUDA, H. CSF progesterone concentrations in pregnancy, (*C*) 886
HIRABAYASHI, Y., SHIMIZU, R., SAITOH, K., FUKUDA, H., IGARASHI, T. and FURUSE, M. Anatomical configuration of the spinal column in the supine position. III. Comparison of adolescent and adult volunteers 508–510
HIRABAYASHI, Y. *see* IKENO, S. 573–575
HIRASAKI, A. *see* FUKUSHIMA, T. 847–853
HIROTA, K. and LAMBERT, D. G. Is the dihydropyridine binding site on neuronal L-type calcium channels a target for i.v. anaesthetic agents? (*ARS*) 591P; Voltage-sensitive Ca^{2+} channels and anaesthesia, (*E*) 344–346
HIROTA, K., SATO, T., RABITO, S. F., ZSIGMOND, E. K. and MATSUKI, A. Relaxant effect of ketamine and its isomers on histamine-induced contraction of tracheal smooth muscle 266–270
HOBBHAHN, J. *see* RÖDIG, G. 9–12
HODGES, U. M. Vecuronium infusion requirements in paediatric patients in intensive care units: the use of acceleromyography 23–28
HOEFT, A. *see* BUHRE, W., (*EACTA*) A.37; MIELCK, F., (*EACTA*) A.12
HOFFMANN, V. *see* VERCAUTEREN, M. P. 731–733
HOHN, L. *see* SCHWEIZER, A., (*EACTA*) A.55
HOLLAND, J. J. *see* EDDLESTON, J. M. 66–71
HOLLMANN, M. *see* SCHLACK, W. 860–867
HOMI, J. *see* WEST, M. E., (*C*) 167
HONKAVAARA, P. Effect of ondansetron on nausea and vomiting after middle ear surgery during general anaesthesia 316–318; Effect of transdermal hyoscine on nausea and vomiting, (*C*) 749–750; Effect of transdermal hyoscine on nausea and vomiting during and after middle ear surgery under local anaesthesia 49–53
HONKONEN, E. L., KAUKINEN, L., PEHKONEN, E. J. and KAUKINEN, S. Atrial natriuretic peptide (ANP) and N-terminal ANP: relationship to right ventricular function in patients undergoing coronary artery bypass surgery, (*EACTA*) A.6
HOOD, J. *see* FELDMAN, S., (*C*) 596–597

VAN HOOFF, J. C. *see* DE BEER, N. A. M. 685–693
HOPKINS, P. M. Suxamethonium in children, (*C*) 884
HOPP, M. Preoperative fasting for paediatric anaesthesia, (*C*) 471
HORSMAN, E. L. *see* EDDLESTON, J. M. 66–71
HORTON, R. C. *see* KENDALL, M. J., (*R*) 891–892
HOUSMANS, P. *see* CODDENS, J., (*EACTA*) A.26
HOWARD-GRIFFIN, R. *see* DRIVER, I., (*e*) 175
HUBBARD, K. *see* O'LEARY, E. 640–644
HUBER, P. R. *see* REBER, A., (*ARS*) 584P
HUGHES, D. *see* THOMAS, D. G. 61–65; TREMLETT, M. R., (*ARS*) 583–584P
HUGHES, D. G., MATHER, S. J. and WOLF, A. R., (editors) *Handbook of Neonatal Anaesthesia*, (*R*) 599
HUGHES, P. *see* MAYOR, A. H., (*ARS*) 578–579P
HULSTAERT, F. *see* CAPOUET, V. 54–60
HUNT, S. P. *see* MUNGLANI, R., (*E*) 1–4
HUNTER, J. M. Rocuronium: the newest aminosteroid neuromuscular blocking drug, (*E*) 481–483
HUNTER, J. M. *see* BOYD, A. H. 382–388
HUTTER, C. *see* GAJRAJ, N. M., (*C*) 748–749
HUTTER, C. D. D. Maternal sequelae of childbirth, (*C*) 474
HUTTON, P. *see* BENSON, J. P., (*C*) 472
HUYBREGTS, M. A. J.M. *see* JANSEN, P. G. M. 13–19
HYNYNEN, M. *see* HAMMARÉN, E., (*EACTA*) A.16

ICKX, B. *see* CAPOUET, V. 54–60
IGARASHI, T. *see* HIRABAYASHI, Y. 508–510
IKEDA, K. *see* KAZAMA, T. 530–535
IKENO, S., MITSUHATA, H., SAITO, K., HIRABAYASHI, Y., AKAZAWA, S., KASUDA, H. and SHIMIZU, R. Airway management for patients with a tracheal bronchus 573–575
ILIC, V. *see* JOVIC, M., (*EACTA*) A.49
ILKJAER, S., PETERSEN, K. L., BRENNUM, J., WERNBERG, M. and DAHL, J. B. Effect of systemic *N*-methyl-D-aspartate receptor antagonist (ketamine) on primary and secondary hyperalgesia in humans 829–834
IRELAND, M. *see* KENNEDY, N., (*C*) 337
IRELAND, N., MEAGHER, J., SLEIGH, J. W. and HENDERSON, J. D. Heart rate variability in patients recovering from general anaesthesia 657–662
ISETTA, C., GARRAFFO, R., MERVILLE, C., LUGRIN, D., HECHEMA, R., SANCHEZ, B., JOURDAN, J. and GRIMAUD, D. Plasma levels of tranexamic acid after two injections during cardiac surgery with cardiopulmonary bypass, (*EACTA*) A.52
ISETTA, C. *see* BRIQUET, F., (*EACTA*) A.31
IVENS, D. *see* CAPOUET, V. 54–60

JADOUL, J. L. and JAMAER, Ph. Comparison of sotalol and digoxin in the prevention of early supraventricular arrhythmias after coronary artery bypass graft (CABG), (*EACTA*) A.67
JÄGER, K. *see* LEUWER, M., (*ARS*) 585P
JALONEN, J. *see* KENTALA, E., (*EACTA*) A.64
JAMAER, Ph. *see* JADOUL, J. L., (*EACTA*) A.67
JAMES, K. S. *see* MANSFIELD, M. D. 358–361
JAMES, M. F. M., HICKMAN, R., JANICKI, P., METS, B. and FOURIE, J. Early effects of total hepatectomy on haemodynamic state and organ uptake of catecholamines in the pig 713–720
JAMES, M. F. M. *see* RUTTMANN, T. G. 412–414
JANICKI, P. *see* JAMES, M. F. M. 713–720
JANKE, E. *see* HETT, D., (*EACTA*) A.33
JANSEN, P. G. M., TE VELTHUIS, H., WILDEVUUR, W. R., HUYBREGTS, M. A. J.M., BULDER, E. R., VAN DER SPOEL, H. I., STURK, A., EIJSMAN, L. and WILDEVUUR, C. R. H. Cardiopulmonary bypass with modified fluid gelatin and heparin-coated circuits 13–19
JANVIER, G. *see* FREYBURGER, G. 519–525
JAUCH, K.-W. *see* WELTE, M. 90–98
JENNI, R. *see* SCHMIDLIN, D., (*EACTA*) A.48
JOHNSON, C. *see* GOODMAN, N. W., (*R*) 751
JOHNSTON, K. R., VICKERS, M. D. and MAPLESON, W. W. Comparison of arterialized venous with arterial blood propofol concentrations during sub-anaesthetic infusions in volunteers 401–404
JOLIN-MELLGÅRD, Å. *see* VUYLSTEKE, A., (*EACTA*) A.30; (*EACTA*) A.77
JONAS, M. M. *see* WEST, M. R. J. 673–679
JONES, G. *see* DUNN, T. J., (*C*) 168
JONES, K. A. *see* FUKUSHIMA, T. 847–853
JONES, N. B. *see* SECKER, C., (*ARS*) 581–582P
JORNOD, N. *see* SCHWEIZER, A., (*EACTA*) A.55
JOUCKEN, K. *see* BROKA, S., (*EACTA*) A.44
JOUPPILA, P. *see* KARINEN, J. 616–620
JOUPPILA, R. *see* KARINEN, J. 616–620

JOURDAN, J. *see* ISETTA, C., (*EACTA*) A.52
JOVIC, M., POPOVIC, Z., RADOMIR, B., ILIC, V., PANIC, G., BOJIC, M., POPIVIC, A. and BABIC, M. Transoesophageal echocardiography and intraoperative evaluation of left ventricular performance, (*EACTA*) A.49
JOYCE, C. J., BAKER, A. B., PARKINSON, R. and ZACHARIAS, M. Nitrous oxide and the rate of gas uptake from an unventilated lung in dogs 292–296

KADDOUR, H. S. *see* GRAHAM, D., (*C*) 170–171
KÅGEDAL, B. *see* DAHLIN, L. G., (*EACTA*) A.62
KAL, J. E. *see* VAN DER STROOM, J. G. 645–651
KALANGOS, A. *see* SCHWEIZER, A., (*EACTA*) A.55
KALICE, R. *see* KNAPIK, P., (*EACTA*) A.28
KAMITANI, K. Effects of propofol on rabbit mesenteric arteries and veins, (*C*) 333–334
KAMPINE, J. P. *see* MAZZEO, A. J. 841–846
KANG, Y. *see* PARK, G. R., (*R*) 338
KANMURA, Y. *see* TSUNEYOSHI, I. 251–257
KAPLAN, N. M. *see* KENDALL, M. J., (*R*) 891–892
KARAYAN, J., THOMAS, D., LACOSTE, L., DHOSTE, K., RICCO, J. B. and FUSCIARDI, J. Delayed forced air warming prevents hypothermia during abdominal aortic surgery 459–460
KAREVOLD, A. *see* KIRKEBY-GARSTAD, I., (*EACTA*) A.74
KARINEN, J., RÄSÄNEN, J., ALAHUHTA, S., JOUPPILA, R. and JOUPPILA, P. Maternal and uteroplacental haemodynamic state in pre-eclamptic patients during spinal anaesthesia for Caesarean section 616–620
KARMAKAR, M. K., BOOKER, P. D., FRANKS, R. and POZZI, M. Continuous extrapleural paravertebral infusion of bupivacaine for post-thoracotomy analgesia in young infants 811–815
KARZAI, W., LÖTTE, A., GÜNNICKER, M., VORGRIMLER-KARZAI, U. M. and PRIEBE, H.-J. Dobutamine increases oxygen consumption during constant flow cardiopulmonary bypass 5–8
KASUDA, H. *see* IKENO, S. 573–575
KATO, T. *see* KAZAMA, T. 530–535
KAUFMAN, L. and GINSBURG, R., (editors) *Anaesthesia: Review 11*, (*R*) 174
KAUKINEN, L. *see* HONKONEN, E. L., (*EACTA*) A.6
KAUKINEN, S. *see* HONKONEN, E. L., (*EACTA*) A.6
KAZAMA, T., IKEDA, K., KATO, T. and KIKURA, M. Carbon dioxide output in laparoscopic cholecystectomy 530–535
KAZMAIER, S., BUHRE, W., WEYLAND, A., STEPHAN, H., ZÜCHNER, K. and SONNTAG, H. Experimental evaluation of a single breath inert gas technique for measurement of myocardial blood flow, (*EACTA*) A.5
KAZMAIER, S. *see* BUHRE, W., (*EACTA*) A.37; WEYLAND, A., (*EACTA*) A.35
KEEGAN, M. A. *see* BRYAN, A., (*ARS*) 579P
KEHLET, H. *see* PEDERSEN, J. L. 806–810; ROSENBERG-ADAMSEN, S. 552–559
KELLY, M. C. *see* BUNTING, H. E., (*C*) 596
KENDALL, M. J., KAPLAN, N. M. and HORTON, R. C., (editors) *Difficult Hypertension: Practical Management and Decision Making*, (*R*) 891–892
KENNEDY, N. and IRELAND, M. Transoesophageal echocardiography in chest trauma, (*C*) 337
KENNY, G. N. C. *see* CHECKETTS, M. R., (*EACTA*) A.69
KENTALA, E., HARTIALA, J., HELMINEN, A., JALONEN, J., SARIOLA-HEINONEN, K., VIRTANEN, T. and SCHEININ, H. Myocardial ischaemia and heart rate variability after coronary bypass surgery, (*EACTA*) A.64
KERLS, S. *see* DE WOLF, A. M. 624–628
KESTIN, I. G. *see* MONTGOMERY, J. E., (*ARS*) 591–592P
KEY, A. *see* SELWYN, D. A. 111–115
KEYL, C. *see* RÖDIG, G. 9–12
KHAN, R. M. *see* DAVIS, G. 879–880
KHAN, Z. *see* REBER, A., (*ARS*) 584P
KIELER-JENSEN, N. *see* HARALDSSON, Å., (*EACTA*) A.27
KIHLSTROM, J. F. *see* CORK, R. C. 492–498
KIKURA, M. *see* KAZAMA, T. 530–535
KINSELLA, J. *see* MANSFIELD, M. D. 358–361
KIRBY, F. *see* LYONS, B., (*ARS*) 589P
KIRKEBY-GARSTAD, I., SELLEVOLD, O. F. M. and KAREVOLD, A. Oxygen consumption during early mobilization after CABG surgery in patients with normal cardiac function, (*EACTA*) A.74
KIRKHAM, A. J. T. *see* POULTON, B. B., (*EACTA*) A.15
KISOR, D. F. *see* DE WOLF, A. M. 624–628
KITCHING, A. J., WALPOLE, A. R. and BLOGG, C. E. Removal of the laryngeal mask airway in children: anaesthetized compared with awake 874–876
VAN KLEEF, J. *see* DAHAN, A. 374–381
KLEINJANS, H. A. J. *see* VAN DER STROOM, J. G. 645–651
KLEPETKO, W. *see* MARES, P., (*EACTA*) A.75

KNAPIK, P., WOJTALIK, M., CZAPLA, J., KALICE, R. and NADZIAKIEWICZ, P. Correlation of predicted and recorded concentrations of nitric oxide during long-term inhalation in infants after cardiac surgery, (*EACTA*) A.28
KNILL-JANES, R. P. *see* MARAN, N. J., (*ARS*) 581P
KNOS, G. B. *see* BERRY, A. J., (*R*) 891
KNOWLES, P. *see* GOTA, M., (*EACTA*) A.20
KNOWLES, P. R., MOSHAL, D. C., DJAIANI, G. N., GOPINATH, S. and DUTHIE, D. J. R. Convective warming overcomes effects of cooling after cardiopulmonary bypass, (*EACTA*) A.42
KOH, K. F. *see* CALDER, I., (*C*) 888
KONG, K. L. *see* WILSON, A. J. 515–518
KONIECZKO, K. M. *see* CRABB, I. 795–801; NATHWANI, D., (*ARS*) 589P
KOOLEN, J. J. *see* VAN DER STROOM, J. G. 645–651
KOPMAN, E. *see* ÖZYURT, A., (*EACTA*) A.25
KOPMAN, E. A. *see* TORAMAN, F., (*EACTA*) A.21
KORPELA, R. *see* MERETOJA, O. A. 767–771
KORSTEN, H. H. M. *see* DE BEER, N. A. M. 685–693
KOSAKA, Y. *see* SAITO, Y., (*C*) 747–748
KROEKS, M. V. A.M. *see* WILSON, A. J. 515–518
KRUG, A. *see* BRASE, R., (*EACTA*) A.47
KUCKELT, W. *see* BRASE, R., (*EACTA*) A.47
KUITUNEN, A. H. *see* NIEMI, T. T. 822–828
KULKARNI, V., MCFARLANE, H. and WEBSTER, N. R. Pulmonary lactate flux after cardiopulmonary bypass, (*ARS*) 586P
KUPILIK, N. *see* RAJEK, A., (*EACTA*) A.39
KURATA, J., ADACHI, T., NAKAO, S., MURAKAWA, M., SHICHINO, T., SHIBATA, M. and MORI, K. Sevoflurane, enflurane and isoflurane have no persistent postanaesthetic effects on the central nervous system in cats 721–725
KURTH, G. *see* WALPOTH, B. H., (*EACTA*) A.58
KVIELE, L. *see* REBER, A. 760–766
KWAN, W.-F. *see* LEE, C. 278–283
KYTTÄ, J., RANDELL, T. and TANSKANEN, P. Venous air embolism: is end-tidal oxygen monitoring more informative than end-tidal carbon dioxide? (*C*) 475–476

LABIB, Y. *see* RAUCOULES-AIMÉ, M. 198–202
LACOSTE, L. *see* KARAYAN, J. 459–460
LAMBERT, D. G. *see* APPADU, B. L. 271–273; HIROTA, K., (*E*) 344–346; (*ARS*) 591P; SELWYN, D. A. 274–277; WANDLESS, A. L. 461–463
LAMPERT, R., RUDLOF, B. and RAUSCHER, J. The influence of dopaminergic agents on liver venous and mixed venous O_2-saturation in MODS – a preliminary report, (*EACTA*) A.11
DE LANGE, S. *see* PIETERSEN, H. G., (*EACTA*) A.2; WETERINGS, C. J., (*EACTA*) A.8; WILLIGERS, H. M. M., (*EACTA*) A.23
LANGENBERG, C. J. M. *see* PIETERSEN, H. G., (*EACTA*) A.2
LANGERON, O., COUTURE, P., MATEO, J., RIOU, B., PANSARD, J.-L. and CORIAT, P. Oxygen consumption and delivery relationship in brain-dead organ donors 783–789
LANGTON, J. A. *see* RAPHAEL, J. H. 116–121; 854–859; SELWYN, D. A. 111–115; 274–277
LANZ, M. *see* WALPOTH, B. H., (*EACTA*) A.58
LAORDEN, M. L. *see* LLOBEL, F. 106–110
LAßNIGG, A., SPITTLER, A., MARX, E., BACHER, A., DOCKAL, M., EHRLICH, M., ROTH, E. and HIESMAYR, M. Does propofol change the phenotype of monocytes in thoracic surgery? (*EACTA*) A.18
Laßnigg, A. *see* HIESMAYR, M., (*EACTA*) A.32; MARES, P., (*EACTA*) A.75
LATIMER, R. *see* VUYLSTEKE, A., (*EACTA*) A.30; (*EACTA*) A.51; (*EACTA*) A.77
LATIMER, R. D. *see* GOTA, M., (*EACTA*) A.20; POULTON, B. B., (*EACTA*) A.29
LAURENCE, A. S. *see* SABAR, M. A., (*ARS*) 584P
LAURENT, S. *see* BAELE, Ph., (*EACTA*) A.60
LAUWERS, P. *see* GOUWY, S., (*EACTA*) A.59; MEYNS, B., (*EACTA*) A.38
LAVOIE, J., VISCHOFF, D. and VILLENEUVE, E. Comparison of caudally administered morphine *vs* hydromorphone in paediatric cardiac surgical patients, (*EACTA*) A.70
LAWES, E. G. Volume preloading, spinal anaesthesia and Caesarean section, (*C*) 334–335
LAWLER, P. G. P. *see* WOOD, P. R. 563–564
LAWSON, G. M. *see* SOUTHORN, P. 467–469
LAWSON, R. A. *see* WOLF, A. R. 362–364
LAYCOCK, S. K. *see* VAN DE VELDE, M., (*EACTA*) A.3
LAYHER, Y. *see* MYLES, P. S. 694–698
LEATHER, A. *see* VAN DE VELDE, M., (*EACTA*) A.3
LEE, C., ZHANG, X. and KWAN, W.-F. Electromyographic and mechanomyographic characteristics of neuromuscular block by magnesium sulphate in the pig 278–283
LEE, D. J. H., ROBINSON, D. L. and SONI, N. Efficiency of a circle system for short surgical cases: comparison of desflurane with isoflurane 780–782
LEE, J. S. and ABBOUD, T. Intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia, (*C*) 169–170
LEHOT, J. J., NEIDECKER, J., DALMAS, J. P., VEDRINNE, C., FLAMENS, C. and BOMPARD, D. Echocardiography by the anaesthetist: a French survey, (*EACTA*) A.43
LEHOT, J. J. *see* FILLEY, S., (*EACTA*) A.63; PAULUS, S., (*EACTA*) A.73; VEDRINNE, C., (*EACTA*) A.66; (*EACTA*) A.85
LENHART, F.-P. *see* WELTE, M. 90–98
LENTSCHENER, C. and BENHAMOU, D. Aprotinin during liver transplantation, (*C*) 882
LETZEN, S. *see* PALM, S., (*ARS*) 588–589P
LEUNENS, V. *see* VAN DE VELDE, M., (*EACTA*) A.3
LEUWER, M., HEINE, J. F., ARSENIEV, L., SCHEINICHEN, D., JÄGER, K. and PIEPENBROCK, S. Flow cytometry evaluation of the *in vitro* effects of four i.v. anaesthetics on the respiratory burst of human neutrophils, (*ARS*) 585P
LEVACK, I. D., BOWIE, R. A., BRAID, D. P., ASBURY, A. J., MARSHALL, R. L., SLAWSON, K. B., BIRRELL, H. and GILLON, K. R. W. Comparison of the effect of two dose schedules of oral omeprazole with oral ranitidine on gastric aspirate pH and volume in patients undergoing elective surgery 567–569
LEVRAUT, J. *see* RAUCOULES-AIMÉ, M. 198–202
LEVY, J. *see* VUYLSTEKE, A., (*EACTA*) A.30; (*EACTA*) A.77
LICKER, M., BEDNARKIEWICZ, M., NEIDHART, P., PRÊTRE, R., MONTESSUIT, M., FAVRE, H. and MOREL, D. R. Preoperative inhibition of angiotensin-converting enzyme improves systemic and renal haemodynamic changes during aortic abdominal surgery 632–639
LICKER, M. *see* SCHWEIZER, A., (*EACTA*) A.55
LILLYWHITE, N. *see* DRIVER, I., (*e*) 175
LIM, G. *see* ROBBINS, P. M., (*C*) 170
LIM, T. A. *see* SHORT, T. G. 313–315
LIN, E. S. Airway pressure signals during high frequency jet ventilation, (*ARS*) 576–577P
LINDAHL, M. *see* HÅKANSON, E., (*EACTA*) A.1
LINDBLOM, D. *see* VAN DER LINDEN, J., (*EACTA*) A.82
VAN DER LINDEN, J., ASTUDILLO, R., RÅDEGRAN, K., HANSSON, L.-O. and ÅBERG, B. Elevated serum levels of S-100 after deep hypothermic circulatory arrest correlate with duration of circulatory arrest, (*EACTA*) A.84
VAN DER LINDEN, J., BENGTSSON, L. and LINDBLOM, D. Epiaortic scanning of the ascending aorta identifies arteriosclerotic plaques and changes surgical practice during CABG? (*EACTA*) A.82
LINDEQUE, B. G. *see* WILSON, A. J. 515–518
LINDSAY, S. L. *see* COOPER, D. W. 611–615
LINKENS, D. A. *see* MASON, D. G. 396–400
LITTLEJOHN, I. H. *see* TONER, C. C. 347–351
LLOBEL, F. and LAORDEN, M. L. Effects of morphine on atrial preparations obtained from non-failing and failing human hearts 106–110
LOKEN, R. G. *see* MALTBY, J. R., (*C*) 333
LÓPEZ-OLAONDO, L., CARRASCOSA, F., PUEYO, F. J., MONEDERO, P., BUSTO, N. and SÁEZ, A. Combination of ondansetron and dexamethasone in the prophylaxis of postoperative nausea and vomiting 835–840
LÖTTE, A. *see* KARZAI, W. 5–8
LUGRIN, D. *see* ISETTA, C., (*EACTA*) A.52
LUNDBERG, C. *see* DAHLIN, L. G., (*EACTA*) A.62
LYNCH, C. *see* VUYLSTEKE, A., (*EACTA*) A.30; (*EACTA*) A.77
LYONS, B., KIRBY, F. and CASEY, W. Parental or anaesthetist's ability to predict a 'stormy' induction in young children, (*ARS*) 589P
LYONS, G. *see* HAWTHORNE, L. 680–684

MCATEER, E. M. *see* MELLOR, D. J. 621–623
MCBETH, C. *see* ASAI, T. 772–776
MCCLURE, J. H. Ropivacaine 300–307
MCCOY, E. P., MIRAKHUR, R. K., MADDINENI, V. R., WIERDA, J. M. K. H. and PROOST, J. H. Pharmacokinetics of rocuronium after bolus and continuous infusion during halothane anaesthesia 29–33
MCDONALD, D. S. Venous thromboembolism and cardiovascular surgery, (*C*) 473
MACDONALD, I. A. *see* CARLI, F., (*E*) 601–603
MACDOWELL, C. *see* BUGGY, D., (*C*) 887; BUGGY, D. J. 319–321
MCFARLANE, H. *see* KULKARNI, V., (*ARS*) 586P
MCGOWAN, C., HEATON, B. and STEPHENSON, R. N. Occupational x-ray exposure of anaesthetists 868–869
MCGOWAN, P. Improving preoxygenation, (*C*) 748

McGREGGOR, R. *see* SHANNON, C., (*C*) 472
McHARDY, F. E. *see* COOPER, D. W. 611–615
McINDOE, A. K. and HAMMOND, E. J. Cardiac arrest at induction of anaesthesia for Caesarean section, (*C*) 332–333
MACINTYRE, P. E. and READY, L. B. *Acute Pain Management: A Practical Guide*, (*R*) 892
McKENZIE, A. G. and MATHE, S. Interpleural local anaesthesia: anatomical basis for mechanism of action 297–299
MACKERSIE, A. M. Change in neostigmine ampoules, (*C*) 334
McQUAY, H. *see* TRAMÈR, M. 186–193; (*C*) 473–474
McQUILLAN, P. M. *see* HAHN, M. B., (*R*) 751
MADDEN, N. *see* NORMAN, B. 163–166
MADDINENI, V. R. *see* McCOY, E. P. 29–33
MAEKAWA, N. *see* MIKAWA, K. 221–226
MAGBOUL, M. A. *see* NAGUIB, M., (*e*) 339
MAIER, C. *see* PALM, S., (*ARS*) 588–589P
MAKIN, A. P. *see* MUNRO, F. J. 156–159; (*C*) 888–889
MALAGON, I. Haemodynamic effects of air travel, (*ARS*) 590P
MALLICK, A. and MOSS, E. Venous air embolism: is end-tidal oxygen monitoring more informative than end-tidal carbon dioxide? (*C*) 475
MALLICK, A., SAMAAN, A. and BRAITHWAITE, P. Volume preloading, spinal anaesthesia and Caesarean section, (*C*) 335
MALONEY, D. G. *see* DÖPFMER, U. R. 77–80
MALTBY, J. R., HAMILTON, R. C. and LOKEN, R. G. Day-case cataract surgery, (*C*) 333
MANHOLD, C. *see* BRASE, R., (*EACTA*) A.47
MANNERS, J. M. Use of i.m. temperature probes during cardiopulmonary bypass in humans, (*C*) 471–472
MANSFIELD, M. D., JAMES, K. S. and KINSELLA, J. Influence of dose and timing of administration of morphine on postoperative pain and analgesic requirements 358–361
MAPLESON, W. W. Effect of age on MAC in humans: a meta-analysis 179–185
MAPLESON, W. W. *see* EVANS, M. J., (*C*) 334; JOHNSTON, K. R. 401–404; WILKES, A. R. 737–739
MARAN, N. J., KNILL-JANES, R. P. and SPENCE, A. A. Infertility among female hospital doctors in the UK, (*ARS*) 581P
MARCHANDISE, B. *see* BROKA, S., (*EACTA*) A.44
MARES, P., HIESMAYR, M., RAJEK, A., Laßnigg, A., WISLOCKI, W., KLEPETKO, W. and HAIDER, W. Minimal incidence of reperfusion pulmonary oedema after pulmonary thromboendarterectomy, (*EACTA*) A.75
MARINO, G. *see* OPPIZZI, M., (*EACTA*) A.46
MARITZ, J. S. *see* COETZEE, J. F. 415–418
MARJOT, R. *see* MORRIS, G. N. 456–458
MARKEY, G. *see* ROYSTON, B., (*ARS*) 582–583P
MAROTA, J. J. A. *see* GOTO, T. 702–706
MARSCH, S. C. U. *see* DALMAS, S. 419–427
MARSHALL, R. L. *see* LEVACK, I. D. 567–569
MARTIN, D. E. *see* HENSLEY, F. A. JR, (*R*) 174
MARTIN, E. *see* SCHMIDT, H. 707–712
MARTLEW, R. A., MEAKIN, G., WADSWORTH, R., SHARPLES, A. and BAKER, R. D. Dose of propofol for laryngeal mask airway insertion in children: effect of premedication with midazolam 308–309
MARX, E. *see* LAßNIGG, A., (*EACTA*) A.18
MASAKI, H. *see* DENDA, S. 258–265
MASON, D. G., EDWARDS, N. D., LINKENS, D. A. and REILLY, C. S. Performance assessment of a fuzzy controller for atracurium-induced neuromuscular block 396–400
MATEO, J. *see* LANGERON, O. 783–789
MATHE, S. *see* McKENZIE, A. G. 297–299
MATHER, S. J. *see* HUGHES, D. G., (*R*) 599
MATSON, A. *see* RICHMOND, C. E. 446–448
MATSUKI, A. *see* HIROTA, K. 266–270
MATTA, B. F. and STOW, P. J. Sepsis-induced vasoparalysis does not involve the cerebral vasculature: indirect evidence from autoregulation and carbon dioxide reactivity studies 790–794
MAYNÉ, A. *see* BROKA, S., (*EACTA*) A.44
MAYOR, A. H., HUGHES, P., RYDER, I. and SNEYD, J. R. Magnetic resonance imaging of the superior vena cava during spontaneous respiration with continuous positive airway pressure via a facemask in normal subjects, (*ARS*) 578–579P
MAZOIT, J.-X. *see* NYARWAYA, J.-B. 428–434
MAZZEO, A. J., CHENG, E. Y., BOSNJAK, Z. J., COON, R. L. and KAMPINE, J. P. Differential effects of desflurane and halothane on peripheral airway smooth muscle 841–846
MEAD, M. *see* STANLEY, G. 434–486
MEAGHER, J. *see* IRELAND, N. 657–662
MEAKIN, G. *see* MARTLEW, R. A. 308–309
MELLINGHOFF, H. *see* NIGROVIC, V., (*ARS*) 580–581P
MELLOR, D. J., MOSS, E., McATEER, E. M. and SHAH, M. V. Effect of antagonism of mivacurium on recovery of extraocular muscle function 621–623
MERETOJA, O. A., TAIVAINEN, T., RÄIHÄ, L., KORPELA, R. and WIRTAVUORI, K. Sevoflurane–nitrous oxide or halothane–nitrous oxide for paediatric bronchoscopy and gastroscopy 767–771
MERETOJA, O. A., WIRTAVUORI, K., TAIVAINEN, T. and OLKKOLA, K. T. Time course of potentiation of mivacurium by halothane and isoflurane in children 235–238
MERLI, M. *see* PAINO, R., (*EACTA*) A.40
MERVILLE, C. *see* ISETTA, C., (*EACTA*) A.52
METS, B. *see* JAMES, M. F. M. 713–720
METZLER, H. *see* FRUHWALD, S., (*EACTA*) A.65
MEYNS, B., SERGEANT, P., DEMEYERE, R., VANDOMMELE, J., LAUWERS, P., FERDINANDE, P., VERWAEST, C., DAENEN, W. and FLAMENG, W. The hemopump as left ventricular assist device in postcardiotomy heart failure, (*EACTA*) A.38
MEZZATESTA, J. *see* TURNER, G. 606–610
MIELCK, F., STEPHAN, H., SCHOLZ, M., HOEFT, A. and SONNTAG, H. A new method for cerebral blood flow measurement, (*EACTA*) A.12
VAN MIERT, M. M. *see* O'KEEFE, V., (*ARS*) 585P
MIKAWA, K., NISHINA, K., MAEKAWA, N. and OBARA, H. Comparison of nicardipine, diltiazem and verapamil for controlling the cardiovascular responses to tracheal intubation 221–226
MILAZZO, F. *see* PAINO, R., (*EACTA*) A.40
MILLAR, K. *see* TZABAR, Y. 194–197
MILLIGAN, K. R. *see* BUNTING, H. E., (*C*) 596
MILLS, P. *see* DRIVER, I., (*e*) 175
MILROY, S. J. *see* COTTAM, S., (*C*) 882
MIRAKHUR, R. K. *see* McCOY, E. P. 29–33
MITSUHATA, H. *see* IKENO, S. 573–575
MOHADJER, A. *see* WALPOTH, B. H., (*EACTA*) A.7
MØINICHE, S. *see* PEDERSEN, J. L. 806–810
MOLLIEX, S., NAVEZ, M., BAYLOT, D., PRADES, J. M., ELKHOURY, Z. and AUBOYER, C. Regional anaesthesia for outpatient nasal surgery 151–153
MOLONEY, J. T. *see* MYLES, P. S. 694–698
MONEDERO, P. *see* LÓPEZ-OLAONDO, L. 835–840
MONTESSUIT, M. *see* LICKER, M. 632–639
MONTGOMERY, J. E., KESTIN, I. G., SNEYD, J. R. and SUTHERLAND, C. J. Morphine consumption in patients receiving rectal paracetamol and diclofenac alone and in combination, (*ARS*) 591–592P
MONTORSI, E. *see* OPPIZZI, M., (*EACTA*) A.81
MOONEY, P. *see* TURNER, G. 606–610
MOONEY, P. H. *see* SCHUG, S. A. 487–491
MOORE, A. *see* TRAMÈR, M. 186–193; (*C*) 473–474
MORATIN, P. *see* SMITH, T. 452–455
MOREL, D. R. *see* LICKER, M. 632–639
MORI, K. *see* KURATA, J. 721–725
MORITZ, A. *see* RAJEK, A., (*EACTA*) A.39
MORLEY, A. P. Prehospital monitoring of trauma patients: experience of a helicopter emergency medical service 726–730
MORRIS, G. N. and MARJOT, R. Laryngeal mask airway performance: effect of cuff deflation during anaesthesia 456–458
MORRISON, L. M. M. *see* ESPINET, A. 209–213
MORTON, N. S. Prevention of vomiting after paediatric strabismus surgery, (*C*) 473
MOSHAL, D. C. *see* KNOWLES, P. R., (*EACTA*) A.42
MOSS, E. *see* MALLICK, A., (*C*) 475; MELLOR, D. J. 621–623
MOTTRAM, S. D. *see* RAPHAEL, J. H. 116–121
MPHANZA, T. Inadvertent infusion of glucose saline into the extradural space, (*C*) 332
MUBAGWA, K. *see* HERIJGERS, P., (*EACTA*) A.13
MUNGLANI, R., FLEMING, B. G. and HUNT, S. P. Remembrance of times past: the significance of c-*fos* in pain, (*E*) 1–4
MUNRO, F. J., MAKIN, A. P. and REID, J. Airway problems after carotid endarterectomy 156–159; Cervical haematoma and airway obstruction, (*C*) 888–889
MURAKAWA, M. *see* KURATA, J. 721–725
MURDAY, V. *see* PRICE, C. M. 464–466
MURPHY, P. G., DAVIES, M. J., COLUMB, M. O. and STRATFORD, N. Effect of propofol and thiopentone on free radical mediated oxidative stress of the erythrocyte 536–543
MURRAY, G. *see* SMITH, E., (*EACTA*) A.86
MURRAY, J. M. *see* GORMLEY, W. P. 802–805
MUSHAMBI, M. C., HALLIGAN, A. W. and WILLIAMSON, K. Management of pre-eclampsia, (*C*) 889–890; Recent developments in the pathophysiology and management of pre-eclampsia 133–148
MUSHAMBI, M. C. *see* FOX, A., (*C*) 336
MYLES, P. S. Systolic pressure variation—a way to recognize dynamic hyperinflation, (*C*) 169
MYLES, P. S., HENDRATA, M., LAYHER, Y., WILLIAMS, N. J.,

HALL, J. L., MOLONEY, J. T. and POWELL, J. Double-blind, randomized trial of cessation of smoking after audiotape suggestion during anaesthesia 694–698

NADZIAKIEWICZ, P. *see* KNAPIK, P., (*EACTA*) A.28
NAGUIB, M. Histamine release by neuromuscular blocking agents, (*C*) 471
NAGUIB, M., SAMARKANDI, A. H., BAKHAMEES, H. S., MAGBOUL, M. A. and EL-BAKRY, A. K. Histamine-release haemodynamic changes produced by rocuronium, vecuronium, mivacurium, atracurium and tubocurarine, (*e*) 339
NAKAO, S. *see* KURATA, J. 721–725
NATHANSON, M. *see* SMITH, I. 435–445
NATHORST-WESTFELT, U. *see* HARALDSSON, Å., (*EACTA*) A.27
NATHWANI, D., RICH, P., KONIECZKO, K. M. and RAMACHANDRA, V. Midazolam *vs* trimeprazine premedication for children during day-care surgery, (*ARS*) 589P
NATHWANI, D. *see* BRUNNER, M. D. 34–37; PAL, S. K., (*ARS*) 577P
NAVEZ, M. *see* MOLLIEX, S. 151–153
NAY, P. G. Nebulized lignocaine before gaseous induction with desflurane, (*C*) 596
NEIDECKER, J. *see* LEHOT, J. J., (*EACTA*) A.43; VEDRINNE, C., (*EACTA*) A.66
NEIDHART, P. *see* LICKER, M. 632–639; WALPOTH, B. H., (*EACTA*) A.7; (*EACTA*) A.58
NESKOVIC, V. *see* SINDJELIC, R., (*EACTA*) A.19
NEWMAN, S. P. *see* AROWSMITH, J. E., (*EACTA*) A.83
NEWTON, D. E. F. *see* BRUNNER, M. D. 34–37; (*C*) 881; CRABB, I. 795–801; PAL, S. K., (*ARS*) 577P; RICHMOND, C. E. 446–448
NEWTON, M. C., CHADD, G. D., O'DONOGHUE, B., SAPSED-BYRNE, S. M. and HALL, G. M. Metabolic and hormonal responses to induced hypotension for middle ear surgery 352–357
NIEMI, T. T., KUITUNEN, A. H., VAHTERA, E. M. and ROSENBERG, P. H. Haemostatic changes caused by i.v. regional anaesthesia with lignocaine 822–828
NIGROVIC, V., MELLINGHOFF, H. and BUZELLO, W. Modelling the interaction of two neuromuscular blocking agents: generation of an additive or a supra-additive neuromuscular block, (*ARS*) 580–581P
NIGROVIC, V. *see* BEAUFORT, A. M., (*ARS*) 580P
NINET, J. *see* VEDRINNE, C., (*EACTA*) A.66
NISHIKAWA, T. Extradural clonidine for postoperative pain relief, (*C*) 171; Extradural clonidine for postoperative pain relief, (*C*) 881–882
NISHIMURA, Y. *see* HERIJGERS, P., (*EACTA*) A.14
NISHINA, K. *see* MIKAWA, K. 221–226
NORDLANDER, M., BJÖRKMAN, J.-A., REGÅRDH, C-G. and THALÉN, P. Pharmacokinetics and haemodynamic effects of an ultrashort-acting calcium antagonist, (*EACTA*) A.24
NORDSTRÖM, O. and SANDIN, R. Recall during intermittent propofol anaesthesia 699–701
NORMAN, B., SONI, N. and MADDEN, N. Anaesthesia and juvenile hyaline fibromatosis 163–166
NORMAN, M. *see* GELINDER, S., (*EACTA*) A.80
NYARWAYA, J.-B., PIERRE, S., MAZOIT, J.-X., UMBRAIN, V., ROMAIN, M., SAMII, K. and D'HOLLANDER, A. Effects of carbon dioxide embolism with nitrous oxide in the inspired gas in piglets 428–434
NYLANDER, E. *see* DAHLIN, L. G., (*EACTA*) A.62
NYLUND, U. *see* REBER, A. 760–766
NYSTRÖM, P. *see* VUYLSTEKE, A., (*EACTA*) A.51

OBARA, H. *see* MIKAWA, K. 221–226
O'BEIRNE, H. and BELLAMY, M. C. Effects of desflurane and isoflurane on splanchnic microcirculation during surgery, (*ARS*) 592P
O'BEIRNE, H. *see* BELLAMY, M. C., (*ARS*) 587P
O'BEIRNE, H. A. *see* SNOOK, N. J. 740–743
O'CALLAGHAN, C. *see* RAPHAEL, J. H. 116–121
O'DONOGHUE, B. *see* NEWTON, M. C. 352–357
ODURO, A. *see* VUYLSTEKE, A., (*EACTA*) A.51
ODURO-DOMINAH, A. *see* DHOND, G., (*EACTA*) A.57
OH, T. E. Gastric tonometry to monitor tissue oxygenation: more than a gut feeling? (*E*) 604–605
O'KEEFE, V., VAN MIERT, M. M., PARKER, C. J. R., SALMON, P. and SHENKIN, A. Patient-controlled analgesia and the plasma glucose response to surgery, (*ARS*) 585P
O'LEARY, E., HUBBARD, K., TORMEY, W. and CUNNINGHAM, A. J. Laparoscopic cholecystectomy: haemodynamic and neuroendocrine responses after pneumoperitoneum and changes in position 640–644
OLIN, C. *see* SVEDJEHOLM, P., (*EACTA*) A.61
OLKKOLA, K. T. *see* MERETOJA, O. A. 235–238
OLOFSEN, E. *see* BOER, F. 203–208
OLSSON, J. and HAHN, R. G. Analysis of ethanol in expired air during low-flow isoflurane anaesthesia 85–89
OPPIZZI, M., MONTORSI, E., GUARRACINO, F., VENDRAME, G., GERLI, C. and PAOLILLO, G. The efficacy of enoximone in improving the postoperative course of cardiac patients with severe myocardial dysfunction, (*EACTA*) A.81
OPPIZZI, M., ZOIA, E., GUARRACINO, F., MARINO, G., VENDRAME, G., FRANCO, A. and PAOLILLO, G. Postoperative diastolic dysfunction. Incidence, natural history and prognosis, (*EACTA*) A.46
OPPIZZI, M. *see* GUARRACINO, F., (*EACTA*) A.45
OPPIZZI, O. *see* CASATI, V., (*EACTA*) A.53
ORLANDO, A. *see* CURATOLO, M., (*e*) 598
ORRE, L. *see* GELINDER, S., (*EACTA*) A.80
OTTEN, Ph. *see* WILDER-SMITH, O. H. G. 816–821
OWEN-REECE, H., ELWELL, C. E., HARKNESS, W., GOLDSTONE, J., DELPY, D. T., WYATT, J. S. and SMITH, M. Use of near infrared spectroscopy to estimate cerebral blood flow in conscious and anaesthetized adult subjects 43–48
ÖZDENER, F. *see* SÜZER, Ö., (*EACTA*) A.68
ÖZKAN, A. K. *see* SÜZER, Ö., (*EACTA*) A.68
ÖZKUL, V. *see* ÖZYURT, A., (*EACTA*) A.25
ÖZLER, A. *see* ÖZYURT, A., (*EACTA*) A.25; TORAMAN, F., (*EACTA*) A.21
ÖZÜNER, Z. *see* SÜZER, Ö, (*EACTA*) A.68
ÖZYURT, A., ÖZKUL, V., AKSOY, N., YAPÝCÝ, F., YURTSEVEN, N., ERDEMIR, H., ÜNAL, Ö., DAÐSALÝ, S., ÖZLER, A., CANIK, S. and KOPMAN, E. Hypotension following the administration of fentanyl-diazepam combination in chronic ACE inhibitor users, (*EACTA*) A.25

PAINO, R., MILAZZO, F., AMARI, B., VISIGALLI, M., FERRANTE, M. and MERLI, M. Continuous temperature and O_2 saturation monitoring of jugular blood during DHCA procedures for aortic surgery, (*EACTA*) A.40
PAL, S. K., SHARPE, R., NATHWANI, D. and NEWTON, D. E. F. Auditory evoked responses, median frequency and 95% spectral edge during anaesthesia with desflurane and nitrous oxide, (*ARS*) 577P
PAL, S. K., ZYCH, Z., RAJENDRAM, R. and WHITE, D. C. Economy during induction of anaesthesia: a comparison of desflurane with isoflurane via a circle system, (*ARS*) 582P
PALAZZO, M. G. A. *see* TONER, C. C. 347–351
PALM, S., LETZEN, S., STEINMANN, J. and MAIER, C. Immunoglobulin and interleukin 2 production *ex vivo/in vitro* during treatment with oral retarded morphine, (*ARS*) 588–589P
PALMER, M. *see* HEATH, K. J. 877–878
PANIC, G. *see* JOVIC, M., (*EACTA*) A.49
PANSARD, J.-L. *see* LANGERON, O. 783–789
PAOLILLO, G. *see* CASATI, V., (*EACTA*) A.53; GUARRACINO, F., (*EACTA*) A.45; OPPIZZI, M., (*EACTA*) A.46; (*EACTA*) A.81
PARK, G. R. and KANG, Y., (editors) *Anesthesia and Intensive Care for Patients with Liver Disease*, (*R*) 338
PARK, G. R. and SLADEN, R. N., (editors) *Sedation and Analgesia in the Critically Ill*, (*R*) 174
PARKER, C. J. R. *see* BOYD, A. H. 382–388; O'KEEFE, V., (*ARS*) 585P
PARKINS, J. *see* TREMLETT, M. R., (*ARS*) 583–584P
PARKINSON, R. *see* JOYCE, C. J. 292–296
PARMAR, M. and SCOTT, R. P. F. Mivacurium chloride and late onset congenital myopathy 160–162
PARRY, M. G. *see* FERNANDO, R., (*C*) 886–887
PASCH, T. *see* WEISS, B. M. 405–411
PAULUS, S., BASTIEN, O., FLAMENS, C., DEPLACE, C. and LEHOT, J. J. Non-invasive pressure support ventilation (NPSV) as an alternative to reintubation, (*EACTA*) A.73
PAVLOVIC, G. *see* SINDJELIC, R., (*EACTA*) A.19
PAYNE, J. *see* SCHUG, S. A. 487–491
PEARSON, A. J., POMFRETT, C. J. D., DORAN, B. R. H. and POLLARD, B. J. Evaluation of bispectral index as an objective sedation score in the intensive care unit, (*ARS*) 577–578P
PÉASTAING, M. *see* CALVERT, B., (*EACTA*) A.78
PEDERSEN, J. L., CALLESEN, T., MØINICHE, S. and KEHLET, H. Analgesic and anti-inflammatory effects of lignocaine–prilocaine (EMLA) cream in human burn injury 806–810
PEHKONEN, E. J. *see* HONKONEN, E. L., (*EACTA*) A.6
PEREL, A. and SEGAL, E. Systolic pressure variation—a way to recognize dynamic hyperinflation, (*C*) 168–169
PESHIN, P. K. *see* POULTON, B. B., (*EACTA*) A.29
PETER, K. *see* WELTE, M. 90–98

PETERSEN, K. L. *see* ILKJAER, S. 829–834
PETERSEN-FELIX, S. *see* CURATOLO, M. 245–250; ROTH, D. 38–42
PÉTRIE, J., BOUREL, P., SAINT-MAURICE, O. and FOLLIGUET, T. Very low dose aprotinin in cardiac surgery, (*EACTA*) A.54
PETROVIC, P. *see* SINDJELIC, R., (*EACTA*) A.19
PFAFFENDORF, M. *see* VROOM, M. B. 122–129
PHILBIN, D. M. *see* DALMAS, S. 419–427
PHILIPP, A. *see* RÖDIG, G. 9–12
PHILLIPS, S., DABORN, A. K. and HATCH, D. J. Preoperative fasting for paediatric anaesthesia, (*C*) 471
PICHLER, B. *see* WELTE, M. 90–98
PIEPENBROCK, S. *see* LEUWER, M., (*ARS*) 585P
PIERCE, J. M. T. *see* DEAKIN, C. D., (*EACTA*) A.41
PIERRE, S. *see* NYARWAYA, J.-B. 428–434
PIETERSEN, H. G., LANGENBERG, C. J. M., GESKES, G., WAGENMAKERS, A. J. M., DE LANGE, S. and SOETERS, P. B. Free fatty acid (FFA) uptake immediately after routine coronary artery bypass surgery (CABG), (*EACTA*) A.2
PILKINGTON, S. *see* HETT, D., (*EACTA*) A.33
PINTANEL, T. *see* RODRÍGUEZ-CHINCHILLA, R. 328–329
PITTARD, A. J., BANKS, R. E., GALLEY, H. F. and WEBSTER, N. R. Soluble E-cadherin concentrations in patients with systemic inflammatory response syndrome and multiorgan dysfunction syndrome 629–631
PITTARD, A. J., WEBSTER, N. R. and BELLAMY, M. C. Predictability of tumour necrosis factor concentration: evidence for a mechanism for mutual regulation of autacoids in systemic inflammatory response syndrome, (*ARS*) 587P
PODESSER, B. *see* RAJEK, A., (*EACTA*) A.39
POLHILL, S. L. and SMITH, D. C. Evoked EMG response during inhalation of a subanaesthetic concentration of isoflurane, (*ARS*) 578P
POLLARD, B. J. *see* BRYAN, A., (*ARS*) 579P; PEARSON, A. J., (*ARS*) 577–578P
POMFRETT, C. J. D. *see* HEALY, T. E. J., (*C*) 885–886; PEARSON, A. J., (*ARS*) 577–578P
PONTE, J. Suxamethonium and auditory evoked potentials, (*C*) 881
PONTE, J. *see* HARRISON, S. J. 511–514
POPAT, M. T. *see* CARRIE, L. E. S., (*R*) 892–893
POPIVIC, A. *see* JOVIC, M., (*EACTA*) A.49
POPOVIC, Z. *see* JOVIC, M., (*EACTA*) A.49
PORSIUS, M. *see* VAN DER STROOM, J. G. 645–651
PORTER, S. S., (editor) *Anaesthesia for Surgery of the Spine*, (*R*) 892
POULTON, B. B., BADDOO, H. H. K., DOYLE, A. R., STEVENS, J. J. W. M., KIRKHAM, A. J. T. and DUTHIE, D. J. R. Remifentanil by infusion achieves predictable blood concentrations, (*EACTA*) A.15
POULTON, B. B., HALL, L. W., LATIMER, R. D. and PESHIN, P. K. Nitric oxide and pulmonary impedance, (*EACTA*) A.29
POWELL, J. *see* MYLES, P. S. 694–698
POWNEY, J. G. *see* TONER, C. C. 347–351
POZZI, M. *see* KARMAKAR, M. K. 811–815
PRADES, J. M. *see* MOLLIEX, S. 151–153
PRATSCHKE, E. *see* WELTE, M. 90–98
PRECIADO, M. J. *see* AGUILAR, J. L. 72–76
PRÊTRE, R. *see* LICKER, M. 632–639; SCHWEIZER, A., (*EACTA*) A.55
PRICE, C. M., FORD, S., ST JOHN JONES, L. and MURDAY, V. Myocardial ischaemia associated with Ehlers–Danlos syndrome 464–466
PRICE, W. *see* COCHRAN, D. 570–572
PRIEBE, H.-J. *see* KARZAI, W. 5–8
PRINZEN, F. W. *see* WETERINGS, C. J., (*EACTA*) A.8; WILLIGERS, H. M. M., (*EACTA*) A.23
PROOST, J. H. *see* BEAUFORT, A. M., (*ARS*) 580P; MCCOY, E. P. 29–33
PUEYO, F. J. *see* LÓPEZ-OLAONDO, L. 835–840
PUGSLEY, W. B. *see* AROWSMITH, J. E., (*EACTA*) A.83

RABITO, S. F. *see* HIROTA, K. 266–270
RÅDEGRAN, K. *see* VAN DER LINDEN, J., (*EACTA*) A.84
RADOMIR, B. *see* JOVIC, M., (*EACTA*) A.49
RAFFERTY, T. D., (editor) *Basics of Transoesophageal Echocardiography*, (*R*) 173
RAHMIG, H. *see* WEISS, B. M. 405–411
RÄIHÄ, L. *see* MERETOJA, O. A. 767–771
RAJEK, A., PODESSER, B., KUPILIK, N., HIESMAYR, M., MORITZ, A. and HAIDER, W. Effect of β-blockers *versus* calcium channel blockers in myocardial revascularization without cardiopulmonary bypass in pigs, (*EACTA*) A.39
RAJEK, A. *see* MARES, P., (*EACTA*) A.75
RAJENDRAM, R. *see* PAL, S. K., (*ARS*) 582P
RAMACHANDRA, V. *see* NATHWANI, D., (*ARS*) 589P
RANDALL, N. *see* DAVIS, G. 879–880
RANDELL, T. *see* KYTTÄ, J., (*C*) 475–476
RANDOUR, P. *see* BROKA, S., (*EACTA*) A.44
RANUCCI, M., CONTI, D., CIRRI, S., CONTI, E. and SORO, G. Heparin-coated circuits reduce postoperative lung complications in high-risk cardiac patients, (*EACTA*) A.71
RAPHAEL, J. H., SELWYN, D. A., MOTTRAM, S. D., LANGTON, J. A. and O'CALLAGHAN, C. Effects of 3 MAC of halothane, enflurane and isoflurane on cilia beat frequency of human nasal epithelium *in vitro* 116–121
RAPHAEL, J. H., STRUPISH, J., SELWYN, D. A., HANN, H. C. L. and LANGTON, J. A. Recovery of respiratory ciliary function after depression by inhalation anaesthetic agents: an *in vitro* study using nasal turbinate explants 854–859
RAPHAEL, J. H. *see* HANN, H. C. L., (*ARS*) 591P; SELWYN, D. A. 111–115; 274–277
RÄSÄNEN, J. *see* KARINEN, J. 616–620
RATCLIFFE, R. M. H. *see* DÖPFMER, U. R. 77–80
RAUCOULES-AIMÉ, M., LABIB, Y., LEVRAUT, J., GASTAUD, P., DOLISI, C. and GRIMAUD, D. Use of i.v. insulin in well-controlled non-insulin-dependent diabetics undergoing major surgery 198–202
RAUSCHER, J. *see* LAMPERT, R., (*EACTA*) A.11
RAUTOMA, P. *see* TEIRIÄ, H. 154–155
READY, L. B. *see* MACINTYRE, P. E., (*R*) 892
REBER, A., ENGBERG, G., SPORRE, B., KVIELE, L., ROTHEN, H.-U., WEGENIUS, G., NYLUND, U. and HEDENSTIERNA, G. Volumetric analysis of aeration in the lungs during general anaesthesia 760–766
REBER, A., HUBER, P. R., UMMENHOFER, W., GÜRTLER, C., ZURSCHMIEDE, C., KHAN, Z. and SCHNEIDER, M. Changes in pineal and pituitary hormone secretion under general anaesthesia, (*ARS*) 584P
REDFERN, N. *see* THOMAS, D. G. 61–65; TREMLETT, M. R., (*ARS*) 583–584P
REEVE, W. *see* SMITH, E., (*EACTA*) A.86
REGÅRDH, C-G. *see* NORDLANDER, M., (*EACTA*) A.24
REID, J. and THORBURN, J. Volume preloading, spinal anaesthesia and Caesarean section, (*C*) 335–336
REID, J. *see* MUNRO, F. J. 156–159; (*C*) 888–889
REILLY, C. S. *see* MASON, D. G. 396–400
RENEMAN, R. S. *see* WETERINGS, C. J., (*EACTA*) A.8
REYNOLDS, F. Maternal sequelae of childbirth, (*C*) 474–475
REYNOLDS, F. *see* EDDLESTON, J. M. 66–71
RICCO, J. B. *see* KARAYAN, J. 459–460
RICH, P. *see* NATHWANI, D., (*ARS*) 589P
RICH, P. A. *see* BRUNNER, M. D. 34–37
RICHARDS, K., ENGLAND, A. J. and FELDMAN, A. Effect of stimulation rate on force of contraction in partially paralysed rat phrenic nerve hemidiaphragm preparations, (*ARS*) 579–580P
RICHARDS, K. *see* ENGLAND, A. J., (*ARS*) 592–593P
RICHMOND, C. E., MATSON, A., THORNTON, C., DORÉ, C. J. and NEWTON, D. E. F. Effect of neuromuscular block on depth of anaesthesia as measured by the auditory evoked response 446–448
RICKSTEN, S-E. *see* EDERBERG, S., (*EACTA*) A.17
RICKSTEN, S.-E. *see* HARALDSSON, A., (*EACTA*) A.27; VUYLSTEKE, A., (*EACTA*) A.30; (*EACTA*) A.77
RINCÓN, R. *see* AGUILAR, J. L. 72–76
RIOU, B. *see* LANGERON, O. 783–789
RITTER, L. *see* CAPOUET, V. 54–60
ROBBINS, P. M., FERNANDO, R. and LIM, G. Intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia, (*C*) 170
ROBERTS, D. H. *see* DAVIS, G. 879–880
ROBERTSON, E. N. *see* VANLINTHOUT, L. E. H. 389–395
ROBINSON, B. J. *see* GALLETLY, D. C. 503–507
ROBINSON, D. L. *see* LEE, D. J. H. 780–782
ROBSON, S. C. *see* THOMAS, D. G. 61–65
RODICHOCK, L. D. *see* RUSSELL, G. B., (*R*) 477
RÖDIG, G., KEYL, C., WIESNER, G., PHILIPP, A. and HOBBHAHN, J. Effects of sevoflurane and isoflurane on systemic vascular resistance: use of cardiopulmonary bypass as a study model 9–12
RODRÍGUEZ-CHINCHILLA, R., RODRÍGUEZ-PONT, A., PINTANEL, T. and VIDAL-LÓPEZ, F. Bilateral severe pain at L3–4 after spinal anaesthesia with hyperbaric 5% lignocaine 328–329
RODRÍGUEZ-PONT, A. *see* RODRÍGUEZ-CHINCHILLA, R. 328–329
ROE, P. G. *see* FARMERY, A. D. 284–291; (*e*) 890
ROHLING, R. *see* WEISS, B. M. 405–411
ROLLY, G. *see* VERSICHELEN, L. 668–672
ROMAIN, M. *see* NYARWAYA, J.-B. 428–434
ROSENBERG, J. *see* ROSENBERG-ADAMSEN, S. 552–559
ROSENBERG, P. *see* HAMMARÉN, E., (*EACTA*) A.16
ROSENBERG, P. H. *see* NIEMI, T. T. 822–828

ROSENBERG-ADAMSEN, S., KEHLET, H., DODDS, C. and ROSENBERG, J. Postoperative sleep disturbances: mechanisms and clinical implications 552–559
ROTH, D., PETERSEN-FELIX, S., BAK, P., ARENDT-NIELSEN, L., FISCHER, M., BJERRING, P. and ZBINDEN, A. M. Analgesic effect in humans of subanaesthetic isoflurane concentrations evaluated by evoked potentials 38–42
ROTH, E. *see* HIESMAYR, M., (*EACTA*) A.32; LAßNIGG, A., (*EACTA*) A.18
ROTHEN, H.-U. *see* REBER, A. 760–766
ROWBOTHAM, D. J. *see* STANLEY, G. 484–486; THOMPSON, J. P., (*E*) 341–343
ROYAL COLLEGE OF PHYSICIANS OF EDINBURGH Consensus statement on autologous transfusion 470
ROYSTON, B., MARKEY, G. and WHITE, D. Performance of vaporizers in circle systems (II), (*ARS*) 582–583P
RUDLOF, B. *see* LAMPERT, R., (*EACTA*) A.11
RUSSELL, G. B. and RODICHOCK, L. D., (editors) *Primer of Intraoperative Neurophysiologic Monitoring*, (*R*) 477
RUSSELL, I. F. and WANG, M. Isolated forearm technique, (*C*) 884–885
RUTBERG, H. *see* DAHLIN, L. G., (*EACTA*) A.62
RUTTMANN, T. G., JAMES, M. F. M. and VILJOEN, J. F. Haemodilution induces a hypercoagulable state 412–414
RYALL, D. M. *see* COOPER, D. W. 611–615
RYAN COOK, D. *see* DE WOLF, A. M. 624–628
RYCKWAERT, F., COLSON, P., BRUNAT, G. and WINTREBERT, P. Standard pump flow rate and Sv_{O_2} above 60% do not imply adequate oxygen delivery during CPB, (*EACTA*) A.34
RYDER, I. *see* MAYOR, A. H., (*ARS*) 578–579P
RYDER, W. A. *see* DALMAS, S. 419–427

SABA, G. *see* BOOKER, P. D. 365–368
SABAR, M. A., GOSLING, A. J. and LAURENCE, A. S. Is tramadol better than ketorolac after day-case laparoscopy? (*ARS*) 584P
SÁEZ, A. *see* LÓPEZ-OLAONDO, L. 835–840
ST JOHN JONES, L. *see* PRICE, C. M. 464–466
SAINT-MAURICE, O. *see* PÉTRIE, J., (*EACTA*) A.54
SAITO, K. *see* IKENO, S. 573–575
SAITO, Y., SAKURA, S. and KOSAKA, Y. Ventilatory response to carbon dioxide, (*C*) 747–748
SAITOH, K. *see* HIRABAYASHI, Y., (*C*) 167; 508–510; (*C*) 886
SAKURA, S. *see* SAITO, Y., (*C*) 747–748
SALMON, P. *see* O'KEEFE, V., (*ARS*) 585P
SAMAAN, A. *see* MALLICK, A., (*C*) 335
SAMARKANDI, A. H. *see* NAGUIB, M., (*e*) 339
SAMII, K. *see* NYARWAYA, J.-B. 428–434
SAMRA, G. S. *see* TONER, C. C. 347–351
SAMUELSON, S. *see* GELINDER, S., (*EACTA*) A.80
SANCHEZ, B. *see* ISETTA, C., (*EACTA*) A.52
SANDIN, R. *see* NORDSTRÖM, O. 699–701
SANDOR, V. *see* GOTA, M., (*EACTA*) A.20
SAPSED-BYRNE, S. M. *see* NEWTON, M. C. 352–357
SARIOLA-HEINONEN, K. *see* KENTALA, E., (*EACTA*) A.64
SATO, T. *see* HIROTA, K. 266–270
SATTIN, R. S. *see* HERIOT, J. A. 325–327
SCARAMOZZINO, P. *see* CURATOLO, M., (*e*) 598
SCHEINICHEN, D. *see* LEUWER, M., (*ARS*) 585P
SCHEININ, H. *see* KENTALA, E., (*EACTA*) A.64; WILSON, A. J. 515–518
SCHLACK, W., HOLLMANN, M., STUNNECK, J. and THÄMER, V. Effect of halothane on myocardial reoxygenation injury in the isolated rat heart 860–867
SCHMID, E. R. *see* SCHMIDLIN, D., (*EACTA*) A.48
SCHMIDLIN, D., JENNI, R. and SCHMID, E. R. Changes of mitral inflow patterns as assessed by transoesophageal echocardiography following cardiac surgery: are they of clinical significance? (*EACTA*) A.48
SCHMIDT, H., SECCHI, A., WELLMANN, R., BÖHRER, H., BACH, A. and MARTIN, E. Effect of low-dose dopamine on intestinal villus microcirculation during normotensive endotoxaemia in rats 707–712
SCHNEIDER, M. *see* REBER, A., (*ARS*) 584P
SCHOLZ, M. *see* MIELCK, F., (*EACTA*) A.12
SCHORN, B. *see* BUHRE, W., (*EACTA*) A.37
SCHUG, S. A., SCOTT, D. A., PAYNE, J., MOONEY, P. H. and HÄGGLÖF, B. Postoperative analgesia by continuous extradural infusion of ropivacaine after upper abdominal surgery 487–491
SCHWEIZER, A., KALANGOS, A., HOHN, L., JORNOD, N., PRÊTRE, R. and LICKER, M. Aprotinin treatment does not impair renal function during and after cardiac surgery, (*EACTA*) A.55
SCOTT, C. A. *see* SMITH, M. 499–502
SCOTT, D. *see* TURNER, G. 606–610
SCOTT, D. A. *see* SCHUG, S. A. 487–491
SCOTT, R. P. F. *see* PARMAR, M. 160–162
SCOTT, V. L. *see* DE WOLF, A. M. 624–628
SEAR, J. W. *see* YOUNG, J. D. 652–656
SECCHI, A. *see* SCHMIDT, H. 707–712
SECKER, C., HANNING, C. D., GOODYER, P., FOTHERGILL, J. and JONES, N. B. A novel fibreoptic pressure transducer system for the upper airway, (*ARS*) 581–582P
SEGAL, E. *see* PEREL, A., (*C*) 168–169
SELLDÉN, E., BRÄNSTRÖM, R. and BRUNDIN, T. Preoperative infusion of amino acids prevents postoperative hypothermia 227–234
SELLEVOLD, O. F. M. *see* KIRKEBY-GARSTAD, I., (*EACTA*) A.74
SELWYN, D. A., GYI, A., RAPHAEL, J. H., KEY, A. and LANGTON, J. A. A perfusion system for *in vitro* measurement of human cilia beat frequency 111–115
SELWYN, D. A., RAPHAEL, J. H., LAMBERT, D. G. and LANGTON, J. A. Effects of morphine on human nasal cilia beat frequency *in vitro* 274–277
SELWYN, D. A. *see* RAPHAEL, J. H. 116–121; 854–859
SEMPLE, D., ALDRIDGE, L. A. and DOYLE, E. Comparison of i.v. and s.c. diamorphine infusions for the treatment of acute pain in children 310–312
SENLY, C. *see* WILDER-SMITH, O. H. G. 816–821
SERGEANT, P. *see* HERIJGERS, P., (*EACTA*) A.79; MEYNS, B., (*EACTA*) A.38
SETT, P. K. *see* WATT, J. W. H. 870–871
SETTERGREN, G. *see* GÄRDEBÄCK, M., (*EACTA*) A.36; GELINDER, S., (*EACTA*) A.80; VUYLSTEKE, A., (*EACTA*) A.30; (*EACTA*) A.77
SEWELL, A. C. *see* DEAKIN, C. D., (*EACTA*) A.41
SHAH, M. V. *see* MELLOR, D. J. 621–623; VAN OLDENBEEK, C., (*EACTA*) A.22
SHAH, T. *see* AROWSMITH, J. E., (*EACTA*) A.83
SHANNON, C., MCGREGGOR, R. and BRUNNER, M. D. EEG arousal during laryngoscopy and intubation, (*C*) 472
SHARPE, R. *see* PAL, S. K., (*ARS*) 577P
SHARPLES, A. *see* MARTLEW, R. A. 308–309
SHENKIN, A. *see* O'KEEFE, V., (*ARS*) 585P
SHEPLOCK, G. J. *see* HAHN, M. B., (*R*) 751
SHEPPARD, S. *see* HETT, D., (*EACTA*) A.33
SHIBATA, M. *see* KURATA, J. 721–725
SHICHINO, T. *see* KURATA, J. 721–725
SHIEH, J. Y. *see* SUN, W. Z. 99–105
SHIMIZU, R. *see* HIRABAYASHI, Y., (*C*) 167; 508–510; (*C*) 886; IKENO, S. 573–575
SHIMOJI, K. *see* DENDA, S. 258–265
SHORT, T. G., LIM, T. A. and TAM, Y. H. Prospective evaluation of pharmacokinetic model-controlled infusion of propofol in adult patients 313–315
SHYU, B. C. *see* SUN, W. Z. 99–105
SIDES, C. A. Pulsed saline lavage causing venous air embolism in a patient with Paget's disease 330–331
SIMPSON, P. J. *see* CARRIE, L. E. S., (*R*) 892–893
SINDJELIC, R., VLAJKOVIC, G., VUKOTIC, A., NESKOVIC, V., STANIC, M., PAVLOVIC, G. and PETROVIC, P. Effect of anaesthetic agents on pulmonary shunt during coronary artery surgery, (*EACTA*) A.19
SLADEN, R. N. *see* PARK, G. R., (*R*) 174
SLAWSON, K. B. *see* LEVACK, I. D. 567–569
SLEIGH, J. W. *see* IRELAND, N. 657–662
SMART, D. *see* WANDLESS, A. L. 461–463
SMITH, A. F. Improving preoxygenation, (*C*) 748
SMITH, A. F., THORPE, S. J. and COOK, L. B. Patient-controlled propofol: randomized, double-blind dose refinement, (*ARS*) 577P
SMITH, D. *see* CONTI, J., (*EACTA*) A.72; HETT, D., (*EACTA*) A.33
SMITH, D. A. *see* DE WOLF, A. M. 624–628
SMITH, D. C. *see* POLHILL, S. L., (*ARS*) 578P
SMITH, E., REEVE, W., MURRAY, G., WOOLMAN, P. and COLQUHOUN, A. Scoring systems *versus* subjective assessment as an outcome predictor in adult cardiac surgery, (*EACTA*) A.86
SMITH, G. Impact factors in anaesthesia journals, (*E*) 753–754; The 11th World Congress of Anaesthesiology, (*E*) 479–480
SMITH, G. B., HAMILTON, R. C. and CARR , C. A. *Ophthalmic Anaesthesia—A Practical Handbook*, 2nd Edn, (*R*) 891
SMITH, I., NATHANSON, M. and WHITE, P. F. Sevoflurane—a long-awaited volatile anaesthetic 435–445
SMITH, M., SMITH, S. J., SCOTT, C. A. and HARKNESS, W. F. J. Activation of the electrocorticogram by propofol during surgery for epilepsy 499–502
SMITH, M. *see* OWEN-REECE, H. 43–48
SMITH, S. J. *see* SMITH, M. 499–502
SMITH, T., MORATIN, P. and WULF, H. Smaller children have greater bupivacaine plasma concentrations after ilioinguinal block 452–455

SNEYD, J. R. *see* DANIELL, C. J., (*ARS*) 586–587P; MAYOR, A. H., (*ARS*) 578–579P; MONTGOMERY, J. E., (*ARS*) 591–592P
SNOOK, N. J., O'BEIRNE, H. A., ENRIGHT, S., YOUNG, Y. and BELLAMY, M. C. Use of recombinant human erythropoietin to facilitate liver transplantation in a Jehovah's Witness 740–743
SOETERS, P. B. *see* PIETERSEN, H. G., (*EACTA*) A.2
SOLOMBIN, J. S. *see* TELLADO, J. M., (*R*) 173–174
SONI, B. M. *see* WATT, J. W. H. 870–871
SONI, N. *see* LEE, D. J. H. 780–782; NORMAN, B. 163–166
SONNTAG, H. *see* BUHRE, W., (*EACTA*) A.37; KAZMAIER, S., (*EACTA*) A.5; MIELCK, F., (*EACTA*) A.12; WEYLAND, A., (*EACTA*) A.35
SORO, G. *see* RANUCCI, M., (*EACTA*) A.71
SOUTER, A. *see* STONEHAM, M., (*C*) 476
SOUTER, A. J. and GLYNN, C. J. Ulnar and common peroneal nerve block revisited, (*C*) 595–596
SOUTER, M. J. and ANDREWS, P. J. D. Validation of the Edslab dual lumen oximetry catheter for continuous monitoring of jugular bulb oxygen saturation after severe head injury 744–746
SOUTHORN, P., VASDEV, G. M. S., CHANTIGIAN, R. C. and LAWSON, G. M. Reducing the potential morbidity of an unintentional spinal anaesthetic by aspirating cerebrospinal fluid 467–469
SPAETH, P. *see* WALPOTH, B. H., (*EACTA*) A.58
SPAHN, D. R. *see* WEISS, B. M. 405–411
SPENCE, A. A. *see* MARAN, N. J., (*ARS*) 581P
SPENS, H. J., DRUMMOND, G. B. and WRAITH, P. K. Changes in chest wall compartment volumes on induction of anaesthesia with eltanolone, propofol and thiopentone 369–373
SPITTAL, M. J. *see* FINDLAY, G. P. 526–529
SPITTLER, A. *see* HIESMAYR, M., (*EACTA*) A.32; LAßNIGG, A., (*EACTA*) A.18
VAN DER SPOEL, H. I. *see* JANSEN, P. G. M. 13–19
SPORRE, B. *see* REBER, A. 760–766
STACEY, S. *see* AL-SHAIKH, B., (*R*) 751
STANIC, M. *see* SINDJELIC, R., (*EACTA*) A.19
STANLEY, G., APPADU, B., MEAD, M. and ROWBOTHAM, D. J. Dose requirements, efficacy and side effects of morphine and pethidine delivered by patient-controlled analgesia after gynaecological surgery 484–486
STEINMANN, J. *see* PALM, S., (*ARS*) 588–589P
STEPHAN, H. *see* KAZMAIER, S., (*EACTA*) A.5; MIELCK, F., (*EACTA*) A.12; WEYLAND, A., (*EACTA*) A.35
STEPHENSON, R. N. *see* MCGOWAN, C. 868–869
STEVEN, C. M. *see* HERIOT, J. A. 325–327
STEVENS, J. J. W. M. *see* POULTON, B. B., (*EACTA*) A.15
STICKEL, R. *see* BRASE, R., (*EACTA*) A.47
STONEHAM, M. and SOUTER, A. Spinal anaesthesia for Caesarean section in women with incomplete extradural analgesia, (*C*) 476
STORDEUR, S. *see* BAELE, Ph., (*EACTA*) A.60
STOW, P. J. *see* MATTA, B. F. 790–794
STRATFORD, N. Effects of propofol on rabbit mesenteric arteries and veins, (*C*) 333
STRATFORD, N. *see* MURPHY, P. G. 536–543
VAN DER STROOM, J. G., VAN WEZEL, H. B., VERGROESEN, I., KAL, J. E., KOOLEN, J. J., DIJKHUIS, J. P., SWAAN, A., PORSIUS, M., KLEINJANS, H. A. J. and VAN ZWIETEN, P. A. Comparison of the effects of urapidil and sodium nitroprusside on haemodynamic state, myocardial metabolism and function in patients during coronary artery surgery 645–651
STRUNIN, L. *see* BULLINGHAM, A., (*C*) 473; TONER, C. C. 347–351
STRUPISH, J. *see* RAPHAEL, J. H. 854–859
STUNNECK, J. *see* SCHLACK, W. 860–867
STURK, A. *see* JANSEN, P. G. M. 13–19
STYGALL, J. *see* AROWSMITH, J. E., (*EACTA*) A.83
SULTANA, A. *see* TURNER, G. 606–610
SUN, W. Z., SHYU, B. C. and SHIEH, J. Y. Nitrous oxide or halothane, or both, fail to suppress c-*fos* expression in rat spinal cord dorsal horn neurones after subcutaneous formalin 99–105
SUTHERLAND, C. J. *see* MONTGOMERY, J. E., (*ARS*) 591–592P
SUTHERLAND, R. W. and DRUMMOND, G. B. Effects of surgical skin incision on respiration in patients anaesthetized with enflurane 777–779
SÜZER, A. *see* SÜZER, Ö., (*EACTA*) A.9; SÜZER, Ö, (*EACTA*) A.68
SÜZER, Ö., BOZKURT, K., SÜZER, A., AYKAÇ, Z. and BARLAS, A. Levosimendan is a more potent inotropic agent than amrinone after ischaemia in isolated perfused guinea pig hearts, (*EACTA*) A.9
SÜZER, Ö, ÖZKAN, A. K., ÖZDENER, F., SÜZER, A., AYKAÇ, Z. and ÖZÜNER, Z. Trimetazidine does not reduce ischaemia-reperfusion induced arrhythmias in isolated perfused rat hearts, (*EACTA*) A.68
SVEDJEHOLM, P., DAHLIN, L. G. and OLIN, C. Perioperative myocardial infarction (PMI) in cardiac surgery—risk factors and clinical outcome, (*EACTA*) A.61
SVEDJEHOLM, R. *see* DAHLIN, L. G., (*EACTA*) A.62; HÅKANSON, E., (*EACTA*) A.1
SVENSSON, S.-E. *see* EDERBERG, S., (*EACTA*) A.17
SWAAN, A. *see* VAN DER STROOM, J. G. 645–651
SYKES, K. *Principles and Practice Series*: *Respiratory Support*, (*R*) 338
SZABO, Z. *see* HÅKANSON, E., (*EACTA*) A.1
SZÉCSI, J. *see* HERIJGERS, P., (*EACTA*) A.79

TAGESSON, C. *see* HÅKANSON, E., (*EACTA*) A.1
TAIVAINEN, T. *see* MERETOJA, O. A. 235–238; 767–771
TAM, Y. H. *see* SHORT, T. G. 313–315
TANSKANEN, P. *see* KYTTÄ, J., (*C*) 475–476
TASSONYI, E. *see* FUCHS-BUDER, T. 565–566; WILDER-SMITH, O. H. G., (*C*) 472–473; 816–821
TAYLOR, C. *see* BOOKER, P. D. 365–368
TEIRIÄ, H., RAUTOMA, P. and YLI-HANKALA, A. Effect of smoking on dose requirements for vecuronium 154–155
TELLADO, J. M., FORSE, R. A. and SOLOMBIN, J. S., (editors) *Modulation of the Inflammatory Response in Severe Sepsis*, (*R*) 173–174
TEN BROECKE, P. W. *see* DEIRUE, G. L., (*EACTA*) A.10
THALÉN, P. *see* NORDLANDER, M., (*EACTA*) A.24
THÄMER, V. *see* SCHLACK, W. 860–867
THOMAS, D. *see* KARAYAN, J. 459–460
THOMAS, D. G., ROBSON, S. C., REDFERN, N., HUGHES, D. and BOYS, R. J. Randomized trial of bolus phenylephrine or ephedrine for maintenance of arterial pressure during spinal anaesthesia for Caesarean section 61–65
THOMAS, V. J. and HEATH, M. Psychological characteristics and patient-controlled analgesia, (*C*) 595
THOMPSON, J. P. and ROWBOTHAM, D. J. Remifentanil—an opioid for the 21st century, (*E*) 341–343
THOMPSON, M. M. and GREIFF, J. Aortic stent surgery, (*C*) 883
THOMPSON, P. *see* DANIELL, C. J., (*ARS*) 586–587P
THORBURN, J. *see* REID, J., (*C*) 335–336
THORNTON, C. *see* BRUNNER, M. D. 34–37; (*C*) 881; CRABB, I. 795–801; RICHMOND, C. E. 446–448
THORPE, S. J., BALAKRISHNAN, V. R. and COOK, L. B. Observations on patient-controlled administration of propofol, (*ARS*) 576P
THORPE, S. J. *see* SMITH, A. F., (*ARS*) 577P
TIDMARSH, M. D. Porphyria, propofol and rats, (*C*) 171–172
TIMBERLAKE, N. *see* AROWSMITH, J. E., (*EACTA*) A.83
TODD, D. B. Histamine release by neuromuscular blocking agents, (*C*) 471
DU TOIT, J. C. *see* COETZEE, J. F. 415–418
TOMITA, M. *see* DENDA, S. 258–265
TONER, C. C., BROOMHEAD, C. J., LITTLEJOHN, I. H., SAMRA, G. S., POWNEY, J. G., PALAZZO, M. G. A., EVANS, S. J. W. and STRUNIN, L. Prediction of postoperative nausea and vomiting using a logistic regression model 347–351
TORAMAN, F., KOPMAN, E. A., ÇALÝÞÝRIÞÇI, Ü., DEMIRTAÞ, M., BILGEN, F., ÖZLER, A., CANIK, S. and YIÐITER, B. Nitroglycerin induced hypoxaemia does not produce myocardial ischaemia, (*EACTA*) A.21
TORMEY, W. *see* O'LEARY, E. 640–644
TOURNADRE, J. P., CHASSARD, D., BERRADA, K. R. and BOULETREAU, P. Effect of pneumoperitoneum and Trendelenburg position on gastro–oesophageal reflux and lower oesophageal sphincter pressure 130–132
TRAMÈR, M., MOORE, A. and MCQUAY, H. Omitting nitrous oxide in general anaesthesia: meta-analysis of intraoperative awareness and postoperative emesis in randomized controlled trials 186–193; Prevention of vomiting after paediatric strabismus surgery, (*C*) 473–474
TREMLETT, M. R., PARKINS, J., HUGHES, D. and REDFERN, N. Extradural clonidine provides adjunctive pain relief without sedation for women in labour, (*ARS*) 583–584P
TRIGGIANI, M. *see* GUARRACINO, F., (*EACTA*) A.45
TSUNEYOSHI, I., KANMURA, Y. and YOSHIMURA, N. Methylprednisolone inhibits endotoxin-induced depression of contractile function in human arteries *in vitro* 251–257
TULLII, M. *see* CASATI, V., (*EACTA*) A.53
TULLOCK, W. *see* DE WOLF, A. M. 624–628
TURNER, G., BLAKE, D., BUCKLAND, M., CHAMLEY, D., DAWSON, P., GOODCHILD, C., MEZZATESTA, J., SCOTT, D., SULTANA, A., WALKER, S., HENDRATA, M., MOONEY, P. and ARMSTRONG, M. Continuous extradural infusion of ropivacaine for prevention of postoperative pain after major orthopaedic surgery 606–610

TZABAR, Y., ASBURY, A. J. and MILLAR, K. Cognitive failures after general anaesthesia for day-case surgery 194–197

UMBRAIN, V. *see* NYARWAYA, J.-B. 428–434
UMMENHOFER, W. *see* REBER, A., (*ARS*) 584P
ÜNAL, Ö. *see* ÖZYURT, A., (*EACTA*) A.25

VAHTERA, E. M. *see* NIEMI, T. T. 822–828
VALK, R. *see* DAHAN, A. 374–381
VALVINI, E. M. *see* YOUNG, J. D. 652–656
VAN STEENBERGE, A. L. *see* VERCAUTEREN, M. P. 731–733
VAN AKEN, H., (editor) *Neuro-anaesthetic Practice*, (*R*) 599
VANDERMEERSCH, E. *see* VAN DE VELDE, M., (*EACTA*) A.3; (*EACTA*) A.4
VAN DE VELDE, M., WOUTERS, P. F., LAYCOCK, S. K., LEATHER, A., LEUNENS, V. and VANDERMEERSCH, E. Long chain triglycerides but not glucose–insulin, administered during reperfusion, improve recovery from stunning in isolated rabbit hearts, (*EACTA*) A.3
VAN DE VELDE, M., WOUTERS, P. F. and VANDERMEERSCH, E. Oxfenicine blocks the beneficial effects of intravenous long chain triglyceride (LCT) administration on regional myocardial stunning in conscious dogs, (*EACTA*) A.4
VANDOMMELE, J. *see* MEYNS, B., (*EACTA*) A.38
VANDYCK, M. *see* DENEYS, V., (*EACTA*) A.56
VANLINTHOUT, L. E. H., BOOIJ, L. H. D. J., VAN EGMOND, J. and ROBERTSON, E. N. Effect of isoflurane and sevoflurane on the magnitude and time course of neuromuscular block produced by vecuronium, pancuronium and atracurium 389–395
VAN OLDENBEEK, C. and SHAH, M. V. Relative effects of three hypotensive agents on pulmonary gas exchange, (*EACTA*) A.22
VASDEV, G. M. S. *see* SOUTHORN, P. 467–469
VAUGHAN, R. S. *see* ASAI, T. 772–776
VEBRUGGEN, W. *see* GOUWY, S., (*EACTA*) A.59
VEDRINNE, C., BASTIEN, O., GEORGE, M., DURAND, P. G., DU GRES, B. and LEHOT, J. J. Does Parsonnet score predict the usefulness of Sv_{O_2} pulmonary artery catheter (Sv_{O_2}PAC) during heart surgery? (*EACTA*) A.85
VEDRINNE, C., NEIDECKER, J., BONNEFOY, E., CURTIL, A., NINET, J., LEHOT, J. J. and CHAMPSAUR, G. Arrhythmias after valvular surgery: a randomized double-blind Holter comparative trial of St Thomas' (ST) *vs* CPS cardioplegia, (*EACTA*) A.66
VEDRINNE, C. *see* LEHOT, J. J., (*EACTA*) A.43
VON DER VELDE, J. *see* WEYLAND, A., (*EACTA*) A.35
TE VELTHUIS, H. *see* JANSEN, P. G. M. 13–19
VENDRAME, G. *see* OPPIZZI, M., (*EACTA*) A.46; (*EACTA*) A.81
VENTURINO, M. *see* CASATI, V., (*EACTA*) A.53
VENUTI, F. S. *see* CURATOLO, M., (*e*) 598
VERCAUTEREN, M. P., HOFFMANN, V., COPPEJANS, H. C., VAN STEENBERGE, A. L. and ADRIAENSEN, H. A. Hydroxyethylstarch compared with modified gelatin as volume preload before spinal anaesthesia for Caesarean section 731–733
VERGROESEN, I. *see* VAN DER STROOM, J. G. 645–651
VERHAMME, B. *see* GOUWY, S., (*EACTA*) A.59
VERMEULEN, H. *see* VERSICHELEN, L. 668–672
VERMEYEN, K. M. *see* DEIRUE, G. L., (*EACTA*) A.10
VERNET, B. *see* CAPOUET, V. 54–60
VERSICHELEN, L., ROLLY, G. and VERMEULEN, H. Accumulation of foreign gases during closed-system anaesthesia 668–672
VERSICHELEN, L. *see* CAPOUET, V. 54–60
VERWAEST, C. *see* MEYNS, B., (*EACTA*) A.38
VICKERS, M. D. *see* JOHNSTON, K. R. 401–404
VIDAL, F. *see* AGUILAR, J. L. 72–76
VIDAL-LÓPEZ, F. *see* RODRÍGUEZ-CHINCHILLA, R. 328–329
VILJOEN, J. F. *see* RUTTMANN, T. G. 412–414
VILLENEUVE, E. *see* LAVOIE, J., (*EACTA*) A.70
VIRTANEN, T. *see* KENTALA, E., (*EACTA*) A.64
VISCHOFF, D. *see* LAVOIE, J., (*EACTA*) A.70
VISIGALLI, M. *see* PAINO, R., (*EACTA*) A.40
VLAJKOVIC, G. *see* SINDJELIC, R., (*EACTA*) A.19
VORGRIMLER-KARZAI, U. M. *see* KARZAI, W. 5–8
VOYVODIC, F. *see* ELLIOTT, D. W. 322–324
VROOM, M. B., PFAFFENDORF, M., VAN WEZEL, H. B. and VAN ZWIETEN, P. A. Effect of phosphodiesterase inhibitors on human arteries *in vitro* 122–129
VUKOTIC, A. *see* SINDJELIC, R., (*EACTA*) A.19
VUYLSTEKE, A., CARDAN, E., NYSTRÖM, P., LATIMER, R. and ODURO, A. Effect of aspirin in single first coronary artery bypass grafting, (*EACTA*) A.51
VUYLSTEKE, A., FENECK, R., LATIMER, R., LEVY, J., LYNCH, C., RICKSTEN, S.-E., SETTERGREN, G. and JOLIN-MELLGÅRD, A. Cardiac surgical practices in the United States of America and Europe: striking similarities and minor differences, (*EACTA*) A.77; Type of perioperative antihypertensive treatment delays extubation and prolongs ICU stay in cardiac surgery, (*EACTA*) A.30
VUYLSTEKE, A., GUERIT, J. M., DION, R. and BAELE, Ph. Evoked potentials challenge the concept of Adamkiewicz's artery, (*EACTA*) A.50

WADSWORTH, R. *see* MARTLEW, R. A. 308–309
WAGENMAKERS, A. J. M. *see* PIETERSEN, H. G., (*EACTA*) A.2
WAHREN, J. *see* GÄRDEBÄCK, M., (*EACTA*) A.36
WALKER, S. *see* TURNER, G. 606–610
WALPOLE, A. R. *see* KITCHING, A. J. 874–876
WALPOTH, B. H., WALPOTH, B. N., EGGENSPERGER, N., NEIDHART, P., LANZ, M., SPAETH, P., KURTH, G. and ALTHAUS, U. Autologous blood processing during cardiac surgery: haemofiltration *versus* cell washing, (*EACTA*) A.58
WALPOTH, B. H., WALPOTH, B. N., MOHADJER, A., GERSBACH, Ph., NEIDHART, P. and ALTHAUS, U. Quality control of coronary bypass surgery: intraoperative transit time flow measurement, (*EACTA*) A.7
WALPOTH, B. N. *see* WALPOTH, B. H., (*EACTA*) A.7; (*EACTA*) A.58
WANDLESS, A. L., SMART, D. and LAMBERT, D. G. Fentanyl increases intracellular Ca^{2+} concentrations in SH-SY5Y cells 461–463
WANG, M. *see* RUSSELL, I. F., (*C*) 884–885
WARD, J. E. H., CAUNT, J. A. and ALDERSON, J. Management of pre-eclampsia, (*C*) 889
WARNER, D. O. *see* FUKUSHIMA, T. 847–853
WARREN, P. M. *see* FOO, I. T. 214–220
WATERLOOS, H. *see* DENEYS, V., (*EACTA*) A.56
WATSON., D. *see* HIND, C. J., (*R*) 599
WATT, J. W. H., FRASER, M. H., SONI, B. M., SETT, P. K. and CLAY, R. Total i.v. anaesthesia for transcranial magnetic evoked potential spinal cord monitoring 870–871
WEBSTER, N. R. *see* KULKARNI, V., (*ARS*) 586P; PITTARD, A. J., (*ARS*) 587P; 629–631
WEGENIUS, G. *see* REBER, A. 760–766
WEIDEMAN, M. M. *see* DANIELL, C. J., (*ARS*) 586–587P
WEISS, B. M., SPAHN, D. R., RAHMIG, H., ROHLING, R. and PASCH, T. Radial artery tonometry: moderately accurate but unpredictable technique of continuous non-invasive arterial pressure measurement 405–411
WELLMANN, R. *see* SCHMIDT, H. 707–712
WELTE, M., PICHLER, B., GROH, J., ANTHUBER, M., JAUCH, K.-W., PRATSCHKE, E., LENHART, F.-P., HALLER, M., FREY, L. and PETER, K. Perioperative mucosal pH and splanchnic endotoxin concentration in orthotopic liver transplantation 90–98
WERNBERG, M. *see* ILKJAER, S. 829–834
WEST, M. E. and HOMI, J. Cannabis as a medicine, (*C*) 167
WEST, M. R. J., JONAS, M. M., ADAMS, A. P. and CARLI, F. A new tracheal tube for difficult intubation 673–679
WESTERLIND, A. *see* EDERBERG, S., (*EACTA*) A.17
WETERINGS, C. J., PRINZEN, F. W., RENEMAN, R. S. and DE LANGE, S. The effect of the calcium sensitizer levosimendan on normal and stunned left ventricular myocardium, (*EACTA*) A.8
WETSELAAR, K. E. *see* BOER, F. 203–208
WEYLAND, A., GRÜNE, F., STEPHAN, H., VON DER VELDE, J., KAZMAIER, S. and SONNTAG, H. Cerebral blood flow response to changes in CO_2 at hypothermia and normothermia. A controlled, randomized crossover study, (*EACTA*) A.35
WEYLAND, A. *see* BUHRE, W., (*EACTA*) A.37; KAZMAIER, S., (*EACTA*) A.5
VAN WEZEL, H. B. *see* VAN DER STROOM, J. G. 645–651; VROOM, M. B. 122–129
WHEELDON, D. *see* DHOND, G., (*EACTA*) A.57
WHEILDON, M. *see* BROSNAN, C. M., (*C*) 887–888
WHITE, D. *see* ROYSTON, B., (*ARS*) 582–583P
WHITE, D. C. *see* PAL, S. K., (*ARS*) 582P
WHITE, P. F. *see* SMITH, I. 435–445
WIERDA, J. M. K.H. *see* BEAUFORT, A. M., (*ARS*) 580P
WIERDA, J. M. K. H. *see* MCCOY, E. P. 29–33
WIESNER, G. *see* RÖDIG, G. 9–12
WILDER-SMITH, O. H. G., HAGON, O. and TASSONYI, E. EEG arousal during laryngoscopy and intubation, (*C*) 472–473
WILDER-SMITH, O. H. G., TASSONYI, E., SENLY, C., OTTEN, Ph. and ARENDT-NIELSEN, L. Surgical pain is followed not only by spinal sensitization but also by supraspinal antinociception 816–821
WILDEVUUR, C. R. H. *see* JANSEN, P. G. M. 13–19
WILDEVUUR, W. R. *see* JANSEN, P. G. M. 13–19

WILKES, A. R. and MAPLESON, W. W. Interference of volatile anaesthetics with infrared analysis of carbon dioxide and nitrous oxide tested in the Dräger Cicero EM using sevoflurane 737–739
WILLIAMS, N. J. *see* MYLES, P. S. 694–698
WILLIAMS, P. I. Naproxen after day-case laparoscopic sterilization, (*C*) 168
WILLIAMS, T. B. *see* GALLETLY, D. C. 503–507
WILLIAMSON, K. *see* MUSHAMBI, M. C. 133–148; (*C*) 889–890
WILLIGERS, H. M. M., PRINZEN, F. W. and DE LANGE, S. A comparison of the limitation of sympathetic responses by β_1-blocker esmolol and α_2-adrenergic agonist dexmedetomidine, (*EACTA*) A.23
WILSON, A. J., DIEMUNSCH, P., LINDEQUE, B. G., SCHEININ, H., HELBO-HANSEN, H. S., KROEKS, M. V. A.M. and KONG, K. L. Single-dose i.v. granisetron in the prevention of postoperative nausea and vomiting 515–518
WILSON, J. A. Cardiac arrest at induction of anaesthesia for Caesarean section, (*C*) 332
WILSON, R. *see* HAWTHORNE, L. 680–684
WILTSHIRE, S. *see* DRIVER, I., (*e*) 175
WINTREBERT, P. *see* CALVERT, B., (*EACTA*) A.78; RYCKWAERT, F., (*EACTA*) A.34
WIRTAVUORI, K. *see* MERETOJA, O. A. 235–238; 767–771
WISLOCKI, W. *see* MARES, P., (*EACTA*) A.75
WISNEWSKI, J. *see* CORBETT, A. R., (*ARS*) 593–594P
WOJTALIK, M. *see* KNAPIK, P., (*EACTA*) A.28
WOLF, A. R., LAWSON, R. A., DRYDEN, C. M. and DAVIES, F. W. Recovery after desflurane anaesthesia in the infant: comparison with isoflurane 362–364
WOLF, A. R. *see* HUGHES, D. G., (*R*) 599
WOOD, M. L. B. *see* BROSNAN, C. M., (*C*) 887–888
WOOD, P. R. and LAWLER, P. G. P. Measurement technique and variation in intramucosal pH 563–564
WOOLMAN, P. *see* SMITH, E., (*EACTA*) A.86
WOUTERS, P. *see* GOUWY, S., (*EACTA*) A.59
WOUTERS, P. F. *see* VAN DE VELDE, M., (*EACTA*) A.3; (*EACTA*) A.4
WRAITH, P. K. *see* SPENS, H. J. 369–373
WRIGHT, J. S. *see* DAVIS, G. 879–880
WULF, H. *see* SMITH, T. 452–455
WYATT, J. S. *see* OWEN-REECE, H. 43–48

YAMAKURA, T. *see* DENDA, S. 258–265
YAPÝCÝ, F. *see* ÖZYURT, A., (*EACTA*) A.25
YIÐITER, B. *see* TORAMAN, F., (*EACTA*) A.21
YLI-HANKALA, A. *see* HAMMARÉN, E., (*EACTA*) A.16; TEIRIÄ, H. 154–155
YOSHIMURA, N. *see* TSUNEYOSHI, I. 251–257
YOUNG, J. D., SEAR, J. W. and VALVINI, E. M. Kinetics of methaemoglobin and serum nitrogen oxide production during inhalation of nitric oxide in volunteers 652–656
YOUNG, Y. *see* BELLAMY, M. C., (*ARS*) 587P; SNOOK, N. J. 740–743
YURTSEVEN, N. *see* ÖZYURT, A., (*EACTA*) A.25

ZACHARIAS, M. *see* JOYCE, C. J. 292–296
ZBINDEN, A. M. *see* CURATOLO, M. 245–250; (*e*) 598; ROTH, D. 38–42
ZHANG, X. *see* LEE, C. 278–283
ZOIA, E. *see* OPPIZZI, M., (*EACTA*) A.46
ZSIGMOND, E. K. *see* HIROTA, K. 266–270
ZÜCHNER, K. *see* KAZMAIER, S., (*EACTA*) A.5
ZURSCHMIEDE, C. *see* REBER, A., (*ARS*) 584P
VAN ZWIETEN, P. A. *see* VAN DER STROOM, J. G. 645–651; VROOM, M. B. 122–129
ZYCH, Z. *see* PAL, S. K., (*ARS*) 582P

SUBJECT INDEX

A Physicians's Guide to the Internet, HANCOCK, L., (*R*) 893
A Practical Approach to Cardiac Anesthesia, HENSLEY, F. A. JR, *et al.*, (editors), (*R*) 174
ACE inhibitor, Hypotension following the administration of fentanyl-diazepam combination in chronic ACE inhibitor users, ÖZYURT, A., *et al.*, (*EACTA*) A.25
Acid–base equilibrium, pH, Gastric tonometry, BOYD, O., *et al.*, (*C*) 750
Acute Pain Management: A Practical Guide, MACINTYRE, P. E., *et al.*, (*R*) 892
Adolescents, Anatomical configuration of the spinal column in the supine position. III. Comparison of adolescent and adult volunteers, HIRABAYASHI, Y., *et al.* 508–510
Age factors, Anatomical configuration of the spinal column in the supine position. III. Comparison of adolescent and adult volunteers, HIRABAYASHI, Y., *et al.* 508–510
——, Effect of age on MAC in humans: a meta-analysis, MAPLESON, W. W. 179–185
Air ambulance, Haemodynamic effects of air travel, MALAGON, I., (*ARS*) 590P
Airway, Evaluation of an oesophageal intubation detector device using electrical resistance, DEAKIN, C. D., (*ARS*) 590P
Airway, calibre, A novel fibreoptic pressure transducer system for the upper airway, SECKER, C., *et al.*, (*ARS*) 581–582P
Airway, complications, A novel fibreoptic pressure transducer system for the upper airway, SECKER, C., *et al.*, (*ARS*) 581–582P
Airway, muscles, Comparison of sedation with midazolam and ketamine: effects on airway muscle activity, DRUMMOND, G. B. 663–667
——, Differential effects of desflurane and halothane on peripheral airway smooth muscle, MAZZEO, A. J., *et al.* 841–846
——, Halothane and potassium channels in airway smooth muscle, FUKUSHIMA, T., *et al.* 847–853
——, Relaxant effect of ketamine and its isomers on histamine-induced contraction of tracheal smooth muscle, HIROTA, K., *et al.* 266–270
Airway, obstruction, Airway problems after carotid endarterectomy, MUNRO, F. J., *et al.* 156–159
——, Cervical haematoma and airway obstruction, CALDER, I., *et al.*, (*C*) 888
——, Cervical haematoma and airway obstruction, MUNRO, F. J., *et al.*, (*C*) 888–889
Airway, pressure, Airway pressure signals during high frequency jet ventilation, LIN, E. S., (*ARS*) 576–577P
——, Magnetic resonance imaging of the superior vena cava during spontaneous respiration with continuous positive airway pressure via a facemask in normal subjects, MAYOR, A. H., *et al.*, (*ARS*) 578–579P
Anaesthesia, Effect of anaesthetic agents on pulmonary shunt during coronary artery surgery, SINDJELIC, R., *et al.*, (*EACTA*) A.19
——, Hypotension following the administration of fentanyl-diazepam combination in chronic ACE inhibitor users, ÖZYURT, A., *et al.*, (*EACTA*) A.25
Anaesthesia and Critical Care Manual, 2nd Edn, CUNNINGHAM, A. J., (editor), (*R*) 338
Anaesthesia, audit, A pitfall in the use of the Altman nomogram for power estimation, EVANS, M. J., *et al.*, (*C*) 334
——, Cost of volatile agents, BARKER, I., (*C*) 749
——, Economy during induction of anaesthesia: a comparison of desflurane with isoflurane via a circle system, PAL, S. K., *et al.*, (*ARS*) 582P
——, Measurement of competence, GOODMAN, N. W., (*C*) 750
——, Omitting nitrous oxide in general anaesthesia: meta-analysis of intraoperative awareness and postoperative emesis in randomized controlled trials, TRAMÈR, M., *et al.* 186–193
——, Prehospital monitoring of trauma patients: experience of a helicopter emergency medical service, MORLEY, A. P. 726–730
Anaesthesia, day-case, Cognitive failures after general anaesthesia for day-case surgery, TZABAR, Y., *et al.* 194–197
——, Day-case cataract surgery, GOOLD, J. E., (*C*) 333
——, Day-case cataract surgery, MALTBY, J. R., *et al.*, (*C*) 333
——, Naproxen after day-case laparoscopic sterilization, DUNN, T. J., *et al.*, (*C*) 168
——, Naproxen after day-case laparoscopic sterilization, WILLIAMS, P. I., (*C*) 168
——, Regional anaesthesia for outpatient nasal surgery, MOLLIEX, S., *et al.* 151–153
Anaesthesia, depth, Double-blind, randomized trial of cessation of smoking after audiotape suggestion during anaesthesia, MYLES, P. S., *et al.* 694–698
——, EEG arousal during laryngoscopy and intubation, SHANNON, C., *et al.*, (*C*) 472
——, EEG arousal during laryngoscopy and intubation, WILDER-SMITH, O. H. G., *et al.*, (*C*) 472–473
——, Effect of neuromuscular block on depth of anaesthesia as measured by the auditory evoked response, RICHMOND, C. E., *et al.* 446–448
——, Effect of tramadol on depth of anaesthesia, COETZEE, J. F., *et al.* 415–418
——, Heart rate variability in patients recovering from general anaesthesia, IRELAND, N., *et al.* 657–662
——, Is there implicit memory after propofol sedation? CORK, R. C., *et al.* 492–498
——, Isolated forearm technique, HEALY, T. E. J., *et al.*, (*C*) 885–886
——, Isolated forearm technique, RUSSELL, I. F., *et al.*, (*C*) 884–885
——, Omitting nitrous oxide in general anaesthesia: meta-analysis of intraoperative awareness and postoperative emesis in randomized controlled trials, TRAMÈR, M., *et al.* 186–193
——, Recall during intermittent propofol anaesthesia, NORDSTRÖM, O., *et al.* 699–701
Anaesthesia, emergency service, Prehospital monitoring of trauma patients: experience of a helicopter emergency medical service, MORLEY, A. P. 726–730
Anaesthesia for Surgery of the Spine, PORTER, S. S., (editor), (*R*) 892
Anaesthesia, general, Changes in pineal and pituitary hormone secretion under general anaesthesia, REBER, A., *et al.*, (*ARS*) 584P
——, Heart rate variability in patients recovering from general anaesthesia, IRELAND, N., *et al.* 657–662
——, Midazolam before induction improves conditions for laryngeal mask insertion, DRIVER, I., *et al.*, (*e*) 175
——, Volumetric analysis of aeration in the lungs during general anaesthesia, REBER, A., *et al.* 760–766
Anaesthesia, geriatric, Day-case cataract surgery, GOOLD, J. E., (*C*) 333
——, Day-case cataract surgery, MALTBY, J. R., *et al.*, (*C*) 333
Anaesthesia, journals, Impact factors in anaesthesia journals, SMITH, G., (*E*) 753–754
——, The 11th World Congress of Anaesthesiology, SMITH, G., (*E*) 479–480
Anaesthesia, obstetric, A double-blind comparison of 0.25% ropivacaine and 0.25% bupivacaine for extradural analgesia in labour, EDDLESTON, J. M., *et al.* 66–71
——, Accidental insertion of an extradural catheter, FOX, A., *et al.*, (*C*) 336
——, Cardiac arrest at induction of anaesthesia for Caesarean section, MCINDOE, A. K., *et al.*, (*C*) 332–333
——, Cardiac arrest at induction of anaesthesia for Caesarean section, WILSON, J. A., (*C*) 332
——, CSF progesterone concentrations in pregnancy, BALIGA, N., (*C*) 886
——, CSF progesterone concentrations in pregnancy, HIRABAYASHI, Y., *et al.*, (*C*) 886
——, Elective forceps delivery and extradural anaesthesia in a primigravida with portal hypertension and oesophageal varices, HERIOT, J. A., *et al.* 325–327
——, Failed intubation revisited: 17-yr experience in a teaching maternity unit, HAWTHORNE, L., *et al.* 680–684

——, Hydroxyethylstarch compared with modified gelatin as volume preload before spinal anaesthesia for Caesarean section, VERCAUTEREN, M. P., *et al.* 731–733
——, Intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia, CAMANN, W., (*C*) 169
——, Intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia, LEE, J. S., *et al.*, (*C*) 169–170
——, Intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia, ROBBINS, P. M., *et al.*, (*C*) 170
——, Maternal and uteroplacental haemodynamic state in pre-eclamptic patients during spinal anaesthesia for Caesarean section, KARINEN, J., *et al.* 616–620
——, Patient-controlled extradural analgesia with bupivacaine, fentanyl, or a mixture of both, after Caesarean section, COOPER, D. W., *et al.* 611–615
——, Randomized trial of bolus phenylephrine or ephedrine for maintenance of arterial pressure during spinal anaesthesia for Caesarean section, THOMAS, D. G., *et al.* 61–65
——, Spinal anaesthesia for Caesarean section in women with incomplete extradural analgesia, STONEHAM, M., *et al.*, (*C*) 476
——, Sudden onset of subarachnoid block after subdural catheterization: a case of arachnoid rupture? ELLIOTT, D. W., *et al.* 322–324
——, Visceral pain during Caesarean section, FAIRFIELD, M. C., (*C*) 167
——, Visceral pain during Caesarean section, HIRABAYASHI, Y., *et al.*, (*C*) 167
——, Volume preloading, spinal anaesthesia and Caesarean section, LAWES, E. G., (*C*) 334–335
——, Volume preloading, spinal anaesthesia and Caesarean section, MALLICK, A., *et al.*, (*C*) 335
——, Volume preloading, spinal anaesthesia and Caesarean section, REID, J., *et al.*, (*C*) 335–336
Anaesthesia, paediatric, Airway management in cleft lip and palate surgery, HATCH, D. J., (*E*) 755–756
——, Anaesthesia and juvenile hyaline fibromatosis, NORMAN, B., *et al.* 163–166
——, Continuous extrapleural paravertebral infusion of bupivacaine for post-thoracotomy analgesia in young infants, KARMAKAR, M. K., *et al.* 811–815
——, Difficult laryngoscopy in cleft lip and palate surgery, GUNAWARDANA, R. H. 757–759
——, Dose of propofol for laryngeal mask airway insertion in children: effect of premedication with midazolam, MARTLEW, R. A., *et al.* 308–309
——, Parental or anaesthetist's ability to predict a 'stormy' induction in young children, LYONS, B., *et al.*, (*ARS*) 589P
——, Perioperative changes in α_1-acid glycoprotein concentrations in infants undergoing major surgery, BOOKER, P. D., *et al.* 365–368
——, Preoperative fasting for paediatric anaesthesia, HOPP, M., (*C*) 471
——, Preoperative fasting for paediatric anaesthesia, PHILLIPS, S., *et al.*, (*C*) 471
——, Recovery after desflurane anaesthesia in the infant: comparison with isoflurane, WOLF, A. R., *et al.* 362–364
——, Removal of the laryngeal mask airway in children: anaesthetized compared with awake, KITCHING, A. J., *et al.* 874–876
——, Sevoflurane–nitrous oxide or halothane–nitrous oxide for paediatric bronchoscopy and gastroscopy, MERETOJA, O. A., *et al.* 767–771
——, Smaller children have greater bupivacaine plasma concentrations after ilioinguinal block, SMITH, T., *et al.* 452–455
Anaesthesia: Review 11, KAUFMAN, L., *et al.*, (editors), (*R*) 174
Anaesthetic techniques, extradural, A double-blind comparison of 0.25% ropivacaine and 0.25% bupivacaine for extradural analgesia in labour, EDDLESTON, J. M., *et al.* 66–71
——, A multifactorial analysis to explain inadequate surgical analgesia after extradural block, CURATOLO, M., *et al.*, (*e*) 598
——, Accidental insertion of an extradural catheter, FOX, A., *et al.*, (*C*) 336
——, Continuous extradural infusion of ropivacaine for prevention of postoperative pain after major orthopaedic surgery, TURNER, G., *et al.* 606–610
——, Does pre-incisional thoracic extradural block combined with diclofenac reduce postoperative pain after abdominal hysterectomy? ESPINET, A., *et al.* 209–213
——, Elective forceps delivery and extradural anaesthesia in a primigravida with portal hypertension and oesophageal varices, HERIOT, J. A., *et al.* 325–327
——, Extradural analgesia in the first stage of labour, BUGGY, D., *et al.*, (*C*) 887
——, Extradural analgesia in the first stage of labour, FERNANDO, R., *et al.*, (*C*) 886–887
——, Extradural analgesia with clonidine and fentanyl compared with 0.25% bupivacaine in the first stage of labour, BUGGY, D. J., *et al.* 319–321
——, Extradurals and infection, BROSNAN, C. M., *et al.*, (*C*) 887–888
——, Inadvertent infusion of glucose saline into the extradural space, MPHANZA, T., (*C*) 332
——, Intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia, CAMANN, W., (*C*) 169
——, Intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia, LEE, J. S., *et al.*, (*C*) 169–170
——, Intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia, ROBBINS, P. M., *et al.*, (*C*) 170
——, Patient-controlled extradural analgesia with bupivacaine, fentanyl, or a mixture of both, after Caesarean section, COOPER, D. W., *et al.* 611–615
——, Postoperative analgesia by continuous extradural infusion of ropivacaine after upper abdominal surgery, SCHUG, S. A., *et al.* 487–491
——, Reducing the potential morbidity of an unintentional spinal anaesthetic by aspirating cerebrospinal fluid, SOUTHORN, P., *et al.* 467–469
——, Spinal anaesthesia for Caesarean section in women with incomplete extradural analgesia, STONEHAM, M., *et al.*, (*C*) 476
——, Sudden onset of subarachnoid block after subdural catheterization: a case of arachnoid rupture? ELLIOTT, D. W., *et al.* 322–324
——, Ventilatory response to carbon dioxide, DAHAN, A., *et al.*, (*C*) 747
——, Ventilatory response to carbon dioxide, SAITO, Y., *et al.*, (*C*) 747–748
Anaesthetic techniques, extubation, Haemodynamic effects of continued sedation during tracheal extubation, CONTI, J., *et al.*, (*EACTA*) A.72
Anaesthetic techniques, hypotensive, Metabolic and hormonal responses to induced hypotension for middle ear surgery, NEWTON, M. C., *et al.* 352–357
Anaesthetic techniques, hypotensive, nitroprusside, Haemodynamic effects of sodium nitroprusside *versus* prostaglandin E_1 in heart transplant candidates, CODDENS, J., *et al.*, (*EACTA*) A.26
Anaesthetic techniques, induction, EEG arousal during laryngoscopy and intubation, SHANNON, C., *et al.*, (*C*) 472
——, EEG arousal during laryngoscopy and intubation, WILDER-SMITH, O. H. G., *et al.*, (*C*) 472–473
Anaesthetic techniques, i.v., Prospective evaluation of pharmacokinetic model-controlled infusion of propofol in adult patients, SHORT, T. G., *et al.* 313–315
Anaesthetic techniques, laryngoscopy, Airway management in cleft lip and palate surgery, HATCH, D. J., (*E*) 755–756
——, Difficult laryngoscopy in cleft lip and palate surgery, GUNAWARDANA, R. H. 757–759
——, EEG arousal during laryngoscopy and intubation, SHANNON, C., *et al.*, (*C*) 472
——, EEG arousal during laryngoscopy and intubation, WILDER-SMITH, O. H. G., *et al.*, (*C*) 472–473
Anaesthetic techniques, low flow, Fuzzy logic control of inspired isoflurane and oxygen concentrations using minimal flow anaesthesia, CURATOLO, M., *et al.* 245–250
Anaesthetic techniques, preoxygenation, Improving preoxygenation, MCGOWAN, P., (*C*) 748
——, Improving preoxygenation, SMITH, A. F., (*C*) 748
Anaesthetic techniques, regional, Haemostatic changes caused by i.v. regional anaesthesia with lignocaine, NIEMI, T. T., *et al.* 822–828
——, Isolated forearm technique, HEALY, T. E. J., *et al.*, (*C*) 885–886
——, Isolated forearm technique, RUSSELL, I. F., *et al.*, (*C*) 884–885
——, Regional anaesthesia for outpatient nasal surgery, MOLLIEX, S., *et al.* 151–153
——, Ulnar and common peroneal nerve block revisited, SOUTER, A. J., *et al.*, (*C*) 595–596
Anaesthetic techniques, regional, brachial plexus, Effect of the addition of alfentanil to lignocaine during axillary brachial plexus anaesthesia, GORMLEY, W. P., *et al.* 802–805

Anaesthetic techniques, regional, inguinal, Smaller children have greater bupivacaine plasma concentrations after ilioinguinal block, SMITH, T., *et al.* 452–455
Anaesthetic techniques, regional, interpleural, Interpleural local anaesthesia: anatomical basis for mechanism of action, MCKENZIE, A. G., *et al.* 297–299
Anaesthetic techniques, regional, paravertebral, Continuous extrapleural paravertebral infusion of bupivacaine for post-thoracotomy analgesia in young infants, KARMAKAR, M. K., *et al.* 811–815
Anaesthetic techniques, regional, peribulbar, Prilocaine 3% is superior to a mixture of bupivacaine and lignocaine for peribulbar anaesthesia, DÖPFMER, U. R., *et al.* 77–80
Anaesthetic techniques, subarachnoid, Accidental insertion of an extradural catheter, FOX, A., *et al.*, (*C*) 336
——, Anatomical configuration of the spinal column in the supine position. III. Comparison of adolescent and adult volunteers, HIRABAYASHI, Y., *et al.* 508–510
——, Bilateral severe pain at L3–4 after spinal anaesthesia with hyperbaric 5% lignocaine, RODRÍGUEZ-CHINCHILLA, R., *et al.* 328–329
——, CSF progesterone concentrations in pregnancy, BALIGA, N., (*C*) 886
——, CSF progesterone concentrations in pregnancy, HIRABAYASHI, Y., *et al.*, (*C*) 886
——, Extradural and subarachnoid catheterization using the Seldinger technique, DELHAAS, E. M. 149–150
——, Hydroxyethylstarch compared with modified gelatin as volume preload before spinal anaesthesia for Caesarean section, VERCAUTEREN, M. P., *et al.* 731–733
——, Hypotension during subarachnoid anaesthesia: haemodynamic effects of colloid and metaraminol, CRITCHLEY, L. A. H., *et al.* 734–736
——, Intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia, CAMANN, W., (*C*) 169
——, Intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia, LEE, J. S., *et al.*, (*C*) 169–170
——, Intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia, ROBBINS, P. M., *et al.*, (*C*) 170
——, Maternal and uteroplacental haemodynamic state in pre-eclamptic patients during spinal anaesthesia for Caesarean section, KARINEN, J., *et al.* 616–620
——, Randomized trial of bolus phenylephrine or ephedrine for maintenance of arterial pressure during spinal anaesthesia for Caesarean section, THOMAS, D. G., *et al.* 61–65
——, Spinal anaesthesia for Caesarean section in women with incomplete extradural analgesia, STONEHAM, M., *et al.*, (*C*) 476
——, Spinal clonidine produces less urinary retention than spinal morphine, GENTILI, M., *et al.* 872–873
——, Visceral pain during Caesarean section, FAIRFIELD, M. C., (*C*) 167
——, Visceral pain during Caesarean section, HIRABAYASHI, Y., *et al.*, (*C*) 167
——, Volume preloading, spinal anaesthesia and Caesarean section, LAWES, E. G., (*C*) 334–335
——, Volume preloading, spinal anaesthesia and Caesarean section, MALLICK, A., *et al.*, (*C*) 335
——, Volume preloading, spinal anaesthesia and Caesarean section, REID, J., *et al.*, (*C*) 335–336
Anaesthetic techniques, topical, nitroglycerine, Nitroglycerin induced hypoxaemia does not produce myocardial ischaemia, TORAMAN, F., *et al.*, (*EACTA*) A.21
——, Topical nitroglycerin dilates the radial artery, GOTA, M., *et al.*, (*EACTA*) A.20
Anaesthetics gases, Effect of age on MAC in humans: a meta-analysis, MAPLESON, W. W. 179–185
Anaesthetics gases, nitrous oxide, Auditory evoked responses, median frequency and 95% spectral edge during anaesthesia with desflurane and nitrous oxide, PAL, S. K., *et al.*, (*ARS*) 577P
——, Effects of carbon dioxide embolism with nitrous oxide in the inspired gas in piglets, NYARWAYA, J.-B., *et al.* 428–434
——, Nitrous oxide and the rate of gas uptake from an unventilated lung in dogs, JOYCE, C. J., *et al.* 292–296
——, Nitrous oxide or halothane, or both, fail to suppress c-*fos* expression in rat spinal cord dorsal horn neurones after subcutaneous formalin, SUN, W. Z., *et al.* 99–105
——, Omitting nitrous oxide in general anaesthesia: meta-analysis of intraoperative awareness and postoperative emesis in randomized controlled trials, TRAMÈR, M., *et al.* 186–193
——, Volatile anaesthetics antagonize nitrous oxide and morphine-induced analgesia in the rat, GOTO, T., *et al.* 702–706
Anaesthetics i.v., Flow cytometry evaluation of the *in vitro* effects of four i.v. anaesthetics on the respiratory burst of human neutrophils, LEUWER, M., *et al.*, (*ARS*) 585P
——, Interaction of i.v. anaesthetic agents with 5-HT_3 receptors, APPADU, B. L., *et al.* 271–273
——, Is the dihydropyridine binding site on neuronal L-type calcium channels a target for i.v. anaesthetic agents? HIROTA, K., *et al.*, (*ARS*) 591P
——, Org 21465 a new i.v. anaesthetic agent, DANIELL, C. J., *et al.*, (*ARS*) 586–587P
——, Total i.v. anaesthesia for transcranial magnetic evoked potential spinal cord monitoring, WATT, J. W. H., *et al.* 870–871
Anaesthetics i.v., eltanolone, Changes in chest wall compartment volumes on induction of anaesthesia with eltanolone, propofol and thiopentone, SPENS, H. J., *et al.* 369–373
Anaesthetics i.v., etomidate, Day-case cataract surgery, GOOLD, J. E., (*C*) 333
——, Day-case cataract surgery, MALTBY, J. R., *et al.*, (*C*) 333
Anaesthetics i.v., fentanyl, Nitrous oxide or halothane, or both, fail to suppress c-*fos* expression in rat spinal cord dorsal horn neurones after subcutaneous formalin, SUN, W. Z., *et al.* 99–105
Anaesthetics i.v., ketamine, Central nuclei and spinal pathways in feedback inhibitory spinal cord potentials in ketamine-anaesthetized rats, DENDA, S., *et al.* 258–265
——, Comparison of sedation with midazolam and ketamine: effects on airway muscle activity, DRUMMOND, G. B. 663–667
——, Effect of systemic *N*-methyl-D-aspartate receptor antagonist (ketamine) on primary and secondary hyperalgesia in humans, ILKJAER, S., *et al.* 829–834
——, Relaxant effect of ketamine and its isomers on histamine-induced contraction of tracheal smooth muscle, HIROTA, K., *et al.* 266–270
Anaesthetics i.v., propofol, A perfusion system for *in vitro* measurement of human cilia beat frequency, SELWYN, D. A., *et al.* 111–115
——, Activation of the electrocorticogram by propofol during surgery for epilepsy, SMITH, M., *et al.* 499–502
——, Changes in chest wall compartment volumes on induction of anaesthesia with eltanolone, propofol and thiopentone, SPENS, H. J., *et al.* 369–373
——, Comparison of arterialized venous with arterial blood propofol concentrations during sub-anaesthetic infusions in volunteers, JOHNSTON, K. R., *et al.* 401–404
——, Day-case cataract surgery, GOOLD, J. E., (*C*) 333
——, Day-case cataract surgery, MALTBY, J. R., *et al.*, (*C*) 333
——, Does propofol change the phenotype of monocytes in thoracic surgery? LAßNIGG, A., *et al.*, (*EACTA*) A.18
——, Dose of propofol for laryngeal mask airway insertion in children: effect of premedication with midazolam, MARTLEW, R. A., *et al.* 308–309
——, EEG arousal during laryngoscopy and intubation, SHANNON, C., *et al.*, (*C*) 472
——, EEG arousal during laryngoscopy and intubation, WILDER-SMITH, O. H. G., *et al.*, (*C*) 472–473
——, Effect of propofol and thiopentone on free radical mediated oxidative stress of the erythrocyte, MURPHY, P. G., *et al.* 536–543
——, Effects of propofol and isoflurane on right ventricular function, BOYD, O., *et al.*, (*C*) 598
——, Effects of propofol on rabbit mesenteric arteries and veins, KAMITANI, K., (*C*) 333–334
——, Effects of propofol on rabbit mesenteric arteries and veins, STRATFORD, N., (*C*) 333
——, Investigation into the effects of midazolam and propofol on human respiratory cilia beat frequency *in vitro*, HANN, H. C. L., *et al.*, (*ARS*) 591P
——, Is there implicit memory after propofol sedation? CORK, R. C., *et al.* 492–498
——, Midazolam before induction improves conditions for laryngeal mask insertion, DRIVER, I., *et al.*, (*e*) 175
——, Patient-controlled propofol: randomized, double-blind dose refinement, SMITH, A. F., *et al.*, (*ARS*) 577P
——, Plasma concentration and protein binding of propofol during cardiac surgery, HAMMARÉN, E., *et al.*, (*EACTA*) A.16
——, Porphyria, propofol and rats, BÖHRER, H., (*C*) 172
——, Porphyria, propofol and rats, GORCHEIN, A., (*C*) 172
——, Porphyria, propofol and rats, TIDMARSH, M. D., (*C*) 171–172
——, Prospective evaluation of pharmacokinetic model-controlled infusion of propofol in adult patients, SHORT, T. G., *et al.* 313–315
——, Recall during intermittent propofol anaesthesia, NORDSTRÖM, O., *et al.* 699–701
——, The effects of propofol on cerebral blood flow velocity

and oxygenation during cardiopulmonary bypass, EDERBERG, S., *et al.*, (*EACTA*) A.17
——, Unilateral convulsion after induction of anaesthesia with propofol, COCHRAN, D., *et al.* 570–572
Anaesthetics i.v., thiopentone, Changes in chest wall compartment volumes on induction of anaesthesia with eltanolone, propofol and thiopentone, SPENS, H. J., *et al.* 369–373
——, EEG arousal during laryngoscopy and intubation, SHANNON, C., *et al.*, (*C*) 472
——, EEG arousal during laryngoscopy and intubation, WILDER-SMITH, O. H. G., *et al.*, (*C*) 472–473
——, Effect of propofol and thiopentone on free radical mediated oxidative stress of the erythrocyte, MURPHY, P. G., *et al.* 536–543
Anaesthetics local, amethocaine, CSF progesterone concentrations in pregnancy, BALIGA, N., (*C*) 886
——, CSF progesterone concentrations in pregnancy, HIRABAYASHI, Y., *et al.*, (*C*) 886
——, Visceral pain during Caesarean section, FAIRFIELD, M. C., (*C*) 167
——, Visceral pain during Caesarean section, HIRABAYASHI, Y., *et al.*, (*C*) 167
Anaesthetics local, bupivacaine, A double-blind comparison of 0.25% ropivacaine and 0.25% bupivacaine for extradural analgesia in labour, EDDLESTON, J. M., *et al.* 66–71
——, Absence of an early pre-emptive effect after thoracic extradural bupivacaine in thoracic surgery, AGUILAR, J. L., *et al.* 72–76
——, Continuous extrapleural paravertebral infusion of bupivacaine for post-thoracotomy analgesia in young infants, KARMAKAR, M. K., *et al.* 811–815
——, Extradural analgesia in the first stage of labour, BUGGY, D., *et al.*, (*C*) 887
——, Extradural analgesia in the first stage of labour, FERNANDO, R., *et al.*, (*C*) 886–887
——, Extradural analgesia with clonidine and fentanyl compared with 0.25% bupivacaine in the first stage of labour, BUGGY, D. J., *et al.* 319–321
——, Extradural clonidine for postoperative pain relief, NISHIKAWA, T., (*C*) 171
——, Patient-controlled extradural analgesia with bupivacaine, fentanyl, or a mixture of both, after Caesarean section, COOPER, D. W., *et al.* 611–615
——, Prilocaine 3% is superior to a mixture of bupivacaine and lignocaine for peribulbar anaesthesia, DÖPFMER, U. R., *et al.* 77–80
——, Smaller children have greater bupivacaine plasma concentrations after ilioinguinal block, SMITH, T., *et al.* 452–455
Anaesthetics local, EMLA, Analgesic and anti-inflammatory effects of lignocaine–prilocaine (EMLA) cream in human burn injury, PEDERSEN, J. L., *et al.* 806–810
Anaesthetics local, lignocaine, Bilateral severe pain at L3–4 after spinal anaesthesia with hyperbaric 5% lignocaine, RODRÍGUEZ-CHINCHILLA, R., *et al.* 328–329
——, Effect of the addition of alfentanil to lignocaine during axillary brachial plexus anaesthesia, GORMLEY, W. P., *et al.* 802–805
——, Haemostatic changes caused by i.v. regional anaesthesia with lignocaine, NIEMI, T. T., *et al.* 822–828
——, Nebulized lignocaine before gaseous induction with desflurane, BUNTING, H. E., *et al.*, (*C*) 596
——, Nebulized lignocaine before gaseous induction with desflurane, NAY, P. G., (*C*) 596
——, Prilocaine 3% is superior to a mixture of bupivacaine and lignocaine for peribulbar anaesthesia, DÖPFMER, U. R., *et al.* 77–80
——, Ventilatory response to carbon dioxide, DAHAN, A., *et al.*, (*C*) 747
——, Ventilatory response to carbon dioxide, SAITO, Y., *et al.*, (*C*) 747–748
Anaesthetics local, prilocaine, Prilocaine 3% is superior to a mixture of bupivacaine and lignocaine for peribulbar anaesthesia, DÖPFMER, U. R., *et al.* 77–80
Anaesthetics local, ropivacaine, A double-blind comparison of 0.25% ropivacaine and 0.25% bupivacaine for extradural analgesia in labour, EDDLESTON, J. M., *et al.* 66–71
——, Continuous extradural infusion of ropivacaine for prevention of postoperative pain after major orthopaedic surgery, TURNER, G., *et al.* 606–610
——, Postoperative analgesia by continuous extradural infusion of ropivacaine after upper abdominal surgery, SCHUG, S. A., *et al.* 487–491
——, Ropivacaine, MCCLURE, J. H. 300–307
Anaesthetics volatile, Cost of volatile agents, BARKER, I., (*C*) 749
——, Effect of age on MAC in humans: a meta-analysis, MAPLESON, W. W. 179–185
——, Interference of volatile anaesthetics with infrared analysis of carbon dioxide and nitrous oxide tested in the Dräger Cicero EM using sevoflurane, WILKES, A. R., *et al.* 737–739
——, Remembrance of times past: the significance of c-*fos* in pain, MUNGLANI, R., *et al.*, (*E*) 1–4
Anaesthetics volatile, desflurane, Auditory evoked responses, median frequency and 95% spectral edge during anaesthesia with desflurane and nitrous oxide, PAL, S. K., *et al.*, (*ARS*) 577P
——, Differential effects of desflurane and halothane on peripheral airway smooth muscle, MAZZEO, A. J., *et al.* 841–846
——, Economy during induction of anaesthesia: a comparison of desflurane with isoflurane via a circle system, PAL, S. K., *et al.*, (*ARS*) 582P
——, Effects of desflurane and isoflurane on splanchnic microcirculation during surgery, O'BEIRNE, H., *et al.*, (*ARS*) 592P
——, Efficiency of a circle system for short surgical cases: comparison of desflurane with isoflurane, LEE, D. J. H., *et al.* 780–782
——, Nebulized lignocaine before gaseous induction with desflurane, BUNTING, H. E., *et al.*, (*C*) 596
——, Nebulized lignocaine before gaseous induction with desflurane, NAY, P. G., (*C*) 596
——, Recovery after desflurane anaesthesia in the infant: comparison with isoflurane, WOLF, A. R., *et al.* 362–364
Anaesthetics volatile, enflurane, Effects of 3 MAC of halothane, enflurane and isoflurane on cilia beat frequency of human nasal epithelium *in vitro*, RAPHAEL, J. H., *et al.* 116–121
——, Effects of surgical skin incision on respiration in patients anaesthetized with enflurane, SUTHERLAND, R. W., *et al.* 777–779
——, Recovery of respiratory ciliary function after depression by inhalation anaesthetic agents: an *in vitro* study using nasal turbinate explants, RAPHAEL, J. H., *et al.* 854–859
——, Sevoflurane, enflurane and isoflurane have no persistent postanaesthetic effects on the central nervous system in cats, KURATA, J., *et al.* 721–725
Anaesthetics volatile, halothane, Differential effects of desflurane and halothane on peripheral airway smooth muscle, MAZZEO, A. J., *et al.* 841–846
——, Effect of halothane on myocardial reoxygenation injury in the isolated rat heart, SCHLACK, W., *et al.* 860–867
——, Effects of 3 MAC of halothane, enflurane and isoflurane on cilia beat frequency of human nasal epithelium *in vitro*, RAPHAEL, J. H., *et al.* 116–121
——, Halothane and potassium channels in airway smooth muscle, FUKUSHIMA, T., *et al.* 847–853
——, Nitrous oxide or halothane, or both, fail to suppress c-*fos* expression in rat spinal cord dorsal horn neurones after subcutaneous formalin, SUN, W. Z., *et al.* 99–105
——, Pharmacokinetics of rocuronium after bolus and continuous infusion during halothane anaesthesia, MCCOY, E. P., *et al.* 29–33
——, Recovery of respiratory ciliary function after depression by inhalation anaesthetic agents: an *in vitro* study using nasal turbinate explants, RAPHAEL, J. H., *et al.* 854–859
——, Sevoflurane–nitrous oxide or halothane–nitrous oxide for paediatric bronchoscopy and gastroscopy, MERETOJA, O. A., *et al.* 767–771
——, Time course of potentiation of mivacurium by halothane and isoflurane in children, MERETOJA, O. A., *et al.* 235–238
Anaesthetics volatile, halothane , Volatile anaesthetics antagonize nitrous oxide and morphine-induced analgesia in the rat, GOTO, T., *et al.* 702–706
Anaesthetics volatile, halothane, Volatile anaesthetics of subanaesthetic isoflurane concentrations evaluated by evoked potentials, ROTH, D., *et al.* 38–42
——, Analysis of ethanol in expired air during low-flow isoflurane anaesthesia, OLSSON, J., *et al.* 85–89
——, Day-case cataract surgery, GOOLD, J. E., (*C*) 333
——, Day-case cataract surgery, MALTBY, J. R., *et al.*, (*C*) 333
——, Effect of isoflurane and sevoflurane on the magnitude and time course of neuromuscular block produced by vecuronium, pancuronium and atracurium, VANLINTHOUT, L. E. H., *et al.* 389–395
——, Effect of tramadol on depth of anaesthesia, COETZEE, J. F., *et al.* 415–418
——, Effects of 3 MAC of halothane, enflurane and isoflurane on cilia beat frequency of human nasal epithelium *in vitro*, RAPHAEL, J. H., *et al.* 116–121
——, Effects of propofol and isoflurane on right ventricular function, BOYD, O., *et al.*, (*C*) 598
——, Effects of sevoflurane and isoflurane on systemic vascular

resistance: use of cardiopulmonary bypass as a study model, RÖDIG, G., *et al.* 9–12
——, Efficiency of a circle system for short surgical cases: comparison of desflurane with isoflurane, LEE, D. J. H., *et al.* 780–782
——, Fuzzy logic control of inspired isoflurane and oxygen concentrations using minimal flow anaesthesia, CURATOLO, M., *et al.* 245–250
——, Recovery after desflurane anaesthesia in the infant: comparison with isoflurane, WOLF, A. R., *et al.* 362–364
——, Recovery of respiratory ciliary function after depression by inhalation anaesthetic agents: an *in vitro* study using nasal turbinate explants, RAPHAEL, J. H., *et al.* 854–859
——, Remifentanil reduces auditory and somatosensory evoked responses during isoflurane anaesthesia in a dose-dependent manner, CRABB, I., *et al.* 795–801
——, Sevoflurane, enflurane and isoflurane have no persistent postanaesthetic effects on the central nervous system in cats, KURATA, J., *et al.* 721–725
——, Slow ventilatory dynamics after isocapnic hypoxia and voluntary hyperventilation in humans: effects of isoflurane, DAHAN, A., *et al.* 374–381
——, Time course of potentiation of mivacurium by halothane and isoflurane in children, MERETOJA, O. A., *et al.* 235–238
——, Volatile anaesthetics antagonize nitrous oxide and morphine-induced analgesia in the rat, GOTO, T., *et al.* 702–706
Anaesthetics volatile, sevoflurane, Carbon dioxide output in laparoscopic cholecystectomy, KAZAMA, T., *et al.* 530–535
——, Effect of isoflurane and sevoflurane on the magnitude and time course of neuromuscular block produced by vecuronium, pancuronium and atracurium, VANLINTHOUT, L. E. H., *et al.* 389–395
——, Effects of sevoflurane and isoflurane on systemic vascular resistance: use of cardiopulmonary bypass as a study model, RÖDIG, G., *et al.* 9–12
——, Sevoflurane, enflurane and isoflurane have no persistent postanaesthetic effects on the central nervous system in cats, KURATA, J., *et al.* 721–725
——, Sevoflurane–nitrous oxide or halothane–nitrous oxide for paediatric bronchoscopy and gastroscopy, MERETOJA, O. A., *et al.* 767–771
——, Sevoflurane—a long-awaited volatile anaesthetic, SMITH, I., *et al.* 435–445
Anaesthetist, risks, Infertility among female hospital doctors in the UK, MARAN, N. J., *et al.*, (*ARS*) 581P
——, Occupational x-ray exposure of anaesthetists, MCGOWAN, C., *et al.* 868–869
Anaesthetist, training, A new tracheal tube for difficult intubation, WEST, M. R. J., *et al.* 673–679
——, Measurement of competence, GOODMAN, N. W., (*C*) 750
Analgesia, Comparison of caudally administered morphine *vs* hydromorphone in paediatric cardiac surgical patients, LAVOIE, J., *et al.*, (*EACTA*) A.70
——, Patient-maintained analgesia with alfentanil after cardiac surgery: a comparison with morphine PCA, CHECKETTS, M. R., *et al.*, (*EACTA*) A.69
Analgesia, obstetric, Extradural analgesia in the first stage of labour, BUGGY, D., *et al.*, (*C*) 887
——, Extradural analgesia in the first stage of labour, FERNANDO, R., *et al.*, (*C*) 886–887
——, Extradural analgesia with clonidine and fentanyl compared with 0.25% bupivacaine in the first stage of labour, BUGGY, D. J., *et al.* 319–321
——, Extradural clonidine provides adjunctive pain relief without sedation for women in labour, TREMLETT, M. R., *et al.*, (*ARS*) 583–584P
——, Spinal anaesthesia for Caesarean section in women with incomplete extradural analgesia, STONEHAM, M., *et al.*, (*C*) 476
Analgesia, paediatric, Comparison of i.v. and s.c. diamorphine infusions for the treatment of acute pain in children, SEMPLE, D., *et al.* 310–312
——, Extradural clonidine for postoperative pain relief, COOK, B., *et al.*, (*C*) 881
——, Extradural clonidine for postoperative pain relief, NISHIKAWA, T., (*C*) 171
——, Extradural clonidine for postoperative pain relief, NISHIKAWA, T., (*C*) 881–882
Analgesia, patient-controlled, Dose requirements, efficacy and side effects of morphine and pethidine delivered by patient-controlled analgesia after gynaecological surgery, STANLEY, G., *et al.* 484–486
——, Observations on patient-controlled administration of propofol, THORPE, S. J., *et al.*, (*ARS*) 576P
——, Patient-controlled analgesia and the plasma glucose response to surgery, O'KEEFE, V., *et al.*, (*ARS*) 585P
——, Patient-controlled extradural analgesia with bupivacaine, fentanyl, or a mixture of both, after Caesarean section, COOPER, D. W., *et al.* 611–615
——, Patient-controlled propofol: randomized, double-blind dose refinement, SMITH, A. F., *et al.*, (*ARS*) 577P
——, Psychological characteristics and patient-controlled analgesia, THOMAS, V. J., *et al.*, (*C*) 595
Analgesia, postoperative, Aortic stent surgery, BARANOWSKI, A. P., *et al.*, (*C*) 882–883
——, Aortic stent surgery, THOMPSON, M. M., *et al.*, (*C*) 883
——, Continuous extradural infusion of ropivacaine for prevention of postoperative pain after major orthopaedic surgery, TURNER, G., *et al.* 606–610
——, Dose requirements, efficacy and side effects of morphine and pethidine delivered by patient-controlled analgesia after gynaecological surgery, STANLEY, G., *et al.* 484–486
——, Extradural clonidine for postoperative pain relief, NISHIKAWA, T., (*C*) 171
——, Patient attitudes to perioperative suppository administration for postoperative analgesia, CARROLL, M., *et al.*, (*ARS*) 581P
——, Postoperative analgesia by continuous extradural infusion of ropivacaine after upper abdominal surgery, SCHUG, S. A., *et al.* 487–491
——, Surgical pain is followed not only by spinal sensitization but also by supraspinal antinociception, WILDER-SMITH, O. H. G., *et al.* 816–821
Analgesia, pre-emptive, Absence of an early pre-emptive effect after thoracic extradural bupivacaine in thoracic surgery, AGUILAR, J. L., *et al.* 72–76
——, Does pre-incisional thoracic extradural block combined with diclofenac reduce postoperative pain after abdominal hysterectomy? ESPINET, A., *et al.* 209–213
——, Influence of dose and timing of administration of morphine on postoperative pain and analgesic requirements, MANSFIELD, M. D., *et al.* 358–361
——, Nitrous oxide or halothane, or both, fail to suppress c-*fos* expression in rat spinal cord dorsal horn neurones after subcutaneous formalin, SUN, W. Z., *et al.* 99–105
——, Remembrance of times past: the significance of c-*fos* in pain, MUNGLANI, R., *et al.*, (*E*) 1–4
——, Surgical pain is followed not only by spinal sensitization but also by supraspinal antinociception, WILDER-SMITH, O. H. G., *et al.* 816–821
Analgesic techniques, caudal, Extradural clonidine for postoperative pain relief, NISHIKAWA, T., (*C*) 171
Analgesic techniques, extradural, Absence of an early pre-emptive effect after thoracic extradural bupivacaine in thoracic surgery, AGUILAR, J. L., *et al.* 72–76
——, Extradural clonidine for postoperative pain relief, COOK, B., *et al.*, (*C*) 881
——, Extradural clonidine for postoperative pain relief, NISHIKAWA, T., (*C*) 881–882
Analgesic techniques, infusion, Pulmonary uptake of sufentanil during and after constant rate infusion, BOER, F., *et al.* 203–208
Analgesic techniques, i.v., Comparison of i.v. and s.c. diamorphine infusions for the treatment of acute pain in children, SEMPLE, D., *et al.* 310–312
Analgesic techniques, regional, Use of regional i.v. morphine analgesia in patients undergoing total knee arthroplasty, CORBETT, A. R., *et al.*, (*ARS*) 593–594P
Analgesic techniques, subcutaneous, Comparison of i.v. and s.c. diamorphine infusions for the treatment of acute pain in children, SEMPLE, D., *et al.* 310–312
Analgesics non-opioid, aspirin, Effect of aspirin in single first coronary artery bypass grafting, VUYLSTEKE, A., *et al.*, (*EACTA*) A.51
Analgesics non-opioid, diclofenac, Morphine consumption in patients receiving rectal paracetamol and diclofenac alone and in combination, MONTGOMERY, J. E., *et al.*, (*ARS*) 591–592P
——, Patient attitudes to perioperative suppository administration for postoperative analgesia, CARROLL, M., *et al.*, (*ARS*) 581P
Analgesics non-opioid, ketorolac, Is tramadol better than ketorolac after day-case laparoscopy? SABAR, M. A., *et al.*, (*ARS*) 584P
Analgesics non-opioid, naproxen, Naproxen after day-case laparoscopic sterilization, DUNN, T. J., *et al.*, (*C*) 168
——, Naproxen after day-case laparoscopic sterilization, WILLIAMS, P. I., (*C*) 168
Analgesics non-opioid, paracetamol, Morphine consumption in patients receiving rectal paracetamol and diclofenac alone and in combination, MONTGOMERY, J. E., *et al.*, (*ARS*) 591–592P
Analgesics opioid, Inadvertent infusion of glucose saline into the extradural space, MPHANZA, T., (*C*) 332

Analgesics opioid, alfentanil, Effect of the addition of alfentanil to lignocaine during axillary brachial plexus anaesthesia, GORMLEY, W. P., *et al.* 802–805
——, Patient-maintained analgesia with alfentanil after cardiac surgery: a comparison with morphine PCA, CHECKETTS, M. R., *et al.*, (*EACTA*) A.69
Analgesics opioid, diamorphine, Comparison of i.v. and s.c. diamorphine infusions for the treatment of acute pain in children, SEMPLE, D., *et al.* 310–312
Analgesics opioid, fentanyl, Antinociceptive actions of intrathecal xylazine: interactions with spinal cord opioid pathways, GOODCHILD, C. S., *et al.* 544–551
——, Extradural analgesia in the first stage of labour, BUGGY, D., *et al.*, (*C*) 887
——, Extradural analgesia in the first stage of labour, FERNANDO, R., *et al.*, (*C*) 886–887
——, Extradural analgesia with clonidine and fentanyl compared with 0.25% bupivacaine in the first stage of labour, BUGGY, D. J., *et al.* 319–321
——, Fentanyl increases intracellular Ca^{2+} concentrations in SH-SY5Y cells, WANDLESS, A. L., *et al.* 461–463
——, Patient-controlled extradural analgesia with bupivacaine, fentanyl, or a mixture of both, after Caesarean section, COOPER, D. W., *et al.* 611–615
Analgesics opioid, hydromorphone, Comparison of caudally administered morphine *vs* hydromorphone in paediatric cardiac surgical patients, LAVOIE, J., *et al.*, (*EACTA*) A.70
Analgesics opioid, morphine, Comparison of caudally administered morphine *vs* hydromorphone in paediatric cardiac surgical patients, LAVOIE, J., *et al.*, (*EACTA*) A.70
——, Dose requirements, efficacy and side effects of morphine and pethidine delivered by patient-controlled analgesia after gynaecological surgery, STANLEY, G., *et al.* 484–486
——, Effects of morphine on atrial preparations obtained from non-failing and failing human hearts, LLOBEL, F., *et al.* 106–110
——, Effects of morphine on human nasal cilia beat frequency *in vitro*, SELWYN, D. A., *et al.* 274–277
——, Immunoglobulin and interleukin 2 production *ex vivo/in vitro* during treatment with oral retarded morphine, PALM, S., *et al.*, (*ARS*) 588–589P
——, Influence of dose and timing of administration of morphine on postoperative pain and analgesic requirements, MANSFIELD, M. D., *et al.* 358–361
——, Morphine consumption in patients receiving rectal paracetamol and diclofenac alone and in combination, MONTGOMERY, J. E., *et al.*, (*ARS*) 591–592P
——, Patient-maintained analgesia with alfentanil after cardiac surgery: a comparison with morphine PCA, CHECKETTS, M. R., *et al.*, (*EACTA*) A.69
——, Spinal clonidine produces less urinary retention than spinal morphine, GENTILI, M., *et al.* 872–873
——, Use of regional i.v. morphine analgesia in patients undergoing total knee arthroplasty, CORBETT, A. R., *et al.*, (*ARS*) 593–594P
——, Ventilatory response to carbon dioxide, DAHAN, A., *et al.*, (*C*) 747
——, Ventilatory response to carbon dioxide, SAITO, Y., *et al.*, (*C*) 747–748
——, Volatile anaesthetics antagonize nitrous oxide and morphine-induced analgesia in the rat, GOTO, T., *et al.* 702–706
Analgesics opioid, pethidine, Dose requirements, efficacy and side effects of morphine and pethidine delivered by patient-controlled analgesia after gynaecological surgery, STANLEY, G., *et al.* 484–486
Analgesics opioid, remifentanil, Remifentanil by infusion achieves predictable blood concentrations, POULTON, B. B., *et al.*, (*EACTA*) A.15
——, Remifentanil reduces auditory and somatosensory evoked responses during isoflurane anaesthesia in a dose-dependent manner, CRABB, I., *et al.* 795–801
——, Remifentanil—an opioid for the 21st century, THOMPSON, J. P., *et al.*, (*E*) 341–343
Analgesics opioid, sufentanil, Pulmonary uptake of sufentanil during and after constant rate infusion, BOER, F., *et al.* 203–208
Analgesics opioid, tramadol, Effect of tramadol on depth of anaesthesia, COETZEE, J. F., *et al.* 415–418
——, Is tramadol better than ketorolac after day-case laparoscopy? SABAR, M. A., *et al.*, (*ARS*) 584P
Anatomy, spinal column, Anatomical configuration of the spinal column in the supine position. III. Comparison of adolescent and adult volunteers, HIRABAYASHI, Y., *et al.* 508–510
Anesthesia and Intensive Care for Patients with Liver Disease, PARK, G. R., *et al.*, (editors), (*R*) 338
Anesthesiology, House Officer Series, BERRY, A. J., *et al.*, (editors), (*R*) 891
Antacids, omeprazole, Comparison of the effect of two dose schedules of oral omeprazole with oral ranitidine on gastric aspirate pH and volume in patients undergoing elective surgery, LEVACK, I. D., *et al.* 567–569
Antacids, ranitidine, Comparison of the effect of two dose schedules of oral omeprazole with oral ranitidine on gastric aspirate pH and volume in patients undergoing elective surgery, LEVACK, I. D., *et al.* 567–569
Antagonists benzodiazepine, flumazenil, Periodic cardiovascular and ventilatory activity during midazolam sedation, GALLETLY, D. C., *et al.* 503–507
Antagonists neuromuscular block, edrophonium, Edrophonium antagonism of intense mivacurium-induced neuromuscular block in children, ABDULATIF, M., *et al.* 239–244
Antagonists neuromuscular block, neostigmine, Change in neostigmine ampoules, MACKERSIE, A. M., (*C*) 334
Antagonists serotonin, tropisetron, Single dose i.v. tropisetron in the prevention of postoperative nausea and vomiting after gynaecological surgery, CAPOUET, V., *et al.* 54–60
Antibiotics, Management of pre-eclampsia, MUSHAMBI, M. C., *et al.*, (*C*) 889–890
——, Management of pre-eclampsia, WARD, J. E. H., *et al.*, (*C*) 889
Arterial presssure, Haemodynamic effects of continued sedation during tracheal extubation, CONTI, J., *et al.*, (*EACTA*) A.72
Arterial pressure, Radial artery tonometry: moderately accurate but unpredictable technique of continuous non-invasive arterial pressure measurement, WEISS, B. M., *et al.* 405–411
Arterial pressure, drug effects, Periodic cardiovascular and ventilatory activity during midazolam sedation, GALLETLY, D. C., *et al.* 503–507
Arterial pressure, hypertension, Management of pre-eclampsia, MUSHAMBI, M. C., *et al.*, (*C*) 889–890
——, Management of pre-eclampsia, WARD, J. E. H., *et al.*, (*C*) 889
——, Recent developments in the pathophysiology and management of pre-eclampsia, MUSHAMBI, M. C., *et al.* 133–148
Arterial pressure, hypotension, Volume preloading, spinal anaesthesia and Caesarean section, LAWES, E. G., (*C*) 334–335
——, Volume preloading, spinal anaesthesia and Caesarean section, MALLICK, A., *et al.*, (*C*) 335
——, Volume preloading, spinal anaesthesia and Caesarean section, REID, J., *et al.*, (*C*) 335–336
Arterial pressure, measurement, Radial artery tonometry: moderately accurate but unpredictable technique of continuous non-invasive arterial pressure measurement, WEISS, B. M., *et al.* 405–411
Arteries, Effects of propofol on rabbit mesenteric arteries and veins, KAMITANI, K., (*C*) 333–334
——, Effects of propofol on rabbit mesenteric arteries and veins, STRATFORD, N., (*C*) 333
——, Methylprednisolone inhibits endotoxin-induced depression of contractile function in human arteries *in vitro*, TSUNEYOSHI, I., *et al.* 251–257
Arteries, aorta, Aortic stent surgery, BARANOWSKI, A. P., *et al.*, (*C*) 882–883
——, Aortic stent surgery, THOMPSON, M. M., *et al.*, (*C*) 883
Arteries, mammary artery, Use of internal mammary artery improves prognosis in patients under 70 undergoing combined valve and coronary artery surgery, HERIJGERS, P., *et al.*, (*EACTA*) A.79
Arteries, radial, Topical nitroglycerin dilates the radial artery, GOTA, M., *et al.*, (*EACTA*) A.20
Arteries, relaxation, Effect of phosphodiesterase inhibitors on human arteries *in vitro*, VROOM, M. B., *et al.* 122–129
Ataractics, cannabis, Cannabis as a medicine, WEST, M. E., *et al.*, (*C*) 167
Baillière's Clinical Anaesthesiology: New Pharmacological Vistas, FINK, E. J. JR, *et al.*, (editors), (*R*) 173
Basics of Transoesophageal Echocardiography, RAFFERTY, T. D., (editor), (*R*) 173
Beta blockers, Comparison of sotalol and digoxin in the prevention of early supraventricular arrhythmias after coronary artery bypass graft (CABG), JADOUL, J. L., *et al.*, (*EACTA*) A.67
——, Effect of β-blockers *versus* calcium channel blockers in myocardial revascularization without cardiopulmonary bypass in pigs, RAJEK, A., *et al.*, (*EACTA*) A.39

Biocompatibility, Comparative assessment of the biocompatibility of 4 types of tubing for cardiopulmonary bypass, BRIQUET, F., *et al.*, (*EACTA*) A.31
Blood, anaemia, Anaemia and transfusion; major determinants of pressure sores after cardiac surgery, BAELE, PH., *et al.*, (*EACTA*) A.60
Blood, anticoagulants, heparin, Venous thromboembolism and cardiovascular surgery, BULLINGHAM, A., *et al.*, (*C*) 473
——, Venous thromboembolism and cardiovascular surgery, MCDONALD, D. S., (*C*) 473
Blood, antifibrinolytics, High dose aprotinin *vs* tranexamic acid in elective cardiac surgery: effects on bleeding and necessity of transfusion, CASATI, V., *et al.*, (*EACTA*) A.53
——, Plasma levels of tranexamic acid after two injections during cardiac surgery with cardiopulmonary bypass, ISETTA, C., *et al.*, (*EACTA*) A.52
——, Very low dose aprotinin in cardiac surgery, PÉTRIE, J., *et al.*, (*EACTA*) A.54
Blood, autotransfusion, Autologous blood processing during cardiac surgery: haemofiltration *versus* cell washing, WALPOTH, B. H., *et al.*, (*EACTA*) A.58
——, Autotransfusion of unwashed shed blood after CABG, using the Atrium 2052® blood recovery system, GOUWY, S., *et al.*, (*EACTA*) A.59
Blood, coagulation, Autotransfusion of unwashed shed blood after CABG, using the Atrium 2052® blood recovery system, GOUWY, S., *et al.*, (*EACTA*) A.59
——, Effect of aspirin in single first coronary artery bypass grafting, VUYLSTEKE, A., *et al.*, (*EACTA*) A.51
——, Haemodilution induces a hypercoagulable state, RUTTMANN, T. G., *et al.* 412–414
——, Haemostatic changes caused by i.v. regional anaesthesia with lignocaine, NIEMI, T. T., *et al.* 822–828
——, High dose aprotinin *vs* tranexamic acid in elective cardiac surgery: effects on bleeding and necessity of transfusion, CASATI, V., *et al.*, (*EACTA*) A.53
——, Plasma levels of tranexamic acid after two injections during cardiac surgery with cardiopulmonary bypass, ISETTA, C., *et al.*, (*EACTA*) A.52
——, Very low dose aprotinin in cardiac surgery, PÉTRIE, J., *et al.*, (*EACTA*) A.54
Blood, colloid oncotic pressure, Cardiopulmonary bypass with modified fluid gelatin and heparin-coated circuits, JANSEN, P. G. M., *et al.* 13–19
Blood, conservation, Autologous blood processing during cardiac surgery: haemofiltration *versus* cell washing, WALPOTH, B. H., *et al.*, (*EACTA*) A.58
——, Pilot evaluation of RMI haemoconcentrator during cardiopulmonary bypass, DHOND, G., *et al.*, (*EACTA*) A.57
Blood, erythrocytes, Effect of propofol and thiopentone on free radical mediated oxidative stress of the erythrocyte, MURPHY, P. G., *et al.* 536–543
Blood, erythropoietin, Use of recombinant human erythropoietin to facilitate liver transplantation in a Jehovah's Witness, SNOOK, N. J., *et al.* 740–743
Blood, flow, A new method for cerebral blood flow measurement, MIELCK, F., *et al.*, (*EACTA*) A.12
——, Effects of dopamine and dopexamine on splanchnic microcirculation during major surgery in humans, BELLAMY, M. C., *et al.*, (*ARS*) 587P
——, Experimental evaluation of a single breath inert gas technique for measurement of myocardial blood flow, KAZMAIER, S., *et al.*, (*EACTA*) A.5
——, Quality control of coronary bypass surgery: intraoperative transit time flow measurement, WALPOTH, B. H., *et al.*, (*EACTA*) A.7
——, Splanchnic blood flow during cardiopulmonary bypass assessed by indicator dilution technique, GÅRDEBÄCK, M., *et al.*, (*EACTA*) A.36
——, The effects of propofol on cerebral blood flow velocity and oxygenation during cardiopulmonary bypass, EDERBERG, S., *et al.*, (*EACTA*) A.17
Blood, flow, feto-uteroplacental, Maternal and uteroplacental haemodynamic state in pre-eclamptic patients during spinal anaesthesia for Caesarean section, KARINEN, J., *et al.* 616–620
Blood, flow, mucosal, Effect of low-dose dopamine on intestinal villus microcirculation during normotensive endotoxaemia in rats, SCHMIDT, H., *et al.* 707–712
Blood, flow, splanchnic, Effects of desflurane and isoflurane on splanchnic microcirculation during surgery, O'BEIRNE, H., *et al.*, (*ARS*) 592P
Blood, glucose, Patient-controlled analgesia and the plasma glucose response to surgery, O'KEEFE, V., *et al.*, (*ARS*) 585P
Blood, haemodilution, Haemodynamic effects of moderate normovolaemic haemodilution in conscious and anaesthetized patients, BIBOULET, P., *et al.* 81–84
——, Rheological properties of commonly used plasma substitutes during preoperative normovolaemic acute haemodilution, FREYBURGER, G., *et al.* 519–525
Blood, haemofiltration, Autologous blood processing during cardiac surgery: haemofiltration *versus* cell washing, WALPOTH, B. H., *et al.*, (*EACTA*) A.58
Blood, haemoglobin, Continuous temperature and O_2 saturation monitoring of jugular blood during DHCA procedures for aortic surgery, PAINO, R., *et al.*, (*EACTA*) A.40
——, Does Parsonnet score predict the usefulness of Sv_{O_2} pulmonary artery catheter (Sv_{O_2}PAC) during heart surgery? VEDRINNE, C., *et al.*, (*EACTA*) A.85
——, Effect of propofol and thiopentone on free radical mediated oxidative stress of the erythrocyte, MURPHY, P. G., *et al.* 536–543
——, Kinetics of methaemoglobin and serum nitrogen oxide production during inhalation of nitric oxide in volunteers, YOUNG, J. D., *et al.* 652–656
Blood, haemolysis, Effect of propofol and thiopentone on free radical mediated oxidative stress of the erythrocyte, MURPHY, P. G., *et al.* 536–543
Blood, haemostasis, Haemostatic changes caused by i.v. regional anaesthesia with lignocaine, NIEMI, T. T., *et al.* 822–828
Blood, monocytes, Does propofol change the phenotype of monocytes in thoracic surgery? LAßNIGG, A., *et al.*, (*EACTA*) A.18
Blood, neutrophils, Flow cytometry evaluation of the *in vitro* effects of four i.v. anaesthetics on the respiratory burst of human neutrophils, LEUWER, M., *et al.*, (*ARS*) 585P
Blood, products, Use of blood products in cardiovascular surgery 4 years after the Sanguis study, DENEYS, V., *et al.*, (*EACTA*) A.56
Blood, replacement, Consensus statement on autologous transfusion, ROYAL COLLEGE OF PHYSICIANS OF EDINBURGH, 470
——, Rheological properties of commonly used plasma substitutes during preoperative normovolaemic acute haemodilution, FREYBURGER, G., *et al.* 519–525
Blood, substitutes, Rheological properties of commonly used plasma substitutes during preoperative normovolaemic acute haemodilution, FREYBURGER, G., *et al.* 519–525
Blood, transfusion, Consensus statement on autologous transfusion, ROYAL COLLEGE OF PHYSICIANS OF EDINBURGH, 470
Blood, volume, Effects and interactions of myocardial ischaemia and alterations in circulating blood volume on canine left ventricular diastolic function, DALMAS, S., *et al.* 419–427
Book Reviews
A Physicians's Guide to the Internet, HANCOCK, L., (*R*) 893
A Practical Approach to Cardiac Anesthesia, HENSLEY, F. A. JR, *et al.*, (editors), (*R*) 174
Acute Pain Management: A Practical Guide, MACINTYRE, P. E., *et al.*, (*R*) 892
Anaesthesia and Critical Care Manual, 2nd Edn, CUNNINGHAM, A. J., (editor), (*R*) 338
Anaesthesia for Surgery of the Spine, PORTER, S. S., (editor), (*R*) 892
Anaesthesia: Review 11, KAUFMAN, L., *et al.*, (editors), (*R*) 174
Anesthesia and Intensive Care for Patients with Liver Disease, PARK, G. R., *et al.*, (editors), (*R*) 338
Anesthesiology, House Officer Series, BERRY, A. J., *et al.*, (editors), (*R*) 891
Baillière's Clinical Anaesthesiology: New Pharmacological Vistas, FINK, E. J. JR, *et al.*, (editors), (*R*) 173
Basics of Transoesophageal Echocardiography, RAFFERTY, T. D., (editor), (*R*) 173
Difficult Hypertension: Practical Management and Decision Making, KENDALL, M. J., *et al.*, (editors), (*R*) 891–892
Essentials of Anaesthetic Equipment, AL-SHAIKH, B., *et al.*, (*R*) 751
Handbook of Neonatal Anaesthesia, HUGHES, D. G., *et al.*, (editors), (*R*) 599
Intensive Care: A Concise Textbook, 2nd Edn, HIND, C. J., *et al.*, (*R*) 599
600 MCQs in Anaesthesia: Clinical Practice, 2nd Edn, GOODMAN, N. W., *et al.*, (*R*) 751
Modulation of the Inflammatory Response in Severe Sepsis, TELLADO, J. M., *et al.*, (editors), (*R*) 173–174
Neuro-anaesthetic Practice, VAN AKEN, H., (editor), (*R*) 599
Neuromuscular Block, FELDMAN, S., (*R*) 893

Ophthalmic Anaesthesia—A Practical Handbook, 2nd Edn, SMITH, G. B., *et al.*, (*R*) 891
Primer of Intraoperative Neurophysiologic Monitoring, RUSSELL, G. B., *et al.*, (editors), (*R*) 477
Principles and Practice Series: Respiratory Support, SYKES, K., (*R*) 338
Regional Anesthesia: An Atlas of Anatomy and Techniques, HAHN, M. B., *et al.*, (editors), (*R*) 751
Sedation and Analgesia in the Critically Ill, PARK, G. R., *et al.*, (editors), (*R*) 174
The ABC of Resuscitation, 3rd Edn, COLQUHOUN, M. C., *et al.*, (editors), (*R*) 338–339
Understanding Anaesthesia, 3rd Edn, CARRIE, L. E. S., *et al.*, (*R*) 892–893
Wylie & Churchill-Davidson's A Practice of Anaesthesia, 6th Edn. HEALY, T. E. J., *et al.*, (editors), (*R*) 477

Brain, Continuous temperature and O_2 saturation monitoring of jugular blood during DHCA procedures for aortic surgery, PAINO, R., *et al.*, (*EACTA*) A.40
——, The effects of propofol on cerebral blood flow velocity and oxygenation during cardiopulmonary bypass, EDERBERG, S., *et al.*, (*EACTA*) A.17

Brain, blood flow, Cerebral blood flow response to changes in CO_2 at hypothermia and normothermia. A controlled, randomized crossover study, WEYLAND, A., *et al.*, (*EACTA*) A.35
——, Sepsis-induced vasoparalysis does not involve the cerebral vasculature: indirect evidence from autoregulation and carbon dioxide reactivity studies, MATTA, B. F., *et al.* 790–794
——, Use of near infrared spectroscopy to estimate cerebral blood flow in conscious and anaesthetized adult subjects, OWEN-REECE, H., *et al.* 43–48

Brain, carbon dioxide reactivity, Sepsis-induced vasoparalysis does not involve the cerebral vasculature: indirect evidence from autoregulation and carbon dioxide reactivity studies, MATTA, B. F., *et al.* 790–794

Brain, cerebral cortex, Is the dihydropyridine binding site on neuronal L-type calcium channels a target for i.v. anaesthetic agents? HIROTA, K., *et al.*, (*ARS*) 591P

Brain, damage, Epiaortic scanning of the ascending aorta identifies arteriosclerotic plaques and changes surgical practice during CABG? VAN DER LINDEN, J., *et al.*, (*EACTA*) A.82

Brain, electroencephalography, Auditory evoked responses, median frequency and 95% spectral edge during anaesthesia with desflurane and nitrous oxide, PAL, S. K., *et al.*, (*ARS*) 577P
——, Evaluation of bispectral index as an objective sedation score in the intensive care unit, PEARSON, A. J., *et al.*, (*ARS*) 577–578P
——, Sevoflurane, enflurane and isoflurane have no persistent postanaesthetic effects on the central nervous system in cats, KURATA, J., *et al.* 721–725

Brain, evoked potentials, Auditory evoked responses, median frequency and 95% spectral edge during anaesthesia with desflurane and nitrous oxide, PAL, S. K., *et al.*, (*ARS*) 577P
——, Effect of suxamethonium on the auditory evoked response in humans, BRUNNER, M. D., *et al.* 34–37
——, Remifentanil reduces auditory and somatosensory evoked responses during isoflurane anaesthesia in a dose-dependent manner, CRABB, I., *et al.* 795–801
——, Suxamethonium and auditory evoked potentials, BRUNNER, M. D., *et al.*, (*C*) 881
——, Suxamethonium and auditory evoked potentials, PONTE, J., (*C*) 881

Brain, injury, Validation of the Edslab dual lumen oximetry catheter for continuous monitoring of jugular bulb oxygen saturation after severe head injury, SOUTER, M. J., *et al.* 744–746

Brain, ischaemia, Validation of the Edslab dual lumen oximetry catheter for continuous monitoring of jugular bulb oxygen saturation after severe head injury, SOUTER, M. J., *et al.* 744–746

Burns, Analgesic and anti-inflammatory effects of lignocaine–prilocaine (EMLA) cream in human burn injury, PEDERSEN, J. L., *et al.* 806–810
——, Effect of systemic *N*-methyl-D-aspartate receptor antagonist (ketamine) on primary and secondary hyperalgesia in humans, ILKJAER, S., *et al.* 829–834

Calcium antagonists, Effect of β-blockers *versus* calcium channel blockers in myocardial revascularization without cardiopulmonary bypass in pigs, RAJEK, A., *et al.*, (*EACTA*) A.39
——, Pharmacokinetics and haemodynamic effects of an ultrashort-acting calcium antagonist, NORDLANDER, M., *et al.*, (*EACTA*) A.24

Calcium channel block, diltiazem, Comparison of nicardipine, diltiazem and verapamil for controlling the cardiovascular responses to tracheal intubation, MIKAWA, K., *et al.* 221–226

Calcium channel block, nicardipine, Comparison of nicardipine, diltiazem and verapamil for controlling the cardiovascular responses to tracheal intubation, MIKAWA, K., *et al.* 221–226

Calcium channel block, verapamil, Comparison of nicardipine, diltiazem and verapamil for controlling the cardiovascular responses to tracheal intubation, MIKAWA, K., *et al.* 221–226

Calcium sensitizer, levosimendan, Levosimendan is a more potent inotropic agent than amrinone after ischaemia in isolated perfused guinea pig hearts, SÜZER, Ö., *et al.*, (*EACTA*) A.9
——, The effect of the calcium sensitizer levosimendan on normal and stunned left ventricular myocardium, WETERINGS, C. J., *et al.*, (*EACTA*) A.8

Carbon dioxide, embolism, Effects of carbon dioxide embolism with nitrous oxide in the inspired gas in piglets, NYARWAYA, J.-B., *et al.* 428–434

Cardiac surgery, Anaemia and transfusion; major determinants of pressure sores after cardiac surgery, BAELE, PH., *et al.*, (*EACTA*) A.60
——, Aprotinin treatment does not impair renal function during and after cardiac surgery, SCHWEIZER, A., *et al.*, (*EACTA*) A.55
——, Arrhythmias after valvular surgery: a randomized double-blind Holter comparative trial of St Thomas' (ST) *vs* CPS cardioplegia, VEDRINNE, C., *et al.*, (*EACTA*) A.66
——, Autologous blood processing during cardiac surgery: haemofiltration *versus* cell washing, WALPOTH, B. H., *et al.*, (*EACTA*) A.58
——, Autotransfusion of unwashed shed blood after CABG, using the Atrium 2052® blood recovery system, GOUWY, S., *et al.*, (*EACTA*) A.59
——, Cardiac surgical practices in the United States of America and Europe: striking similarities and minor differences, VUYLSTEKE, A., *et al.*, (*EACTA*) A.77
——, Changes of mitral inflow patterns as assessed by transoesophageal echocardiography following cardiac surgery: are they of clinical significance? SCHMIDLIN, D., *et al.*, (*EACTA*) A.48
——, Comparison of caudally administered morphine *vs* hydromorphone in paediatric cardiac surgical patients, LAVOIE, J., *et al.*, (*EACTA*) A.70
——, Comparison of sotalol and digoxin in the prevention of early supraventricular arrhythmias after coronary artery bypass graft (CABG), JADOUL, J. L., *et al.*, (*EACTA*) A.67
——, Correlation of predicted and recorded concentrations of nitric oxide during long-term inhalation in infants after cardiac surgery, KNAPIK, P., *et al.*, (*EACTA*) A.28
——, Does Parsonnet score predict the usefulness of Sv_{O_2} pulmonary artery catheter (Sv_{O_2}PAC) during heart surgery? VEDRINNE, C., *et al.*, (*EACTA*) A.85
——, Does perioperative transoesophageal echocardiography change the therapy of cardiothoracic patients? BRASE, R., *et al.*, (*EACTA*) A.47
——, Double blind, placebo controlled study of the effects of remacemide HCl on neuropsychological deficits following coronary artery surgery, AROWSMITH, J. E., *et al.*, (*EACTA*) A.83
——, Effect of aspirin in single first coronary artery bypass grafting, VUYLSTEKE, A., *et al.*, (*EACTA*) A.51
——, Effects of lidoflazine on left ventricular function, DEIRUE, G. L., *et al.*, (*EACTA*) A.10
——, Free fatty acid (FFA) uptake immediately after routine coronary artery bypass surgery (CABG), PIETERSEN, H. G., *et al.*, (*EACTA*) A.2
——, Haemodynamic effects of continued sedation during tracheal extubation, CONTI, J., *et al.*, (*EACTA*) A.72
——, Heparin-coated circuits reduce postoperative lung complications in high-risk cardiac patients, RANUCCI, M., *et al.*, (*EACTA*) A.71
——, High dose aprotinin *vs* tranexamic acid in elective cardiac surgery: effects on bleeding and necessity of transfusion, CASATI, V., *et al.*, (*EACTA*) A.53
——, Myocardial ischaemia and heart rate variability after coronary bypass surgery, KENTALA, E., *et al.*, (*EACTA*) A.64
——, Nausea and vomiting after cardiac surgery, GREBENIK, C., *et al.*, (*EACTA*) A.76
——, Non-invasive pressure support ventilation (NPSV) as an alternative to reintubation, PAULUS, S., *et al.*, (*EACTA*) A.73
——, Organ dysfunctions after cardiac surgery: definitions and prognosis, CALVERT, B., *et al.*, (*EACTA*) A.78

——, Oxygen consumption during early mobilization after CABG surgery in patients with normal cardiac function, KIRKEBY-GARSTAD, I., *et al.*, (*EACTA*) A.74
——, Patient-maintained analgesia with alfentanil after cardiac surgery: a comparison with morphine PCA, CHECKETTS, M. R., *et al.*, (*EACTA*) A.69
——, Perioperative myocardial infarction (PMI) in cardiac surgery—risk factors and clinical outcome, SVEDJEHOLM, P., *et al.*, (*EACTA*) A.61
——, Phospholipase A_2 in cardiac surgery, HÅKANSON, E., *et al.*, (*EACTA*) A.1
——, Pilot evaluation of RMI haemoconcentrator during cardiopulmonary bypass, DHOND, G., *et al.*, (*EACTA*) A.57
——, Plasma levels of tranexamic acid after two injections during cardiac surgery with cardiopulmonary bypass, ISETTA, C., *et al.*, (*EACTA*) A.52
——, QTc-dispersion in patients undergoing CABG surgery, FRUHWALD, S., *et al.*, (*EACTA*) A.65
——, Scoring systems *versus* subjective assessment as an outcome predictor in adult cardiac surgery, SMITH, E., *et al.*, (*EACTA*) A.86
——, Time course of serial serum troponin I levels after coronary artery bypass surgery (CABG), FILLEY, S., *et al.*, (*EACTA*) A.63
——, Transoesophageal echocardiography and intraoperative evaluation of left ventricular performance, JOVIC, M., *et al.*, (*EACTA*) A.49
——, Troponin-T for asessment of myocardial damage in CABG surgery, DAHLIN, L. G., *et al.*, (*EACTA*) A.62
——, Type of perioperative antihypertensive treatment delays extubation and prolongs ICU stay in cardiac surgery, VUYLSTEKE, A., *et al.*, (*EACTA*) A.30
——, Use of blood products in cardiovascular surgery 4 years after the Sanguis study, DENEYS, V., *et al.*, (*EACTA*) A.56
——, Use of internal mammary artery improves prognosis in patients under 70 undergoing combined valve and coronary artery surgery, HERIJGERS, P., *et al.*, (*EACTA*) A.79
——, Very low dose aprotinin in cardiac surgery, PÉTRIE, J., *et al.*, (*EACTA*) A.54
Cardiopulmonary bypass, A comparison of core temperature with thermal energy balance in predicting adequacy of rewarming from hypothermic cardiopulmonary bypass, DEAKIN, C. D., *et al.*, (*EACTA*) A.41
——, Blood lactate during cardiopulmonary bypass with a lactated priming solution, HETT, D., *et al.*, (*EACTA*) A.33
——, Cerebral blood flow response to changes in CO_2 at hypothermia and normothermia. A controlled, randomized crossover study, WEYLAND, A., *et al.*, (*EACTA*) A.35
——, Comparative assessment of the biocompatibility of 4 types of tubing for cardiopulmonary bypass, BRIQUET, F., *et al.*, (*EACTA*) A.31
——, Continuous temperature and O_2 saturation monitoring of jugular blood during DHCA procedures for aortic surgery, PAINO, R., *et al.*, (*EACTA*) A.40
——, Convective warming overcomes effects of cooling after cardiopulmonary bypass, KNOWLES, P. R., *et al.*, (*EACTA*) A.42
——, Effect of β-blockers *versus* calcium channel blockers in myocardial revascularization without cardiopulmonary bypass in pigs, RAJEK, A., *et al.*, (*EACTA*) A.39
——, Perioperative changes in receptors for ICAM-1/CD54 and immunglobulin G on monocytes by extracorporeal circulation (ECC), HIESMAYR, M., *et al.*, (*EACTA*) A.32
——, Splanchnic blood flow during cardiopulmonary bypass assessed by indicator dilution technique, GÅRDEBÄCK, M., *et al.*, (*EACTA*) A.36
——, Standard pump flow rate and Sv_{O_2} above 60% do not imply adequate oxygen delivery during CPB, RYCKWAERT, F., *et al.*, (*EACTA*) A.34
Cardiovascular system, effects, Aprotinin during liver transplantation, COTTAM, S., *et al.*, (*C*) 882
——, Aprotinin during liver transplantation, LENTSCHENER, C., *et al.*, (*C*) 882
——, Comparison of nicardipine, diltiazem and verapamil for controlling the cardiovascular responses to tracheal intubation, MIKAWA, K., *et al.* 221–226
——, Comparison of the effects of urapidil and sodium nitroprusside on haemodynamic state, myocardial metabolism and function in patients during coronary artery surgery, VAN DER STROOM, J. G., *et al.* 645–651
——, Effects of sevoflurane and isoflurane on systemic vascular resistance: use of cardiopulmonary bypass as a study model, RÖDIG, G., *et al.* 9–12
——, Haemodynamic effects of moderate normovolaemic haemodilution in conscious and anaesthetized patients, BIBOULET, P., *et al.* 81–84
——, Haemodynamic responses to incision and sternotomy in relation to the auditory evoked potential and spontaneous EEG, DE BEER, N. A. M., *et al.* 685–693
——, Laparoscopic cholecystectomy: haemodynamic and neuroendocrine responses after pneumoperitoneum and changes in position, O'LEARY, E., *et al.* 640–644
Central nervous system, A new method for cerebral blood flow measurement, MIELCK, F., *et al.*, (*EACTA*) A.12
——, Double blind, placebo controlled study of the effects of remacemide HCl on neuropsychological deficits following coronary artery surgery, AROWSMITH, J. E., *et al.*, (*EACTA*) A.83
——, Epiaortic scanning of the ascending aorta identifies arteriosclerotic plaques and changes surgical practice during CABG? VAN DER LINDEN, J., *et al.*, (*EACTA*) A.82
Central nervous system, damage, Brain death induced haemodynamic failure in the rat is solely due to autonomic denervation, HERIJGERS, P., *et al.*, (*EACTA*) A.13
——, Serotonin induces coronary spasms after brain death in dogs, HERIJGERS, P., *et al.*, (*EACTA*) A.14
Cerebrospinal fluid, Reducing the potential morbidity of an unintentional spinal anaesthetic by aspirating cerebrospinal fluid, SOUTHORN, P., *et al.* 467–469
Children, Dose of propofol for laryngeal mask airway insertion in children: effect of premedication with midazolam, MARTLEW, R. A., *et al.* 308–309
——, Edrophonium antagonism of intense mivacurium-induced neuromuscular block in children, ABDULATIF, M., *et al.* 239–244
——, Midazolam *vs* trimeprazine premedication for children during day-care surgery, NATHWANI, D., *et al.*, (*ARS*) 589P
——, Parental or anaesthetist's ability to predict a 'stormy' induction in young children, LYONS, B., *et al.*, (*ARS*) 589P
——, Removal of the laryngeal mask airway in children: anaesthetized compared with awake, KITCHING, A. J., *et al.* 874–876
——, Sevoflurane–nitrous oxide or halothane–nitrous oxide for paediatric bronchoscopy and gastroscopy, MERETOJA, O. A., *et al.* 767–771
——, Smaller children have greater bupivacaine plasma concentrations after ilioinguinal block, SMITH, T., *et al.* 452–455
——, Suxamethonium in children, FARRELL, P. T., (*C*) 883–884
——, Suxamethonium in children, FIACCHINO, F., *et al.*, (*C*) 883
——, Suxamethonium in children, HOPKINS, P. M., (*C*) 884
Complications, A multifactorial analysis to explain inadequate surgical analgesia after extradural block, CURATOLO, M., *et al.*, (*e*) 598
——, Anaemia and transfusion; major determinants of pressure sores after cardiac surgery, BAELE, PH., *et al.*, (*EACTA*) A.60
——, Double blind, placebo controlled study of the effects of remacemide HCl on neuropsychological deficits following coronary artery surgery, AROWSMITH, J. E., *et al.*, (*EACTA*) A.83
——, Heparin-coated circuits reduce postoperative lung complications in high-risk cardiac patients, RANUCCI, M., *et al.*, (*EACTA*) A.71
——, Nausea and vomiting after cardiac surgery, GREBENIK, C., *et al.*, (*EACTA*) A.76
——, Organ dysfunctions after cardiac surgery: definitions and prognosis, CALVERT, B., *et al.*, (*EACTA*) A.78
Complications, abscess, Extradurals and infection, BROSNAN, C. M., *et al.*, (*C*) 887–888
Complications, airway obstruction, Airway problems after carotid endarterectomy, MUNRO, F. J., *et al.* 156–159
——, Cervical haematoma and airway obstruction, CALDER, I., *et al.*, (*C*) 888
——, Cervical haematoma and airway obstruction, MUNRO, F. J., *et al.*, (*C*) 888–889
Complications, awareness, Recall during intermittent propofol anaesthesia, NORDSTRÖM, O., *et al.* 699–701
Complications, brain death, Oxygen consumption and delivery relationship in brain-dead organ donors, LANGERON, O., *et al.* 783–789
Complications, cardiac arrest, Systolic pressure variation—a way to recognize dynamic hyperinflation, MYLES, P. S., (*C*) 169
——, Systolic pressure variation—a way to recognize dynamic hyperinflation, PEREL, A., *et al.*, (*C*) 168–169
Complications, cardiomyopathy, Cardiac arrest at induction of anaesthesia for Caesarean section, MCINDOE, A. K., *et al.*, (*C*) 332–333
——, Cardiac arrest at induction of anaesthesia for Caesarean section, WILSON, J. A., (*C*) 332
Complications, cardioplegia, Arrhythmias after valvular surgery: a randomized double-blind Holter comparative

trial of St Thomas' (ST) *vs* CPS cardioplegia, VEDRINNE, C., *et al.*, (*EACTA*) A.66
Complications, catheter misplacement, Accidental insertion of an extradural catheter, FOX, A., *et al.*, (*C*) 336
——, Intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia, CAMANN, W., (*C*) 169
——, Intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia, LEE, J. S., *et al.*, (*C*) 169–170
——, Intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia, ROBBINS, P. M., *et al.*, (*C*) 170
Complications, convulsions, Sevoflurane, enflurane and isoflurane have no persistent postanaesthetic effects on the central nervous system in cats, KURATA, J., *et al.* 721–725
Complications, diabetes, Blood lactate during cardiopulmonary bypass with a lactated priming solution, HETT, D., *et al.*, (*EACTA*) A.33
——, Use of i.v. insulin in well-controlled non-insulin-dependent diabetics undergoing major surgery, RAUCOULES-AIMÉ, M., *et al.* 198–202
Complications, Ehlers–Danlos syndrome, Myocardial ischaemia associated with Ehlers–Danlos syndrome, PRICE, C. M., *et al.* 464–466
Complications, embolism, Pulsed saline lavage causing venous air embolism in a patient with Paget's disease, SIDES, C. A. 330–331
——, Venous thromboembolism and cardiovascular surgery, BULLINGHAM, A., *et al.*, (*C*) 473
——, Venous thromboembolism and cardiovascular surgery, MCDONALD, D. S., (*C*) 473
Complications, emphysema, Stable right ventricular pressure-volume relation during lung volume reducing surgery for diffuse emphysema, GELINDER, S., *et al.*, (*EACTA*) A.80
Complications, endotoxaemia, Effect of low-dose dopamine on intestinal villus microcirculation during normotensive endotoxaemia in rats, SCHMIDT, H., *et al.* 707–712
Complications, fractured cricoid cartilage, Fracture of the cricoid cartilage after Sellick's manoeuvre, HEATH, K. J., *et al.* 877–878
Complications, haematoma, Venous thromboembolism and cardiovascular surgery, BULLINGHAM, A., *et al.*, (*C*) 473
——, Venous thromboembolism and cardiovascular surgery, MCDONALD, D. S., (*C*) 473
Complications, hypertension, Comparison of nicardipine, diltiazem and verapamil for controlling the cardiovascular responses to tracheal intubation, MIKAWA, K., *et al.* 221–226
——, Elective forceps delivery and extradural anaesthesia in a primigravida with portal hypertension and oesophageal varices, HERIOT, J. A., *et al.* 325–327
Complications, hypotension, Hydroxyethylstarch compared with modified gelatin as volume preload before spinal anaesthesia for Caesarean section, VERCAUTEREN, M. P., *et al.* 731–733
——, Hypotension during subarachnoid anaesthesia: haemodynamic effects of colloid and metaraminol, CRITCHLEY, L. A. H., *et al.* 734–736
——, Randomized trial of bolus phenylephrine or ephedrine for maintenance of arterial pressure during spinal anaesthesia for Caesarean section, THOMAS, D. G., *et al.* 61–65
Complications, hypothermia, Cerebral blood flow response to changes in CO_2 at hypothermia and normothermia. A controlled, randomized crossover study, WEYLAND, A., *et al.*, (*EACTA*) A.35
——, Continuous temperature and O_2 saturation monitoring of jugular blood during DHCA procedures for aortic surgery, PAINO, R., *et al.*, (*EACTA*) A.40
——, Effect of cooling on the force of contraction of rat and guineapig phrenic nerve hemidiaphragm preparations, ENGLAND, A. J., *et al.*, (*ARS*) 592–593P
——, Elevated serum levels of S-100 after deep hypothermic circulatory arrest correlate with duration of circulatory arrest, VAN DER LINDEN, J., *et al.*, (*EACTA*) A.84
Complications, inflammation, Phospholipase A_2 in cardiac surgery, HÅKANSON, E., *et al.*, (*EACTA*) A.1
Complications, Jehovah's Witness, Use of recombinant human erythropoietin to facilitate liver transplantation in a Jehovah's Witness, SNOOK, N. J., *et al.* 740–743
Complications, juvenile hyaline fibromatosis, Anaesthesia and juvenile hyaline fibromatosis, NORMAN, B., *et al.* 163–166
Complications, lung, Minimal incidence of reperfusion pulmonary oedema after pulmonary thromboendarterectomy, MARES, P., *et al.*, (*EACTA*) A.75
——, Non-invasive pressure support ventilation (NPSV) as an alternative to reintubation, PAULUS, S., *et al.*, (*EACTA*) A.73
Complications, morbidity, Reducing the potential morbidity of an unintentional spinal anaesthetic by aspirating cerebrospinal fluid, SOUTHORN, P., *et al.* 467–469
Complications, mucosal pressure, Laryngeal mask airway performance: effect of cuff deflation during anaesthesia, MORRIS, G. N., *et al.* 456–458
Complications, multiple organ dysfunction syndrome, Soluble E-cadherin concentrations in patients with systemic inflammatory response syndrome and multiorgan dysfunction syndrome, PITTARD, A. J., *et al.* 629–631
Complications, myalgia, Rocuronium pretreatment reduces suxamethonium-induced myalgia: comparison with vecuronium, FINDLAY, G. P., *et al.* 526–529
Complications, myopathy, Mivacurium chloride and late onset congenital myopathy, PARMAR, M., *et al.* 160–162
——, Suxamethonium in children, FARRELL, P. T., (*C*) 883–884
——, Suxamethonium in children, FIACCHINO, F., *et al.*, (*C*) 883
——, Suxamethonium in children, HOPKINS, P. M., (*C*) 884
Complications, neurological, Bilateral severe pain at L3–4 after spinal anaesthesia with hyperbaric 5% lignocaine, RODRÍGUEZ-CHINCHILLA, R., *et al.* 328–329
——, Maternal sequelae of childbirth, HUTTER, C. D. D., (*C*) 474
——, Maternal sequelae of childbirth, REYNOLDS, F., (*C*) 474–475
Complications, oesophageal varices, Elective forceps delivery and extradural anaesthesia in a primigravida with portal hypertension and oesophageal varices, HERIOT, J. A., *et al.* 325–327
Complications, overdose, Observations on patient-controlled administration of propofol, THORPE, S. J., *et al.*, (*ARS*) 576P
——, Patient-controlled propofol: randomized, double-blind dose refinement, SMITH, A. F., *et al.*, (*ARS*) 577P
Complications, Paget's disease, Pulsed saline lavage causing venous air embolism in a patient with Paget's disease, SIDES, C. A. 330–331
Complications, porphyria, Porphyria, propofol and rats, BÖHRER, H., (*C*) 172
——, Porphyria, propofol and rats, GORCHEIN, A., (*C*) 172
——, Porphyria, propofol and rats, TIDMARSH, M. D., (*C*) 171–172
Complications, pre-eclampsia, Management of pre-eclampsia, MUSHAMBI, M. C., *et al.*, (*C*) 889–890
——, Management of pre-eclampsia, WARD, J. E. H., *et al.*, (*C*) 889
——, Recent developments in the pathophysiology and management of pre-eclampsia, MUSHAMBI, M. C., *et al.* 133–148
——, Serotonin in pre-eclampsia, GAJRAJ, N. M., *et al.*, (*C*) 748–749
Complications, pressure sores, Anaemia and transfusion; major determinants of pressure sores after cardiac surgery, BAELE, PH., *et al.*, (*EACTA*) A.60
Complications, pulmonary oedema, Balloon mitral valve dilatation as an aid to weaning from ventilatory support in patients with intractable pulmonary oedema caused by severe mitral stenosis, DAVIS, G., *et al.* 879–880
Complications, regurgitation, Effect of pneumoperitoneum and Trendelenburg position on gastro–oesophageal reflux and lower oesophageal sphincter pressure, TOURNADRE, J. P., *et al.* 130–132
Complications, reperfusion syndrome, White blood cell cytosolic calcium changes during human orthotopic liver transplantation, ENRIGHT, S., *et al.*, (*ARS*) 587–588P
Complications, respiratory, Nebulized lignocaine before gaseous induction with desflurane, BUNTING, H. E., *et al.*, (*C*) 596
——, Nebulized lignocaine before gaseous induction with desflurane, NAY, P. G., (*C*) 596
Complications, sepsis syndrome, Sepsis-induced vasoparalysis does not involve the cerebral vasculature: indirect evidence from autoregulation and carbon dioxide reactivity studies, MATTA, B. F., *et al.* 790–794
Complications, septic shock, Prospects for management of peripheral vascular failure in septic shock, ALLEN, J. D., *et al.*, (*E*) 177–178
Complications, septicaemia, Soluble E-cadherin concentrations in patients with systemic inflammatory response syndrome and multiorgan dysfunction syndrome, PITTARD, A. J., *et al.* 629–631
Complications, smokers, Double-blind, randomized trial of cessation of smoking after audiotape suggestion during anaesthesia, MYLES, P. S., *et al.* 694–698

——, Effect of smoking on dose requirements for vecuronium, TEIRIÄ, H., *et al.* 154–155
Complications, spontaneous excitatory movement, Unilateral convulsion after induction of anaesthesia with propofol, COCHRAN, D., *et al.* 570–572
Complications, stenosis, Balloon mitral valve dilatation as an aid to weaning from ventilatory support in patients with intractable pulmonary oedema caused by severe mitral stenosis, DAVIS, G., *et al.* 879–880
Complications, subarachnoid block, Sudden onset of subarachnoid block after subdural catheterization: a case of arachnoid rupture? ELLIOTT, D. W., *et al.* 322–324
Complications, thrombosis, Venous thromboembolism and cardiovascular surgery, BULLINGHAM, A., *et al.*, (*C*) 473
——, Venous thromboembolism and cardiovascular surgery, MCDONALD, D. S., (*C*) 473
Complications, tracheal bronchus, Airway management for patients with a tracheal bronchus, IKENO, S., *et al.* 573–575
Complications, trauma, Prehospital monitoring of trauma patients: experience of a helicopter emergency medical service, MORLEY, A. P. 726–730
——, Transoesophageal echocardiography in chest trauma, GEORGE, S. J., (*C*) 336–337
——, Transoesophageal echocardiography in chest trauma, KENNEDY, N., *et al.*, (*C*) 337
Complications, urinary retention, Spinal clonidine produces less urinary retention than spinal morphine, GENTILI, M., *et al.* 872–873
Computers, Fuzzy logic control of inspired isoflurane and oxygen concentrations using minimal flow anaesthesia, CURATOLO, M., *et al.* 245–250
Computers, fuzzy logic, Performance assessment of a fuzzy controller for atracurium-induced neuromuscular block, MASON, D. G., *et al.* 396–400
Coronary artery bypass surgery, Atrial natriuretic peptide (ANP) and N-terminal ANP: relationship to right ventricular function in patients undergoing coronary artery bypass surgery, HONKONEN, E. L., *et al.*, (*EACTA*) A.6
Coronary artery disease, Assessment of right and left heart volume indices in patients undergoing coronary artery bypass surgery, BUHRE, W., *et al.*, (*EACTA*) A.37
——, Effect of β-blockers *versus* calcium channel blockers in myocardial revascularization without cardiopulmonary bypass in pigs, RAJEK, A., *et al.*, (*EACTA*) A.39
——, Free fatty acid (FFA) uptake immediately after routine coronary artery bypass surgery (CABG), PIETERSEN, H. G., *et al.*, (*EACTA*) A.2
——, Postoperative diastolic dysfunction. Incidence, natural history and prognosis, OPPIZZI, M., *et al.*, (*EACTA*) A.46
——, Quality control of coronary bypass surgery: intraoperative transit time flow measurement, WALPOTH, B. H., *et al.*, (*EACTA*) A.7
——, Transoesophageal echocardiography and haemodynamic monitoring in emergency surgical revascularization for extensive acute myocardial infarction, GUARRACINO, F., *et al.*, (*EACTA*) A.45
——, Use of internal mammary artery improves prognosis in patients under 70 undergoing combined valve and coronary artery surgery, HERIJGERS, P., *et al.*, (*EACTA*) A.79

Diabetes, Use of i.v. insulin in well-controlled non-insulin-dependent diabetics undergoing major surgery, RAUCOULES-AIMÉ, M., *et al.* 198–202
Difficult Hypertension: Practical Management and Decision Making, KENDALL, M. J., *et al.*, (editors), (*R*) 891–892
Dog, Differential effects of desflurane and halothane on peripheral airway smooth muscle, MAZZEO, A. J., *et al.* 841–846
——, Effects and interactions of myocardial ischaemia and alterations in circulating blood volume on canine left ventricular diastolic function, DALMAS, S., *et al.* 419–427
——, Nitrous oxide and the rate of gas uptake from an unventilated lung in dogs, JOYCE, C. J., *et al.* 292–296
Drug delivery, computerized, Prospective evaluation of pharmacokinetic model-controlled infusion of propofol in adult patients, SHORT, T. G., *et al.* 313–315
Drug delivery, transdermal, Effect of transdermal hyoscine on nausea and vomiting, FOSTER, R. N., (*C*) 749
——, Effect of transdermal hyoscine on nausea and vomiting, HONKAVAARA, P., (*C*) 749–750
——, Effect of transdermal hyoscine on nausea and vomiting during and after middle ear surgery under local anaesthesia, HONKAVAARA, P. 49–53

Ehlers–Danlos syndrome, Myocardial ischaemia associated with Ehlers–Danlos syndrome, PRICE, C. M., *et al.* 464–466
Embolism, air, Pulsed saline lavage causing venous air embolism in a patient with Paget's disease, SIDES, C. A. 330–331
——, Venous air embolism: is end-tidal oxygen monitoring more informative than end-tidal carbon dioxide? KYTTÄ, J., *et al.*, (*C*) 475–476
——, Venous air embolism: is end-tidal oxygen monitoring more informative than end-tidal carbon dioxide? MALLICK, A., *et al.*, (*C*) 475
Embolism, carbon dioxide, Effects of carbon dioxide embolism with nitrous oxide in the inspired gas in piglets, NYARWAYA, J.-B., *et al.* 428–434
Embolism, thromboembolism, Venous thromboembolism and cardiovascular surgery, BULLINGHAM, A., *et al.*, (*C*) 473
——, Venous thromboembolism and cardiovascular surgery, MCDONALD, D. S., (*C*) 473
Enzymes, Elevated serum levels of S-100 after deep hypothermic circulatory arrest correlate with duration of circulatory arrest, VAN DER LINDEN, J., *et al.*, (*EACTA*) A.84
Enzymes, phosphodiesterase, inhibition, Levosimendan is a more potent inotropic agent than amrinone after ischaemia in isolated perfused guinea pig hearts, SÜZER, Ö., *et al.*, (*EACTA*) A.9
——, The efficacy of enoximone in improving the postoperative course of cardiac patients with severe myocardial dysfunction, OPPIZZI, M., *et al.*, (*EACTA*) A.81
Enzymes, phospholipase C, Phospholipase A_2 in cardiac surgery, HÅKANSON, E., *et al.*, (*EACTA*) A.1
Enzymes, troponin I, Time course of serial serum troponin I levels after coronary artery bypass surgery (CABG), FILLEY, S., *et al.*, (*EACTA*) A.63
Enzymes, troponin T, Troponin-T for asessment of myocardial damage in CABG surgery, DAHLIN, L. G., *et al.*, (*EACTA*) A.62
Epilepsy, Activation of the electrocorticogram by propofol during surgery for epilepsy, SMITH, M., *et al.* 499–502
Equipment, Perioperative changes in receptors for ICAM-1/CD54 and immunglobulin G on monocytes by extracorporeal circulation (ECC), HIESMAYR, M., *et al.*, (*EACTA*) A.32
Equipment, assist device, The hemopump as left ventricular assist device in postcardiotomy heart failure, MEYNS, B., *et al.*, (*EACTA*) A.38
Equipment, blankets, Convective warming combined with vasodilator therapy accelerates core rewarming after coronary artery bypass surgery, HARRISON, S. J., *et al.* 511–514
Equipment, breathing systems, Accumulation of foreign gases during closed-system anaesthesia, VERSICHELEN, L., *et al.* 668–672
——, Effect of apparatus on functional residual capacity, DRUMMOND, G. B. 560–562
——, Efficiency of a circle system for short surgical cases: comparison of desflurane with isoflurane, LEE, D. J. H., *et al.* 780–782
——, Performance of vaporizers in circle systems (II), ROYSTON, B., *et al.*, (*ARS*) 582–583P
Equipment, catheters extradural, Extradural and subarachnoid catheterization using the Seldinger technique, DELHAAS, E. M. 149–150
——, Extradurals and infection, BROSNAN, C. M., *et al.*, (*C*) 887–888
Equipment, catheters oximetry, Validation of the Edslab dual lumen oximetry catheter for continuous monitoring of jugular bulb oxygen saturation after severe head injury, SOUTER, M. J., *et al.* 744–746
Equipment, catheters subarachnoid, Extradural and subarachnoid catheterization using the Seldinger technique, DELHAAS, E. M. 149–150
Equipment, gas analysers, Interference of volatile anaesthetics with infrared analysis of carbon dioxide and nitrous oxide tested in the Dräger Cicero EM using sevoflurane, WILKES, A. R., *et al.* 737–739
Equipment, heart-lung machine, Comparative assessment of the biocompatibility of 4 types of tubing for cardiopulmonary bypass, BRIQUET, F., *et al.*, (*EACTA*) A.31
Equipment, hemopump, The hemopump as left ventricular assist device in postcardiotomy heart failure, MEYNS, B., *et al.*, (*EACTA*) A.38
Equipment, masks anaesthesia, Cricoid pressure applied after placement of the laryngeal mask prevents gastric insufflation but inhibits ventilation, ASAI, T., *et al.* 772–776
——, Dose of propofol for laryngeal mask airway insertion in children: effect of premedication with midazolam, MARTLEW, R. A., *et al.* 308–309
——, Effect of apparatus on functional residual capacity, DRUMMOND, G. B. 560–562
——, Improving preoxygenation, MCGOWAN, P., (*C*) 748

——, Improving preoxygenation, SMITH, A. F., (*C*) 748
——, Laryngeal mask airway performance: effect of cuff deflation during anaesthesia, MORRIS, G. N., *et al.* 456–458
——, Midazolam before induction improves conditions for laryngeal mask insertion, DRIVER, I., *et al.*, (*e*) 175
——, Removal of the laryngeal mask airway in children: anaesthetized compared with awake, KITCHING, A. J., *et al.* 874–876
Equipment, monitors, Prehospital monitoring of trauma patients: experience of a helicopter emergency medical service, MORLEY, A. P. 726–730
Equipment, perfusion system, A perfusion system for *in vitro* measurement of human cilia beat frequency, SELWYN, D. A., *et al.* 111–115
Equipment, pupillometer, Pupil changes during cardiopulmonary bypass, FLETCHER, G. C., *et al.* 20–22
Equipment, temperature probes, Use of i.m. temperature probes during cardiopulmonary bypass in humans, BENSON, J. P., *et al.*, (*C*) 472
——, Use of i.m. temperature probes during cardiopulmonary bypass in humans, MANNERS, J. M., (*C*) 471–472
Equipment, tubes tracheal, A new tracheal tube for difficult intubation, WEST, M. R. J., *et al.* 673–679
——, RAE tube obstruction during tonsil dissection, GRAHAM, D., *et al.*, (*C*) 170–171
Equipment, vaporizers, Performance of vaporizers in circle systems (II), ROYSTON, B., *et al.*, (*ARS*) 582–583P
Equipment, warming devices, Convective warming combined with vasodilator therapy accelerates core rewarming after coronary artery bypass surgery, HARRISON, S. J., *et al.* 511–514
——, Delayed forced air warming prevents hypothermia during abdominal aortic surgery, KARAYAN, J., *et al.* 459–460
Errata, A model to describe the rate of oxyhaemoglobin desaturation during apnoea, FARMERY, A. D., *et al.*, (*e*) 890
——, A multifactorial analysis to explain inadequate surgical analgesia after extradural block, CURATOLO, M., *et al.*, (*e*) 598
——, Histamine-release haemodynamic changes produced by rocuronium, vecuronium, mivacurium, atracurium and tubocurarine, NAGUIB, M., *et al.*, (*e*) 339
——, Midazolam before induction improves conditions for laryngeal mask insertion, DRIVER, I., *et al.*, (*e*) 175
Essentials of Anaesthetic Equipment, AL-SHAIKH, B., *et al.*, (*R*) 751
Ethanol, Analysis of ethanol in expired air during low-flow isoflurane anaesthesia, OLSSON, J., *et al.* 85–89
Eye, extraocular muscles, Effect of antagonism of mivacurium on recovery of extraocular muscle function, MELLOR, D. J., *et al.* 621–623

Fluids, i.v., Haemodilution induces a hypercoagulable state, RUTTMANN, T. G., *et al.* 412–414
——, Hydroxyethylstarch compared with modified gelatin as volume preload before spinal anaesthesia for Caesarean section, VERCAUTEREN, M. P., *et al.* 731–733
——, Hypotension during subarachnoid anaesthesia: haemodynamic effects of colloid and metaraminol, CRITCHLEY, L. A. H., *et al.* 734–736
——, Inadvertent infusion of glucose saline into the extradural space, MPHANZA, T., (*C*) 332
Free fatty acids, Free fatty acid (FFA) uptake immediately after routine coronary artery bypass surgery (CABG), PIETERSEN, H. G., *et al.*, (*EACTA*) A.2

Gases, non-anaesthetic, Kinetics of methaemoglobin and serum nitrogen oxide production during inhalation of nitric oxide in volunteers, YOUNG, J. D., *et al.* 652–656
Gases non-anaesthetic, acetone, Accumulation of foreign gases during closed-system anaesthesia, VERSICHELEN, L., *et al.* 668–672
Gases non-anaesthetic, carbon monoxide, Accumulation of foreign gases during closed-system anaesthesia, VERSICHELEN, L., *et al.* 668–672
Gases non-anaesthetic, methane, Accumulation of foreign gases during closed-system anaesthesia, VERSICHELEN, L., *et al.* 668–672
Gastrointestinal tract, antacids, Comparison of the effect of two dose schedules of oral omeprazole with oral ranitidine on gastric aspirate pH and volume in patients undergoing elective surgery, LEVACK, I. D., *et al.* 567–569
Gastrointestinal tract, circulation, Splanchnic blood flow during cardiopulmonary bypass assessed by indicator dilution technique, GÅRDEBÄCK, M., *et al.*, (*EACTA*) A.36
Gastrointestinal tract, intestine, Effect of low-dose dopamine on intestinal villus microcirculation during normotensive endotoxaemia in rats, SCHMIDT, H., *et al.* 707–712
Gastrointestinal tract, lower oesophageal sphincter, Effect of pneumoperitoneum and Trendelenburg position on gastro–oesophageal reflux and lower oesophageal sphincter pressure, TOURNADRE, J. P., *et al.* 130–132
Gastrointestinal tract, perfusion, The influence of dopaminergic agents on liver venous and mixed venous O_2-saturation in MODS – a preliminary report, LAMPERT, R., *et al.*, (*EACTA*) A.11
Gastrointestinal tract, pH, Comparison of the effect of two dose schedules of oral omeprazole with oral ranitidine on gastric aspirate pH and volume in patients undergoing elective surgery, LEVACK, I. D., *et al.* 567–569
——, Gastric tonometry, BOYD, O., *et al.*, (*C*) 750
——, Gastric tonometry to monitor tissue oxygenation: more than a gut feeling? OH, T. E., (*E*) 604–605
——, Measurement technique and variation in intramucosal pH, WOOD, P. R., *et al.* 563–564
——, Perioperative mucosal pH and splanchnic endotoxin concentration in orthotopic liver transplantation, WELTE, M., *et al.* 90–98
Gastrointestinal tract, volume, Comparison of the effect of two dose schedules of oral omeprazole with oral ranitidine on gastric aspirate pH and volume in patients undergoing elective surgery, LEVACK, I. D., *et al.* 567–569
Genetic factors, proto-oncogenes, Nitrous oxide or halothane, or both, fail to suppress c-*fos* expression in rat spinal cord dorsal horn neurones after subcutaneous formalin, SUN, W. Z., *et al.* 99–105
——, Remembrance of times past: the significance of c-*fos* in pain, MUNGLANI, R., *et al.*, (*E*) 1–4
Guineapig, Effect of cooling on the force of contraction of rat and guineapig phrenic nerve hemidiaphragm preparations, ENGLAND, A. J., *et al.*, (*ARS*) 592–593P

Haemodynamics, Brain death induced haemodynamic failure in the rat is solely due to autonomic denervation, HERIJGERS, P., *et al.*, (*EACTA*) A.13
Haemofiltration, Pilot evaluation of RMI haemoconcentrator during cardiopulmonary bypass, DHOND, G., *et al.*, (*EACTA*) A.57
Haemoglobin, Standard pump flow rate and Sv_{O_2} above 60% do not imply adequate oxygen delivery during CPB, RYCKWAERT, F., *et al.*, (*EACTA*) A.34
Handbook of Neonatal Anaesthesia, HUGHES, D. G., *et al.*, (editors), (*R*) 599
Heart, Long chain triglycerides but not glucose–insulin, administered during reperfusion, improve recovery from stunning in isolated rabbit hearts, VAN DE VELDE, M., *et al.*, (*EACTA*) A.3
——, Oxfenicine blocks the beneficial effects of intravenous long chain triglyceride (LCT) administration on regional myocardial stunning in conscious dogs, VAN DE VELDE, M., *et al.*, (*EACTA*) A.4
Heart, arrhythmia, Arrhythmias after valvular surgery: a randomized double-blind Holter comparative trial of St Thomas' (ST) *vs* CPS cardioplegia, VEDRINNE, C., *et al.*, (*EACTA*) A.66
——, Comparison of sotalol and digoxin in the prevention of early supraventricular arrhythmias after coronary artery bypass graft (CABG), JADOUL, J. L., *et al.*, (*EACTA*) A.67
——, QTc-dispersion in patients undergoing CABG surgery, FRUHWALD, S., *et al.*, (*EACTA*) A.65
——, Trimetazidine does not reduce ischaemia-reperfusion induced arrhythmias in isolated perfused rat hearts, SÜZER, Ö, *et al.*, (*EACTA*) A.68
Heart, cardiac output, Haemodynamic effects of air travel, MALAGON, I., (*ARS*) 590P
Heart, cardiopulmonary bypass, Cardiopulmonary bypass with modified fluid gelatin and heparin-coated circuits, JANSEN, P. G. M., *et al.* 13–19
——, Dobutamine increases oxygen consumption during constant flow cardiopulmonary bypass, KARZAI, W., *et al.* 5–8
——, Effects of sevoflurane and isoflurane on systemic vascular resistance: use of cardiopulmonary bypass as a study model, RÖDIG, G., *et al.* 9–12
——, Plasma concentration and protein binding of propofol during cardiac surgery, HAMMARÉN, E., *et al.*, (*EACTA*) A.16
——, Pupil changes during cardiopulmonary bypass, FLETCHER, G. C., *et al.* 20–22
——, Remifentanil by infusion achieves predictable blood concentrations, POULTON, B. B., *et al.*, (*EACTA*) A.15
——, The effects of propofol on cerebral blood flow velocity and oxygenation during cardiopulmonary bypass, EDERBERG, S., *et al.*, (*EACTA*) A.17
——, Use of i.m. temperature probes during cardiopulmonary bypass in humans, BENSON, J. P., *et al.*, (*C*) 472

——, Use of i.m. temperature probes during cardiopulmonary bypass in humans, MANNERS, J. M., (*C*) 471–472
Heart, circulation, Serotonin induces coronary spasms after brain death in dogs, HERIJGERS, P., *et al.*, (*EACTA*) A.14
Heart, coronary artery disease, Effect of anaesthetic agents on pulmonary shunt during coronary artery surgery, SINDJELIC, R., *et al.*, (*EACTA*) A.19
——, QTc-dispersion in patients undergoing CABG surgery, FRUHWALD, S., *et al.*, (*EACTA*) A.65
Heart, diastolic function, Postoperative diastolic dysfunction. Incidence, natural history and prognosis, OPPIZZI, M., *et al.*, (*EACTA*) A.46
Heart, digoxin, Comparison of sotalol and digoxin in the prevention of early supraventricular arrhythmias after coronary artery bypass graft (CABG), JADOUL, J. L., *et al.*, (*EACTA*) A.67
Heart, dobutamine, Dobutamine increases oxygen consumption during constant flow cardiopulmonary bypass, KARZAI, W., *et al.* 5–8
Heart, dopamine, The influence of dopaminergic agents on liver venous and mixed venous O_2-saturation in MODS – a preliminary report, LAMPERT, R., *et al.*, (*EACTA*) A.11
Heart, dysfunction, The efficacy of enoximone in improving the postoperative course of cardiac patients with severe myocardial dysfunction, OPPIZZI, M., *et al.*, (*EACTA*) A.81
Heart, failure, The hemopump as left ventricular assist device in postcardiotomy heart failure, MEYNS, B., *et al.*, (*EACTA*) A.38
Heart, function, Assessment of right and left heart volume indices in patients undergoing coronary artery bypass surgery, BUHRE, W., *et al.*, (*EACTA*) A.37
——, Postoperative diastolic dysfunction. Incidence, natural history and prognosis, OPPIZZI, M., *et al.*, (*EACTA*) A.46
Heart, heart rate, Heart rate variability in patients recovering from general anaesthesia, IRELAND, N., *et al.* 657–662
——, Periodic cardiovascular and ventilatory activity during midazolam sedation, GALLETLY, D. C., *et al.* 503–507
Heart, ischaemia, Effect of halothane on myocardial reoxygenation injury in the isolated rat heart, SCHLACK, W., *et al.* 860–867
——, Effects and interactions of myocardial ischaemia and alterations in circulating blood volume on canine left ventricular diastolic function, DALMAS, S., *et al.* 419–427
——, Levosimendan is a more potent inotropic agent than amrinone after ischaemia in isolated perfused guinea pig hearts, SÜZER, Ö., *et al.*, (*EACTA*) A.9
——, Myocardial ischaemia and heart rate variability after coronary bypass surgery, KENTALA, E., *et al.*, (*EACTA*) A.64
——, Myocardial ischaemia associated with Ehlers–Danlos syndrome, PRICE, C. M., *et al.* 464–466
——, Nitroglycerin induced hypoxaemia does not produce myocardial ischaemia, TORAMAN, F., *et al.*, (*EACTA*) A.21
Heart, isolated preparation, Effect of halothane on myocardial reoxygenation injury in the isolated rat heart, SCHLACK, W., *et al.* 860–867
——, Effects of morphine on atrial preparations obtained from non-failing and failing human hearts, LLOBEL, F., *et al.* 106–110
Heart, mitral valve, Changes of mitral inflow patterns as assessed by transoesophageal echocardiography following cardiac surgery: are they of clinical significance? SCHMIDLIN, D., *et al.*, (*EACTA*) A.48
Heart, myocardial function, Comparison of the effects of urapidil and sodium nitroprusside on haemodynamic state, myocardial metabolism and function in patients during coronary artery surgery, VAN DER STROOM, J. G., *et al.* 645–651
——, Effects and interactions of myocardial ischaemia and alterations in circulating blood volume on canine left ventricular diastolic function, DALMAS, S., *et al.* 419–427
——, Effects of morphine on atrial preparations obtained from non-failing and failing human hearts, LLOBEL, F., *et al.* 106–110
——, Effects of propofol and isoflurane on right ventricular function, BOYD, O., *et al.*, (*C*) 598
Heart, myocardial infarction, Perioperative myocardial infarction (PMI) in cardiac surgery—risk factors and clinical outcome, SVEDJEHOLM, P., *et al.*, (*EACTA*) A.61
——, Time course of serial serum troponin I levels after coronary artery bypass surgery (CABG), FILLEY, S., *et al.*, (*EACTA*) A.63
Heart, myocardial injury, Effect of halothane on myocardial reoxygenation injury in the isolated rat heart, SCHLACK, W., *et al.* 860–867
Heart, myocardial protection, Effects of lidoflazine on left ventricular function, DEIRUE, G. L., *et al.*, (*EACTA*) A.10
Heart, myocardium, Experimental evaluation of a single breath inert gas technique for measurement of myocardial blood flow, KAZMAIER, S., *et al.*, (*EACTA*) A.5
——, Nitroglycerin induced hypoxaemia does not produce myocardial ischaemia, TORAMAN, F., *et al.*, (*EACTA*) A.21
——, The effect of the calcium sensitizer levosimendan on normal and stunned left ventricular myocardium, WETERINGS, C. J., *et al.*, (*EACTA*) A.8
Heart, rate, Myocardial ischaemia and heart rate variability after coronary bypass surgery, KENTALA, E., *et al.*, (*EACTA*) A.64
Heart, right ventricular function, Atrial natriuretic peptide (ANP) and N-terminal ANP: relationship to right ventricular function in patients undergoing coronary artery bypass surgery, HONKONEN, E. L., *et al.*, (*EACTA*) A.6
Heart, transplant, Haemodynamic effects of sodium nitroprusside *versus* prostaglandin E_1 in heart transplant candidates, CODDENS, J., *et al.*, (*EACTA*) A.26
Heart, valve surgery, Use of internal mammary artery improves prognosis in patients under 70 undergoing combined valve and coronary artery surgery, HERIJGERS, P., *et al.*, (*EACTA*) A.79
Heart, ventricles, Effects and interactions of myocardial ischaemia and alterations in circulating blood volume on canine left ventricular diastolic function, DALMAS, S., *et al.* 419–427
Heart, ventricular function, Stable right ventricular pressure-volume relation during lung volume reducing surgery for diffuse emphysema, GELINDER, S., *et al.*, (*EACTA*) A.80
HELLP syndrome, Management of pre-eclampsia, MUSHAMBI, M. C., *et al.*, (*C*) 889–890
——, Management of pre-eclampsia, WARD, J. E. H., *et al.*, (*C*) 889
——, Recent developments in the pathophysiology and management of pre-eclampsia, MUSHAMBI, M. C., *et al.* 133–148
Histamine, Histamine release by neuromuscular blocking agents, NAGUIB, M., (*C*) 471
——, Histamine release by neuromuscular blocking agents, TODD, D. B., (*C*) 471
——, Histamine-release haemodynamic changes produced by rocuronium, vecuronium, mivacurium, atracurium and tubocurarine, NAGUIB, M., *et al.*, (*e*) 339
——, Relaxant effect of ketamine and its isomers on histamine-induced contraction of tracheal smooth muscle, HIROTA, K., *et al.* 266–270
Hormones, aldosterone, Laparoscopic cholecystectomy: haemodynamic and neuroendocrine responses after pneumoperitoneum and changes in position, O'LEARY, E., *et al.* 640–644
Hormones, glucocorticoid, Metabolic and hormonal responses to induced hypotension for middle ear surgery, NEWTON, M. C., *et al.* 352–357
——, Methylprednisolone inhibits endotoxin-induced depression of contractile function in human arteries *in vitro*, TSUNEYOSHI, I., *et al.* 251–257
Hormones, melatonin, Changes in pineal and pituitary hormone secretion under general anaesthesia, REBER, A., *et al.*, (*ARS*) 584P
Hormones, progesterone, CSF progesterone concentrations in pregnancy, BALIGA, N., (*C*) 886
——, CSF progesterone concentrations in pregnancy, HIRABAYASHI, Y., *et al.*, (*C*) 886
Hormones, prostaglandins, Haemodynamic effects of sodium nitroprusside *versus* prostaglandin E_1 in heart transplant candidates, CODDENS, J., *et al.*, (*EACTA*) A.26
——, Inhaled prostacyclin compared to inhaled nitric oxide in the evaluation of heart transplant candidates with elevated pulmonary vascular resistance, HARALDSSON, Á., *et al.*, (*EACTA*) A.27
Hormones, renin, Laparoscopic cholecystectomy: haemodynamic and neuroendocrine responses after pneumoperitoneum and changes in position, O'LEARY, E., *et al.* 640–644
Hypertension, Pharmacokinetics and haemodynamic effects of an ultrashort-acting calcium antagonist, NORDLANDER, M., *et al.*, (*EACTA*) A.24
Hypnotics benzodiazepine, diazepam, Hypotension following the administration of fentanyl-diazepam combination in chronic ACE inhibitor users, ÖZYURT, A., *et al.*, (*EACTA*) A.25
Hypnotics benzodiazepine, midazolam, Comparison of sedation with midazolam and ketamine: effects on airway muscle activity, DRUMMOND, G. B. 663–667
——, Midazolam *vs* trimeprazine premedication for children during day-care surgery, NATHWANI, D., *et al.*, (*ARS*) 589P
——, Periodic cardiovascular and ventilatory activity during midazolam sedation, GALLETLY, D. C., *et al.* 503–507

Hypnotics benzodiazepine, trimeprazine, Midazolam *vs* trimeprazine premedication for children during day-care surgery, NATHWANI, D., *et al.*, (*ARS*) 589P
Hypnotics benzodiazepines, midazolam, Investigation into the effects of midazolam and propofol on human respiratory cilia beat frequency *in vitro*, HANN, H. C. L., *et al.*, (*ARS*) 591P
Hypotension, Relative effects of three hypotensive agents on pulmonary gas exchange, VAN OLDENBEEK, C., *et al.*, (*EACTA*) A.22
Hypothermia, Delayed forced air warming prevents hypothermia during abdominal aortic surgery, KARAYAN, J., *et al.* 459–460
——, Perioperative inadvertent hypothermia: what do we need to prevent? CARLI, F., *et al.*, (*E*) 601–603
——, Preoperative infusion of amino acids prevents postoperative hypothermia, SELLDÉN, E., *et al.* 227–234
Hypoxaemia, Postoperative sleep disturbances: mechanisms and clinical implications, ROSENBERG-ADAMSEN, S., *et al.* 552–559
Hypoxia, Influence of oral clonidine on the ventilatory response to acute and sustained isocapnic hypoxia in human males, FOO, I. T., *et al.* 214–220
——, Slow ventilatory dynamics after isocapnic hypoxia and voluntary hyperventilation in humans: effects of isoflurane, DAHAN, A., *et al.* 374–381

Immune response, Immunoglobulin and interleukin 2 production *ex vivo/in vitro* during treatment with oral retarded morphine, PALM, S., *et al.*, (*ARS*) 588–589P
Immune system, Perioperative changes in receptors for ICAM-1/CD54 and immunglobulin G on monocytes by extracorporeal circulation (ECC), HIESMAYR, M., *et al.*, (*EACTA*) A.32
Infants, Continuous extrapleural paravertebral infusion of bupivacaine for post-thoracotomy analgesia in young infants, KARMAKAR, M. K., *et al.* 811–815
——, Perioperative changes in α_1-acid glycoprotein concentrations in infants undergoing major surgery, BOOKER, P. D., *et al.* 365–368
——, Sevoflurane–nitrous oxide or halothane–nitrous oxide for paediatric bronchoscopy and gastroscopy, MERETOJA, O. A., *et al.* 767–771
——, Vecuronium infusion requirements in paediatric patients in intensive care units: the use of acceleromyography, HODGES, U. M. 23–28
Infertility, Infertility among female hospital doctors in the UK, MARAN, N. J., *et al.*, (*ARS*) 581P
Intensive care, A comparison of core temperature with thermal energy balance in predicting adequacy of rewarming from hypothermic cardiopulmonary bypass, DEAKIN, C. D., *et al.*, (*EACTA*) A.41
——, Comparison of the pharmacodynamics and pharmacokinetics of an infusion of *cis*-atracurium (51W89) or atracurium in critically ill patients undergoing mechanical ventilation in an intensive therapy unit, BOYD, A. H., *et al.* 382–388
——, Convective warming overcomes effects of cooling after cardiopulmonary bypass, KNOWLES, P. R., *et al.*, (*EACTA*) A.42
——, Gastric tonometry, BOYD, O., *et al.*, (*C*) 750
——, Haemodynamic effects of continued sedation during tracheal extubation, CONTI, J., *et al.*, (*EACTA*) A.72
——, Oxygen consumption during early mobilization after CABG surgery in patients with normal cardiac function, KIRKEBY-GARSTAD, I., *et al.*, (*EACTA*) A.74
——, Sepsis-induced vasoparalysis does not involve the cerebral vasculature: indirect evidence from autoregulation and carbon dioxide reactivity studies, MATTA, B. F., *et al.* 790–794
——, Vecuronium infusion requirements in paediatric patients in intensive care units: the use of acceleromyography, HODGES, U. M. 23–28
Intensive Care: A Concise Textbook, 2nd Edn, HIND, C. J., *et al.*, (*R*) 599
Intensive care unit, Type of perioperative antihypertensive treatment delays extubation and prolongs ICU stay in cardiac surgery, VUYLSTEKE, A., *et al.*, (*EACTA*) A.30
Interactions (drugs), Volatile anaesthetics antagonize nitrous oxide and morphine-induced analgesia in the rat, GOTO, T., *et al.* 702–706
Intubation tracheal, A new tracheal tube for difficult intubation, WEST, M. R. J., *et al.* 673–679
——, Airway management for patients with a tracheal bronchus, IKENO, S., *et al.* 573–575
——, Evaluation of an oesophageal intubation detector device using electrical resistance, DEAKIN, C. D., (*ARS*) 590P
——, Failed intubation revisited: 17-yr experience in a teaching maternity unit, HAWTHORNE, L., *et al.* 680–684
——, RAE tube obstruction during tonsil dissection, GRAHAM, D., *et al.*, (*C*) 170–171
Intubation tracheal, complications, A new tracheal tube for difficult intubation, WEST, M. R. J., *et al.* 673–679
Intubation tracheal, responses, Comparison of nicardipine, diltiazem and verapamil for controlling the cardiovascular responses to tracheal intubation, MIKAWA, K., *et al.* 221–226
——, EEG arousal during laryngoscopy and intubation, SHANNON, C., *et al.*, (*C*) 472
——, EEG arousal during laryngoscopy and intubation, WILDER-SMITH, O. H. G., *et al.*, (*C*) 472–473
Intubation tracheal, training, A new tracheal tube for difficult intubation, WEST, M. R. J., *et al.* 673–679
Ions, calcium, Fentanyl increases intracellular Ca^{2+} concentrations in SH-SY5Y cells, WANDLESS, A. L., *et al.* 461–463
——, Is the dihydropyridine binding site on neuronal L-type calcium channels a target for i.v. anaesthetic agents? HIROTA, K., *et al.*, (*ARS*) 591P
——, Voltage-sensitive Ca^{2+} channels and anaesthesia, HIROTA, K., *et al.*, (*E*) 344–346
——, White blood cell cytosolic calcium changes during human orthotopic liver transplantation, ENRIGHT, S., *et al.*, (*ARS*) 587–588P
Ions, ion channels, Halothane and potassium channels in airway smooth muscle, FUKUSHIMA, T., *et al.* 847–853
——, Is the dihydropyridine binding site on neuronal L-type calcium channels a target for i.v. anaesthetic agents? HIROTA, K., *et al.*, (*ARS*) 591P
Ions, ion channels, voltage-gated, Voltage-sensitive Ca^{2+} channels and anaesthesia, HIROTA, K., *et al.*, (*E*) 344–346
Ions, magnesium, Electromyographic and mechanomyographic characteristics of neuromuscular block by magnesium sulphate in the pig, LEE, C., *et al.* 278–283
——, Magnesium sulphate enhances residual neuromuscular block induced by vecuronium, FUCHS-BUDER, T., *et al.* 565–566
Ions, potassium, Halothane and potassium channels in airway smooth muscle, FUKUSHIMA, T., *et al.* 847–853

Kidney, blood flow, Preoperative inhibition of angiotensin-converting enzyme improves systemic and renal haemodynamic changes during aortic abdominal surgery, LICKER, M., *et al.* 632–639
Kidney, function, Aprotinin treatment does not impair renal function during and after cardiac surgery, SCHWEIZER, A., *et al.*, (*EACTA*) A.55
——, Preoperative inhibition of angiotensin-converting enzyme improves systemic and renal haemodynamic changes during aortic abdominal surgery, LICKER, M., *et al.* 632–639

Lactate, Nitroglycerin induced hypoxaemia does not produce myocardial ischaemia, TORAMAN, F., *et al.*, (*EACTA*) A.21
Larynx, cricoid pressure, Cricoid pressure applied after placement of the laryngeal mask prevents gastric insufflation but inhibits ventilation, ASAI, T., *et al.* 772–776
——, Fracture of the cricoid cartilage after Sellick's manoeuvre, HEATH, K. J., *et al.* 877–878
Larynx, laryngoscopy, Airway management in cleft lip and palate surgery, HATCH, D. J., (*E*) 755–756
——, Difficult laryngoscopy in cleft lip and palate surgery, GUNAWARDANA, R. H. 757–759
——, Effect of neuromuscular block on depth of anaesthesia as measured by the auditory evoked response, RICHMOND, C. E., *et al.* 446–448
Liver, Effects of dopamine and dopexamine on splanchnic microcirculation during major surgery in humans, BELLAMY, M. C., *et al.*, (*ARS*) 587P
Liver, disease, Pharmacokinetics and pharmacodynamics of cisatracurium in patients with end-stage liver disease undergoing liver transplantation, DE WOLF, A. M., *et al.* 624–628
Liver, failure, Early effects of total hepatectomy on haemodynamic state and organ uptake of catecholamines in the pig, JAMES, M. F. M., *et al.* 713–720
Liver, oxygen, The influence of dopaminergic agents on liver venous and mixed venous O_2-saturation in MODS – a preliminary report, LAMPERT, R., *et al.*, (*EACTA*) A.11
Liver, transplantation, Aprotinin during liver transplantation, COTTAM, S., *et al.*, (*C*) 882
——, Aprotinin during liver transplantation, LENTSCHENER, C., *et al.*, (*C*) 882
——, Perioperative mucosal pH and splanchnic endotoxin

concentration in orthotopic liver transplantation, WELTE, M., *et al.* 90–98
——, Pharmacokinetics and pharmacodynamics of cisatracurium in patients with end-stage liver disease undergoing liver transplantation, DE WOLF, A. M., *et al.* 624–628
——, Use of recombinant human erythropoietin to facilitate liver transplantation in a Jehovah's Witness, SNOOK, N. J., *et al.* 740–743
Lung, atelectasis, Volumetric analysis of aeration in the lungs during general anaesthesia, REBER, A., *et al.* 760–766
Lung, circulation, Nitric oxide and pulmonary impedance, POULTON, B. B., *et al.*, (*EACTA*) A.29
Lung, compliance, Venous air embolism: is end-tidal oxygen monitoring more informative than end-tidal carbon dioxide? KYTTÄ, J., *et al.*, (*C*) 475–476
——, Venous air embolism: is end-tidal oxygen monitoring more informative than end-tidal carbon dioxide? MALLICK, A., *et al.*, (*C*) 475
Lung, complications, Heparin-coated circuits reduce postoperative lung complications in high-risk cardiac patients, RANUCCI, M., *et al.*, (*EACTA*) A.71
Lung, function, Nitric oxide and pulmonary impedance, POULTON, B. B., *et al.*, (*EACTA*) A.29
——, Relative effects of three hypotensive agents on pulmonary gas exchange, VAN OLDENBEEK, C., *et al.*, (*EACTA*) A.22
Lung, functional residual capacity, Changes in chest wall compartment volumes on induction of anaesthesia with eltanolone, propofol and thiopentone, SPENS, H. J., *et al.* 369–373
——, Effect of apparatus on functional residual capacity, DRUMMOND, G. B. 560–562
Lung, gas exchange, Nitrous oxide and the rate of gas uptake from an unventilated lung in dogs, JOYCE, C. J., *et al.* 292–296
Lung, hyperinflation, Systolic pressure variation—a way to recognize dynamic hyperinflation, MYLES, P. S., (*C*) 169
——, Systolic pressure variation—a way to recognize dynamic hyperinflation, PEREL, A., *et al.*, (*C*) 168–169
Lung, hypertension, Correlation of predicted and recorded concentrations of nitric oxide during long-term inhalation in infants after cardiac surgery, KNAPIK, P., *et al.*, (*EACTA*) A.28
——, Inhaled prostacyclin compared to inhaled nitric oxide in the evaluation of heart transplant candidates with elevated pulmonary vascular resistance, HARALDSSON, Á., *et al.*, (*EACTA*) A.27
Lung, metabolic function, Pulmonary uptake of sufentanil during and after constant rate infusion, BOER, F., *et al.* 203–208
Lung, pathophysiology, Investigation into the effects of midazolam and propofol on human respiratory cilia beat frequency *in vitro*, HANN, H. C. L., *et al.*, (*ARS*) 591P
——, Pulmonary lactate flux after cardiopulmonary bypass, KULKARNI, V., *et al.*, (*ARS*) 586P
Lung, shunt, Effect of anaesthetic agents on pulmonary shunt during coronary artery surgery, SINDJELIC, R., *et al.*, (*EACTA*) A.19
Lung, surgery, Minimal incidence of reperfusion pulmonary oedema after pulmonary thromboendarterectomy, MARES, P., *et al.*, (*EACTA*) A.75
Lung, trachea, A perfusion system for *in vitro* measurement of human cilia beat frequency, SELWYN, D. A., *et al.* 111–115
——, Effects of 3 MAC of halothane, enflurane and isoflurane on cilia beat frequency of human nasal epithelium *in vitro*, RAPHAEL, J. H., *et al.* 116–121
——, Effects of morphine on human nasal cilia beat frequency *in vitro*, SELWYN, D. A., *et al.* 274–277
——, Halothane and potassium channels in airway smooth muscle, FUKUSHIMA, T., *et al.* 847–853
——, Recovery of respiratory ciliary function after depression by inhalation anaesthetic agents: an *in vitro* study using nasal turbinate explants, RAPHAEL, J. H., *et al.* 854–859
Lung, volume, Changes in chest wall compartment volumes on induction of anaesthesia with eltanolone, propofol and thiopentone, SPENS, H. J., *et al.* 369–373
——, Effect of apparatus on functional residual capacity, DRUMMOND, G. B. 560–562
600 MCQs in Anaesthesia: Clinical Practice, 2nd Edn, GOODMAN, N. W., *et al.*, (*R*) 751

Measurement techniques, Assessment of right and left heart volume indices in patients undergoing coronary artery bypass surgery, BUHRE, W., *et al.*, (*EACTA*) A.37
——, Splanchnic blood flow during cardiopulmonary bypass assessed by indicator dilution technique, GÅRDEBÄCK, M., *et al.*, (*EACTA*) A.36
Measurement techniques, acceleromyography, Vecuronium infusion requirements in paediatric patients in intensive care units: the use of acceleromyography, HODGES, U. M. 23–28
Measurement techniques, arterial pressure, Radial artery tonometry: moderately accurate but unpredictable technique of continuous non-invasive arterial pressure measurement, WEISS, B. M., *et al.* 405–411
Measurement techniques, blood flow, A new method for cerebral blood flow measurement, MIELCK, F., *et al.*, (*EACTA*) A.12
Measurement techniques, calorimetry, Oxygen consumption and delivery relationship in brain-dead organ donors, LANGERON, O., *et al.* 783–789
Measurement techniques, Doppler ultrasound, Randomized trial of bolus phenylephrine or ephedrine for maintenance of arterial pressure during spinal anaesthesia for Caesarean section, THOMAS, D. G., *et al.* 61–65
Measurement techniques, drug concentration, Comparison of arterialized venous with arterial blood propofol concentrations during sub-anaesthetic infusions in volunteers, JOHNSTON, K. R., *et al.* 401–404
Measurement techniques, echocardiography, Randomized trial of bolus phenylephrine or ephedrine for maintenance of arterial pressure during spinal anaesthesia for Caesarean section, THOMAS, D. G., *et al.* 61–65
Measurement techniques, electromyography, Effect of isoflurane and sevoflurane on the magnitude and time course of neuromuscular block produced by vecuronium, pancuronium and atracurium, VANLINTHOUT, L. E. H., *et al.* 389–395
——, Electromyographic and mechanomyographic characteristics of neuromuscular block by magnesium sulphate in the pig, LEE, C., *et al.* 278–283
——, Evoked EMG response during inhalation of a subanaesthetic concentration of isoflurane, POLHILL, S. L., *et al.*, (*ARS*) 578P
——, Magnesium sulphate enhances residual neuromuscular block induced by vecuronium, FUCHS-BUDER, T., *et al.* 565–566
——, Post-tetanic constant stimulus train patterns during neuromuscular block with atracurium and vecuronium, BRYAN, A., *et al.*, (*ARS*) 579P
Measurement techniques, gas exchange, Experimental evaluation of a single breath inert gas technique for measurement of myocardial blood flow, KAZMAIER, S., *et al.*, (*EACTA*) A.5
Measurement techniques, mechanomyography, Effect of isoflurane and sevoflurane on the magnitude and time course of neuromuscular block produced by vecuronium, pancuronium and atracurium, VANLINTHOUT, L. E. H., *et al.* 389–395
——, Electromyographic and mechanomyographic characteristics of neuromuscular block by magnesium sulphate in the pig, LEE, C., *et al.* 278–283
Measurement techniques, near infrared spectroscopy, Use of near infrared spectroscopy to estimate cerebral blood flow in conscious and anaesthetized adult subjects, OWEN-REECE, H., *et al.* 43–48
Measurement techniques, nuclear magnetic resonance, Anatomical configuration of the spinal column in the supine position. III. Comparison of adolescent and adult volunteers, HIRABAYASHI, Y., *et al.* 508–510
——, Magnetic resonance imaging of the superior vena cava during spontaneous respiration with continuous positive airway pressure via a facemask in normal subjects, MAYOR, A. H., *et al.*, (*ARS*) 578–579P
Measurement techniques, oscillometry, Radial artery tonometry: moderately accurate but unpredictable technique of continuous non-invasive arterial pressure measurement, WEISS, B. M., *et al.* 405–411
Measurement techniques, oximetry, Validation of the Edslab dual lumen oximetry catheter for continuous monitoring of jugular bulb oxygen saturation after severe head injury, SOUTER, M. J., *et al.* 744–746
Measurement techniques, plethysmography, Periodic cardiovascular and ventilatory activity during midazolam sedation, GALLETLY, D. C., *et al.* 503–507
Measurement techniques, pupil diameter, Pupil changes during cardiopulmonary bypass, FLETCHER, G. C., *et al.* 20–22
Measurement techniques, spectrometry, Accumulation of foreign gases during closed-system anaesthesia, VERSICHELEN, L., *et al.* 668–672
Measurement techniques, spectrophotometry, Interference of volatile anaesthetics with infrared analysis of carbon dioxide and nitrous oxide tested in the Dräger Cicero EM using sevoflurane, WILKES, A. R., *et al.* 737–739

Measurement techniques, thrombelastography, Haemodilution induces a hypercoagulable state, RUTTMANN, T. G., *et al.* 412–414
Measurement techniques, tomography, Volumetric analysis of aeration in the lungs during general anaesthesia, REBER, A., *et al.* 760–766
Measurement techniques, tonometry, Radial artery tonometry: moderately accurate but unpredictable technique of continuous non-invasive arterial pressure measurement, WEISS, B. M., *et al.* 405–411
Measurement techniques, transit time flow, Quality control of coronary bypass surgery: intraoperative transit time flow measurement, WALPOTH, B. H., *et al.*, (*EACTA*) A.7
Measurement techniques, transoesophageal echocardiography, Changes of mitral inflow patterns as assessed by transoesophageal echocardiography following cardiac surgery: are they of clinical significance? SCHMIDLIN, D., *et al.*, (*EACTA*) A.48
——, Does perioperative transoesophageal echocardiography change the therapy of cardiothoracic patients? BRASE, R., *et al.*, (*EACTA*) A.47
——, Doppler-derived left ventricular DP/DT: peroperative feasibility of the method during mitral valve surgery, BROKA, S., *et al.*, (*EACTA*) A.44
——, Echocardiography by the anaesthetist: a French survey, LEHOT, J. J., *et al.*, (*EACTA*) A.43
——, Epiaortic scanning of the ascending aorta identifies arteriosclerotic plaques and changes surgical practice during CABG? VAN DER LINDEN, J., *et al.*, (*EACTA*) A.82
——, Postoperative diastolic dysfunction. Incidence, natural history and prognosis, OPPIZZI, M., *et al.*, (*EACTA*) A.46
——, Transoesophageal echocardiography and haemodynamic monitoring in emergency surgical revascularization for extensive acute myocardial infarction, GUARRACINO, F., *et al.*, (*EACTA*) A.45
——, Transoesophageal echocardiography and intraoperative evaluation of left ventricular performance, JOVIC, M., *et al.*, (*EACTA*) A.49
Measurement techniques, transthoracic electrical impedance, Haemodynamic effects of moderate normovolaemic haemodilution in conscious and anaesthetized patients, BIBOULET, P., *et al.* 81–84
——, Hypotension during subarachnoid anaesthesia: haemodynamic effects of colloid and metaraminol, CRITCHLEY, L. A. H., *et al.* 734–736
Measurement techniques, ultrasound, Sepsis-induced vasoparalysis does not involve the cerebral vasculature: indirect evidence from autoregulation and carbon dioxide reactivity studies, MATTA, B. F., *et al.* 790–794
Memory, Double-blind, randomized trial of cessation of smoking after audiotape suggestion during anaesthesia, MYLES, P. S., *et al.* 694–698
——, Effect of tramadol on depth of anaesthesia, COETZEE, J. F., *et al.* 415–418
——, Heart rate variability in patients recovering from general anaesthesia, IRELAND, N., *et al.* 657–662
——, Is there implicit memory after propofol sedation? CORK, R. C., *et al.* 492–498
——, Isolated forearm technique, HEALY, T. E. J., *et al.*, (*C*) 885–886
——, Isolated forearm technique, RUSSELL, I. F., *et al.*, (*C*) 884–885
——, Omitting nitrous oxide in general anaesthesia: meta-analysis of intraoperative awareness and postoperative emesis in randomized controlled trials, TRAMÈR, M., *et al.* 186–193
——, Recall during intermittent propofol anaesthesia, NORDSTRÖM, O., *et al.* 699–701
Metabolism, Oxygen consumption during early mobilization after CABG surgery in patients with normal cardiac function, KIRKEBY-GARSTAD, I., *et al.*, (*EACTA*) A.74
Metabolism, fasting, Preoperative fasting for paediatric anaesthesia, HOPP, M., (*C*) 471
——, Preoperative fasting for paediatric anaesthesia, PHILLIPS, S., *et al.*, (*C*) 471
Metabolism, glucose, Metabolic and hormonal responses to induced hypotension for middle ear surgery, NEWTON, M. C., *et al.* 352–357
——, Use of i.v. insulin in well-controlled non-insulin-dependent diabetics undergoing major surgery, RAUCOULES-AIMÉ, M., *et al.* 198–202
Metabolism, insulin, Use of i.v. insulin in well-controlled non-insulin-dependent diabetics undergoing major surgery, RAUCOULES-AIMÉ, M., *et al.* 198–202
Metabolism, lactate, Blood lactate during cardiopulmonary bypass with a lactated priming solution, HETT, D., *et al.*, (*EACTA*) A.33
——, Pulmonary lactate flux after cardiopulmonary bypass, KULKARNI, V., *et al.*, (*ARS*) 586P
Metabolism, myocardial, Free fatty acid (FFA) uptake immediately after routine coronary artery bypass surgery (CABG), PIETERSEN, H. G., *et al.*, (*EACTA*) A.2
Metabolism, triglycerides, Long chain triglycerides but not glucose–insulin, administered during reperfusion, improve recovery from stunning in isolated rabbit hearts, VAN DE VELDE, M., *et al.*, (*EACTA*) A.3
——, Oxfenicine blocks the beneficial effects of intravenous long chain triglyceride (LCT) administration on regional myocardial stunning in conscious dogs, VAN DE VELDE, M., *et al.*, (*EACTA*) A.4
Mitral valve, Doppler-derived left ventricular DP/DT: peroperative feasibility of the method during mitral valve surgery, BROKA, S., *et al.*, (*EACTA*) A.44
Model, computer simulation, Fuzzy logic control of inspired isoflurane and oxygen concentrations using minimal flow anaesthesia, CURATOLO, M., *et al.* 245–250
Model, dog, Oxfenicine blocks the beneficial effects of intravenous long chain triglyceride (LCT) administration on regional myocardial stunning in conscious dogs, VAN DE VELDE, M., *et al.*, (*EACTA*) A.4
——, Serotonin induces coronary spasms after brain death in dogs, HERIJGERS, P., *et al.*, (*EACTA*) A.14
Model, guineapig, Levosimendan is a more potent inotropic agent than amrinone after ischaemia in isolated perfused guinea pig hearts, SÜZER, Ö., *et al.*, (*EACTA*) A.9
Model, heart, Effect of halothane on myocardial reoxygenation injury in the isolated rat heart, SCHLACK, W., *et al.* 860–867
Model, logistic regression, Prediction of postoperative nausea and vomiting using a logistic regression model, TONER, C. C., *et al.* 347–351
Model, neuroblastoma cells, Fentanyl increases intracellular Ca^{2+} concentrations in SH-SY5Y cells, WANDLESS, A. L., *et al.* 461–463
——, Interaction of i.v. anaesthetic agents with 5-HT_3 receptors, APPADU, B. L., *et al.* 271–273
Model, pharmaco–physiological, A model to describe the rate of oxyhaemoglobin desaturation during apnoea, FARMERY, A. D., *et al.* 284–291
——, A model to describe the rate of oxyhaemoglobin desaturation during apnoea, FARMERY, A. D., *et al.*, (*e*) 890
Model, rabbit, Long chain triglycerides but not glucose–insulin, administered during reperfusion, improve recovery from stunning in isolated rabbit hearts, VAN DE VELDE, M., *et al.*, (*EACTA*) A.3
Model, rat, Brain death induced haemodynamic failure in the rat is solely due to autonomic denervation, HERIJGERS, P., *et al.*, (*EACTA*) A.13
——, Is the dihydropyridine binding site on neuronal L-type calcium channels a target for i.v. anaesthetic agents? HIROTA, K., *et al.*, (*ARS*) 591P
——, Porphyria, propofol and rats, BÖHRER, H., (*C*) 172
——, Porphyria, propofol and rats, GORCHEIN, A., (*C*) 172
——, Porphyria, propofol and rats, TIDMARSH, M. D., (*C*) 171–172
——, Trimetazidine does not reduce ischaemia-reperfusion induced arrhythmias in isolated perfused rat hearts, SÜZER, Ö, *et al.*, (*EACTA*) A.68
Modulation of the Inflammatory Response in Severe Sepsis, TELLADO, J. M., *et al.*, (editors), (*R*) 173–174
Monitoring, Transoesophageal echocardiography and haemodynamic monitoring in emergency surgical revascularization for extensive acute myocardial infarction, GUARRACINO, F., *et al.*, (*EACTA*) A.45
Monitoring, echocardiography, Balloon mitral valve dilatation as an aid to weaning from ventilatory support in patients with intractable pulmonary oedema caused by severe mitral stenosis, DAVIS, G., *et al.* 879–880
——, Transoesophageal echocardiography in chest trauma, GEORGE, S. J., (*C*) 336–337
——, Transoesophageal echocardiography in chest trauma, KENNEDY, N., *et al.*, (*C*) 337
Monitoring, electrocardiography, Laparoscopic cholecystectomy: haemodynamic and neuroendocrine responses after pneumoperitoneum and changes in position, O'LEARY, E., *et al.* 640–644
Monitoring, electrocorticography, Activation of the electrocorticogram by propofol during surgery for epilepsy, SMITH, M., *et al.* 499–502
Monitoring, electroencephalography, EEG arousal during laryngoscopy and intubation, SHANNON, C., *et al.*, (*C*) 472
——, EEG arousal during laryngoscopy and intubation, WILDER-SMITH, O. H. G., *et al.*, (*C*) 472–473
——, Haemodynamic responses to incision and sternotomy in

relation to the auditory evoked potential and spontaneous EEG, DE BEER, N. A. M., *et al.* 685–693
Monitoring, evoked potentials, Analgesic effect in humans of subanaesthetic isoflurane concentrations evaluated by evoked potentials, ROTH, D., *et al.* 38–42
——, Central nuclei and spinal pathways in feedback inhibitory spinal cord potentials in ketamine-anaesthetized rats, DENDA, S., *et al.* 258–265
——, Effect of neuromuscular block on depth of anaesthesia as measured by the auditory evoked response, RICHMOND, C. E., *et al.* 446–448
——, Effect of suxamethonium on the auditory evoked response in humans, BRUNNER, M. D., *et al.* 34–37
——, Evoked potentials challenge the concept of Adamkiewicz's artery, VUYLSTEKE, A., *et al.*, (*EACTA*) A.50
——, Haemodynamic responses to incision and sternotomy in relation to the auditory evoked potential and spontaneous EEG, DE BEER, N. A. M., *et al.* 685–693
——, Remifentanil reduces auditory and somatosensory evoked responses during isoflurane anaesthesia in a dose-dependent manner, CRABB, I., *et al.* 795–801
——, Suxamethonium and auditory evoked potentials, BRUNNER, M. D., *et al.*, (*C*) 881
——, Suxamethonium and auditory evoked potentials, PONTE, J., (*C*) 881
——, Total i.v. anaesthesia for transcranial magnetic evoked potential spinal cord monitoring, WATT, J. W. H., *et al.* 870–871
Monitoring, neuromuscular function, Vecuronium infusion requirements in paediatric patients in intensive care units: the use of acceleromyography, HODGES, U. M. 23–28
Monitoring, oxygen, Venous air embolism: is end-tidal oxygen monitoring more informative than end-tidal carbon dioxide? KYTTÄ, J., *et al.*, (*C*) 475–476
——, Venous air embolism: is end-tidal oxygen monitoring more informative than end-tidal carbon dioxide? MALLICK, A., *et al.*, (*C*) 475
Monitoring, oxygen saturation, Validation of the Edslab dual lumen oximetry catheter for continuous monitoring of jugular bulb oxygen saturation after severe head injury, SOUTER, M. J., *et al.* 744–746
Monitoring, pH gastric, Gastric tonometry, BOYD, O., *et al.*, (*C*) 750
Monitoring, pH oesophageal, Gastric tonometry to monitor tissue oxygenation: more than a gut feeling? OH, T. E., (*E*) 604–605
——, Measurement technique and variation in intramucosal pH, WOOD, P. R., *et al.* 563–564
——, Perioperative mucosal pH and splanchnic endotoxin concentration in orthotopic liver transplantation, WELTE, M., *et al.* 90–98
Monitoring, spirometry, Venous air embolism: is end-tidal oxygen monitoring more informative than end-tidal carbon dioxide? KYTTÄ, J., *et al.*, (*C*) 475–476
——, Venous air embolism: is end-tidal oxygen monitoring more informative than end-tidal carbon dioxide? MALLICK, A., *et al.*, (*C*) 475
Monitoring, temperature, Convective warming combined with vasodilator therapy accelerates core rewarming after coronary artery bypass surgery, HARRISON, S. J., *et al.* 511–514
——, Delayed forced air warming prevents hypothermia during abdominal aortic surgery, KARAYAN, J., *et al.* 459–460
——, Perioperative inadvertent hypothermia: what do we need to prevent? CARLI, F., *et al.*, (*E*) 601–603
Monitoring, temperature, rewarming, Convective warming overcomes effects of cooling after cardiopulmonary bypass, KNOWLES, P. R., *et al.*, (*EACTA*) A.42
Monitoring, tonometry, Gastric tonometry to monitor tissue oxygenation: more than a gut feeling? OH, T. E., (*E*) 604–605
Monocytes, Perioperative changes in receptors for ICAM-1/CD54 and immunglobulin G on monocytes by extracorporeal circulation (ECC), HIESMAYR, M., *et al.*, (*EACTA*) A.32
Muscle respiratory, Changes in chest wall compartment volumes on induction of anaesthesia with eltanolone, propofol and thiopentone, SPENS, H. J., *et al.* 369–373
Muscle vascular, responses, Effects of propofol on rabbit mesenteric arteries and veins, KAMITANI, K., (*C*) 333–334
——, Effects of propofol on rabbit mesenteric arteries and veins, STRATFORD, N., (*C*) 333

Nerve, Effect of stimulation rate on force of contraction in partially paralysed rat phrenic nerve hemidiaphragm preparations, RICHARDS, K., *et al.*, (*ARS*) 579–580P
Nerve, damage, Ulnar and common peroneal nerve block revisited, SOUTER, A. J., *et al.*, (*C*) 595–596
Neuro-anaesthetic Practice, VAN AKEN, H., (editor), (*R*) 599
Neuromuscular Block, FELDMAN, S., (*R*) 893
Neuromuscular block, Effect of neuromuscular block on depth of anaesthesia as measured by the auditory evoked response, RICHMOND, C. E., *et al.* 446–448
——, Effect of stimulation rate on force of contraction in partially paralysed rat phrenic nerve hemidiaphragm preparations, RICHARDS, K., *et al.*, (*ARS*) 579–580P
Neuromuscular block, 51W89, Comparison of the pharmacodynamics and pharmacokinetics of an infusion of *cis*-atracurium (51W89) or atracurium in critically ill patients undergoing mechanical ventilation in an intensive therapy unit, BOYD, A. H., *et al.* 382–388
——, Pharmacokinetics and pharmacodynamics of cisatracurium in patients with end-stage liver disease undergoing liver transplantation, DE WOLF, A. M., *et al.* 624–628
Neuromuscular block, α-bungarotoxin, Effect of stimulation rate on force of contraction in partially paralysed rat phrenic nerve hemidiaphragm preparations, RICHARDS, K., *et al.*, (*ARS*) 579–580P
Neuromuscular block, antagonism, Effect of antagonism of mivacurium on recovery of extraocular muscle function, MELLOR, D. J., *et al.* 621–623
Neuromuscular block, atracurium, Comparison of the pharmacodynamics and pharmacokinetics of an infusion of *cis*-atracurium (51W89) or atracurium in critically ill patients undergoing mechanical ventilation in an intensive therapy unit, BOYD, A. H., *et al.* 382–388
——, Effect of isoflurane and sevoflurane on the magnitude and time course of neuromuscular block produced by vecuronium, pancuronium and atracurium, VANLINTHOUT, L. E. H., *et al.* 389–395
——, Histamine release by neuromuscular blocking agents, NAGUIB, M., (*C*) 471
——, Histamine release by neuromuscular blocking agents, TODD, D. B., (*C*) 471
——, Histamine-release haemodynamic changes produced by rocuronium, vecuronium, mivacurium, atracurium and tubocurarine, NAGUIB, M., *et al.*, (*e*) 339
——, Performance assessment of a fuzzy controller for atracurium-induced neuromuscular block, MASON, D. G., *et al.* 396–400
——, Pharmacokinetics and pharmacodynamics of cisatracurium in patients with end-stage liver disease undergoing liver transplantation, DE WOLF, A. M., *et al.* 624–628
——, Post-tetanic constant stimulus train patterns during neuromuscular block with atracurium and vecuronium, BRYAN, A., *et al.*, (*ARS*) 579P
Neuromuscular block, hexamethonium, Effect of stimulation rate on force of contraction in partially paralysed rat phrenic nerve hemidiaphragm preparations, RICHARDS, K., *et al.*, (*ARS*) 579–580P
Neuromuscular block, interaction, Modelling the interaction of two neuromuscular blocking agents: generation of an additive or a supra-additive neuromuscular block, NIGROVIC, V., *et al.*, (*ARS*) 580–581P
Neuromuscular block, measurement of response, Electromyographic and mechanomyographic characteristics of neuromuscular block by magnesium sulphate in the pig, LEE, C., *et al.* 278–283
——, Evoked EMG response during inhalation of a subanaesthetic concentration of isoflurane, POLHILL, S. L., *et al.*, (*ARS*) 578P
——, Factors governing onset of neuromuscular block, AUDIBERT, G., *et al.*, (*C*) 597–598
——, Factors governing onset of neuromuscular block, FELDMAN, S., *et al.*, (*C*) 596–597
Neuromuscular block, mivacurium, Edrophonium antagonism of intense mivacurium-induced neuromuscular block in children, ABDULATIF, M., *et al.* 239–244
——, Effect of antagonism of mivacurium on recovery of extraocular muscle function, MELLOR, D. J., *et al.* 621–623
——, Histamine release by neuromuscular blocking agents, NAGUIB, M., (*C*) 471
——, Histamine release by neuromuscular blocking agents, TODD, D. B., (*C*) 471
——, Histamine-release haemodynamic changes produced by rocuronium, vecuronium, mivacurium, atracurium and tubocurarine, NAGUIB, M., *et al.*, (*e*) 339
——, Mivacurium chloride and late onset congenital myopathy, PARMAR, M., *et al.* 160–162
——, Onset time of neuromuscular block is determined by the pharmacokinetics of the blocking drug, BEAUFORT, A. M., *et al.*, (*ARS*) 580P
——, Time course of potentiation of mivacurium by halothane and isoflurane in children, MERETOJA, O. A., *et al.* 235–238
Neuromuscular block, pancuronium, Effect of isoflurane

and sevoflurane on the magnitude and time course of neuromuscular block produced by vecuronium, pancuronium and atracurium, VANLINTHOUT, L. E. H., *et al.* 389–395
Neuromuscular block, recovery, Magnesium sulphate enhances residual neuromuscular block induced by vecuronium, FUCHS-BUDER, T., *et al.* 565–566
Neuromuscular block, rocuronium, Histamine release by neuromuscular blocking agents, NAGUIB, M., (*C*) 471
——, Histamine release by neuromuscular blocking agents, TODD, D. B., (*C*) 471
——, Histamine-release haemodynamic changes produced by rocuronium, vecuronium, mivacurium, atracurium and tubocurarine, NAGUIB, M., *et al.*, (*e*) 339
——, Pharmacokinetics of rocuronium after bolus and continuous infusion during halothane anaesthesia, MCCOY, E. P., *et al.* 29–33
——, Rocuronium pretreatment reduces suxamethonium-induced myalgia: comparison with vecuronium, FINDLAY, G. P., *et al.* 526–529
——, Rocuronium: the newest aminosteroid neuromuscular blocking drug, HUNTER, J. M., (*E*) 481–483
Neuromuscular block, suxamethonium, Effect of suxamethonium on the auditory evoked response in humans, BRUNNER, M. D., *et al.* 34–37
——, Factors governing onset of neuromuscular block, AUDIBERT, G., *et al.*, (*C*) 597–598
——, Factors governing onset of neuromuscular block, FELDMAN, S., *et al.*, (*C*) 596–597
——, Onset time of neuromuscular block is determined by the pharmacokinetics of the blocking drug, BEAUFORT, A. M., *et al.*, (*ARS*) 580P
——, Rocuronium pretreatment reduces suxamethonium-induced myalgia: comparison with vecuronium, FINDLAY, G. P., *et al.* 526–529
——, Suxamethonium and auditory evoked potentials, BRUNNER, M. D., *et al.*, (*C*) 881
——, Suxamethonium and auditory evoked potentials, PONTE, J., (*C*) 881
——, Suxamethonium in children, FARRELL, P. T., (*C*) 883–884
——, Suxamethonium in children, FIACCHINO, F., *et al.*, (*C*) 883
——, Suxamethonium in children, HOPKINS, P. M., (*C*) 884
Neuromuscular block, tubocurarine, Histamine release by neuromuscular blocking agents, NAGUIB, M., (*C*) 471
——, Histamine release by neuromuscular blocking agents, TODD, D. B., (*C*) 471
——, Histamine-release haemodynamic changes produced by rocuronium, vecuronium, mivacurium, atracurium and tubocurarine, NAGUIB, M., *et al.*, (*e*) 339
Neuromuscular block, vecuronium, Effect of isoflurane and sevoflurane on the magnitude and time course of neuromuscular block produced by vecuronium, pancuronium and atracurium, VANLINTHOUT, L. E. H., *et al.* 389–395
——, Effect of neuromuscular block on depth of anaesthesia as measured by the auditory evoked response, RICHMOND, C. E., *et al.* 446–448
——, Effect of smoking on dose requirements for vecuronium, TEIRIÄ, H., *et al.* 154–155
——, Effect of stimulation rate on force of contraction in partially paralysed rat phrenic nerve hemidiaphragm preparations, RICHARDS, K., *et al.*, (*ARS*) 579–580P
——, Factors governing onset of neuromuscular block, AUDIBERT, G., *et al.*, (*C*) 597–598
——, Factors governing onset of neuromuscular block, FELDMAN, S., *et al.*, (*C*) 596–597
——, Histamine release by neuromuscular blocking agents, NAGUIB, M., (*C*) 471
——, Histamine release by neuromuscular blocking agents, TODD, D. B., (*C*) 471
——, Histamine-release haemodynamic changes produced by rocuronium, vecuronium, mivacurium, atracurium and tubocurarine, NAGUIB, M., *et al.*, (*e*) 339
——, Magnesium sulphate enhances residual neuromuscular block induced by vecuronium, FUCHS-BUDER, T., *et al.* 565–566
——, Post-tetanic constant stimulus train patterns during neuromuscular block with atracurium and vecuronium, BRYAN, A., *et al.*, (*ARS*) 579P
——, Rocuronium pretreatment reduces suxamethonium-induced myalgia: comparison with vecuronium, FINDLAY, G. P., *et al.* 526–529
——, Vecuronium infusion requirements in paediatric patients in intensive care units: the use of acceleromyography, HODGES, U. M. 23–28
Neuromuscular transmission, Effect of cooling on the force of contraction of rat and guineapig phrenic nerve hemidiaphragm preparations, ENGLAND, A. J., *et al.*, (*ARS*) 592–593P
——, Evoked EMG response during inhalation of a subanaesthetic concentration of isoflurane, POLHILL, S. L., *et al.*, (*ARS*) 578P

Operating rooms, contamination, Occupational x-ray exposure of anaesthetists, MCGOWAN, C., *et al.* 868–869
Ophthalmic Anaesthesia—A Practical Handbook, 2nd Edn, SMITH, G. B., *et al.*, (*R*) 891
Organ failure, Organ dysfunctions after cardiac surgery: definitions and prognosis, CALVERT, B., *et al.*, (*EACTA*) A.78
Organization, Use of blood products in cardiovascular surgery 4 years after the Sanguis study, DENEYS, V., *et al.*, (*EACTA*) A.56
Oxygen, consumption, Dobutamine increases oxygen consumption during constant flow cardiopulmonary bypass, KARZAI, W., *et al.* 5–8
——, Oxygen consumption and delivery relationship in brain-dead organ donors, LANGERON, O., *et al.* 783–789
——, Oxygen consumption during early mobilization after CABG surgery in patients with normal cardiac function, KIRKEBY-GARSTAD, I., *et al.*, (*EACTA*) A.74
Oxygen, delivery, Oxygen consumption and delivery relationship in brain-dead organ donors, LANGERON, O., *et al.* 783–789
Oxygen, delivery systems, Standard pump flow rate and Sv_{O_2} above 60% do not imply adequate oxygen delivery during CPB, RYCKWAERT, F., *et al.*, (*EACTA*) A.34
Oxygen, inspired concentration, Nitrous oxide and the rate of gas uptake from an unventilated lung in dogs, JOYCE, C. J., *et al.* 292–296
Oxygen, saturation, A model to describe the rate of oxyhaemoglobin desaturation during apnoea, FARMERY, A. D., *et al.* 284–291
——, A model to describe the rate of oxyhaemoglobin desaturation during apnoea, FARMERY, A. D., *et al.*, (*e*) 890
——, Validation of the Edslab dual lumen oximetry catheter for continuous monitoring of jugular bulb oxygen saturation after severe head injury, SOUTER, M. J., *et al.* 744–746
Oxygen, tissue, Gastric tonometry to monitor tissue oxygenation: more than a gut feeling? OH, T. E., (*E*) 604–605
Oxygen, uptake, Carbon dioxide output in laparoscopic cholecystectomy, KAZAMA, T., *et al.* 530–535

Paediatrics, Comparison of caudally administered morphine *vs* hydromorphone in paediatric cardiac surgical patients, LAVOIE, J., *et al.*, (*EACTA*) A.70
——, Correlation of predicted and recorded concentrations of nitric oxide during long-term inhalation in infants after cardiac surgery, KNAPIK, P., *et al.*, (*EACTA*) A.28
Pain, A multifactorial analysis to explain inadequate surgical analgesia after extradural block, CURATOLO, M., *et al.*, (*e*) 598
Pain, experimental, Analgesic effect in humans of subanaesthetic isoflurane concentrations evaluated by evoked potentials, ROTH, D., *et al.* 38–42
Pain, mechanism, Analgesic and anti-inflammatory effects of lignocaine–prilocaine (EMLA) cream in human burn injury, PEDERSEN, J. L., *et al.* 806–810
——, Antinociceptive actions of intrathecal xylazine: interactions with spinal cord opioid pathways, GOODCHILD, C. S., *et al.* 544–551
——, Effect of systemic *N*-methyl-D-aspartate receptor antagonist (ketamine) on primary and secondary hyperalgesia in humans, ILKJAER, S., *et al.* 829–834
Pain, postoperative, Absence of an early pre-emptive effect after thoracic extradural bupivacaine in thoracic surgery, AGUILAR, J. L., *et al.* 72–76
——, Comparison of i.v. and s.c. diamorphine infusions for the treatment of acute pain in children, SEMPLE, D., *et al.* 310–312
——, Continuous extradural infusion of ropivacaine for prevention of postoperative pain after major orthopaedic surgery, TURNER, G., *et al.* 606–610
——, Continuous extrapleural paravertebral infusion of bupivacaine for post-thoracotomy analgesia in young infants, KARMAKAR, M. K., *et al.* 811–815
——, Does pre-incisional thoracic extradural block combined with diclofenac reduce postoperative pain after abdominal hysterectomy? ESPINET, A., *et al.* 209–213
——, Effect of systemic *N*-methyl-D-aspartate receptor antagonist (ketamine) on primary and secondary hyperalgesia in humans, ILKJAER, S., *et al.* 829–834
——, Influence of dose and timing of administration of morphine on postoperative pain and analgesic requirements, MANSFIELD, M. D., *et al.* 358–361

——, Naproxen after day-case laparoscopic sterilization, DUNN, T. J., *et al.*, (*C*) 168
——, Naproxen after day-case laparoscopic sterilization, WILLIAMS, P. I., (*C*) 168
——, Surgical pain is followed not only by spinal sensitization but also by supraspinal antinociception, WILDER-SMITH, O. H. G., *et al.* 816–821
Pain, threshold, Surgical pain is followed not only by spinal sensitization but also by supraspinal antinociception, WILDER-SMITH, O. H. G., *et al.* 816–821
Pain, visceral, Visceral pain during Caesarean section, FAIRFIELD, M. C., (*C*) 167
——, Visceral pain during Caesarean section, HIRABAYASHI, Y., *et al.*, (*C*) 167
Pharmacodynamics, Comparison of the pharmacodynamics and pharmacokinetics of an infusion of *cis*-atracurium (51W89) or atracurium in critically ill patients undergoing mechanical ventilation in an intensive therapy unit, BOYD, A. H., *et al.* 382–388
——, Modelling the interaction of two neuromuscular blocking agents: generation of an additive or a supra-additive neuromuscular block, NIGROVIC, V., *et al.*, (*ARS*) 580–581P
——, Pharmacokinetics and pharmacodynamics of cisatracurium in patients with end-stage liver disease undergoing liver transplantation, DE WOLF, A. M., *et al.* 624–628
——, Pharmacokinetics of rocuronium after bolus and continuous infusion during halothane anaesthesia, MCCOY, E. P., *et al.* 29–33
——, Time course of potentiation of mivacurium by halothane and isoflurane in children, MERETOJA, O. A., *et al.* 235–238
Pharmacokinetics, Analysis of ethanol in expired air during low-flow isoflurane anaesthesia, OLSSON, J., *et al.* 85–89
——, Pharmacokinetics and haemodynamic effects of an ultrashort-acting calcium antagonist, NORDLANDER, M., *et al.*, (*EACTA*) A.24
——, Plasma concentration and protein binding of propofol during cardiac surgery, HAMMARÉN, E., *et al.*, (*EACTA*) A.16
——, Remifentanil by infusion achieves predictable blood concentrations, POULTON, B. B., *et al.*, (*EACTA*) A.15
Pharmacokinetics, 51W89, Pharmacokinetics and pharmacodynamics of cisatracurium in patients with end-stage liver disease undergoing liver transplantation, DE WOLF, A. M., *et al.* 624–628
Pharmacokinetics, aprotinin, Aprotinin treatment does not impair renal function during and after cardiac surgery, SCHWEIZER, A., *et al.*, (*EACTA*) A.55
Pharmacokinetics, atracurium, Comparison of the pharmacodynamics and pharmacokinetics of an infusion of *cis*-atracurium (51W89) or atracurium in critically ill patients undergoing mechanical ventilation in an intensive therapy unit, BOYD, A. H., *et al.* 382–388
——, Pharmacokinetics and pharmacodynamics of cisatracurium in patients with end-stage liver disease undergoing liver transplantation, DE WOLF, A. M., *et al.* 624–628
Pharmacokinetics, bupivacaine, Smaller children have greater bupivacaine plasma concentrations after ilioinguinal block, SMITH, T., *et al.* 452–455
Pharmacokinetics, models, Prospective evaluation of pharmacokinetic model-controlled infusion of propofol in adult patients, SHORT, T. G., *et al.* 313–315
Pharmacokinetics, remifentanil, Remifentanil—an opioid for the 21st century, THOMPSON, J. P., *et al.*, (*E*) 341–343
Pharmacokinetics, rocuronium, Pharmacokinetics of rocuronium after bolus and continuous infusion during halothane anaesthesia, MCCOY, E. P., *et al.* 29–33
Pharmacokinetics, stereoisomers, Comparison of the pharmacodynamics and pharmacokinetics of an infusion of *cis*-atracurium (51W89) or atracurium in critically ill patients undergoing mechanical ventilation in an intensive therapy unit, BOYD, A. H., *et al.* 382–388
——, Pharmacokinetics and pharmacodynamics of cisatracurium in patients with end-stage liver disease undergoing liver transplantation, DE WOLF, A. M., *et al.* 624–628
——, Relaxant effect of ketamine and its isomers on histamine-induced contraction of tracheal smooth muscle, HIROTA, K., *et al.* 266–270
Pharmacokinetics, sulfentanil, Pulmonary uptake of sufentanil during and after constant rate infusion, BOER, F., *et al.* 203–208
Pharmacology, ACE inhibitors, Preoperative inhibition of angiotensin-converting enzyme improves systemic and renal haemodynamic changes during aortic abdominal surgery, LICKER, M., *et al.* 632–639
Pharmacology, cadherin, Soluble E-cadherin concentrations in patients with systemic inflammatory response syndrome and multiorgan dysfunction syndrome, PITTARD, A. J., *et al.* 629–631
Pharmacology, clonidine, Extradural clonidine provides adjunctive pain relief without sedation for women in labour, TREMLETT, M. R., *et al.*, (*ARS*) 583–584P
——, Influence of oral clonidine on the ventilatory response to acute and sustained isocapnic hypoxia in human males, FOO, I. T., *et al.* 214–220
Pharmacology, dexamethasone, Combination of ondansetron and dexamethasone in the prophylaxis of postoperative nausea and vomiting, LÓPEZ-OLAONDO, L., *et al.* 835–840
Pharmacology, glibenclamide, Effect of phosphodiesterase inhibitors on human arteries *in vitro*, VROOM, M. B., *et al.* 122–129
Pharmacology, nitric oxide, Correlation of predicted and recorded concentrations of nitric oxide during long-term inhalation in infants after cardiac surgery, KNAPIK, P., *et al.*, (*EACTA*) A.28
——, Effect of phosphodiesterase inhibitors on human arteries *in vitro*, VROOM, M. B., *et al.* 122–129
——, Inhaled prostacyclin compared to inhaled nitric oxide in the evaluation of heart transplant candidates with elevated pulmonary vascular resistance, HARALDSSON, A., *et al.*, (*EACTA*) A.27
——, Kinetics of methaemoglobin and serum nitrogen oxide production during inhalation of nitric oxide in volunteers, YOUNG, J. D., *et al.* 652–656
——, Nitric oxide and pulmonary impedance, POULTON, B. B., *et al.*, (*EACTA*) A.29
——, Prospects for management of peripheral vascular failure in septic shock, ALLEN, J. D., *et al.*, (*E*) 177–178
Pharmacology, ondansetron, Combination of ondansetron and dexamethasone in the prophylaxis of postoperative nausea and vomiting, LÓPEZ-OLAONDO, L., *et al.* 835–840
——, Comparison of ondansetron and prochlorperazine for the prevention of nausea and vomiting after adenotonsillectomy, VAN DEN BERG, A. A. 449–451
Pharmacology, phosphodiesterase inhibitors, Effect of phosphodiesterase inhibitors on human arteries *in vitro*, VROOM, M. B., *et al.* 122–129
Pharmacology, prochlorperazine, Comparison of ondansetron and prochlorperazine for the prevention of nausea and vomiting after adenotonsillectomy, VAN DEN BERG, A. A. 449–451
Pharmacology, remifentanil, Remifentanil—an opioid for the 21st century, THOMPSON, J. P., *et al.*, (*E*) 341–343
Pharmacology, sodium nitroprusside, Comparison of the effects of urapidil and sodium nitroprusside on haemodynamic state, myocardial metabolism and function in patients during coronary artery surgery, VAN DER STROOM, J. G., *et al.* 645–651
Pharmacology, steady-state infusions, Comparison of arterialized venous with arterial blood propofol concentrations during sub-anaesthetic infusions in volunteers, JOHNSTON, K. R., *et al.* 401–404
Pharmacology, urapidil, Comparison of the effects of urapidil and sodium nitroprusside on haemodynamic state, myocardial metabolism and function in patients during coronary artery surgery, VAN DER STROOM, J. G., *et al.* 645–651
Pig, Early effects of total hepatectomy on haemodynamic state and organ uptake of catecholamines in the pig, JAMES, M. F. M., *et al.* 713–720
——, Effect of pneumoperitoneum and Trendelenburg position on gastro–oesophageal reflux and lower oesophageal sphincter pressure, TOURNADRE, J. P., *et al.* 130–132
——, Effects of carbon dioxide embolism with nitrous oxide in the inspired gas in piglets, NYARWAYA, J.-B., *et al.* 428–434
——, Electromyographic and mechanomyographic characteristics of neuromuscular block by magnesium sulphate in the pig, LEE, C., *et al.* 278–283
——, Onset time of neuromuscular block is determined by the pharmacokinetics of the blocking drug, BEAUFORT, A. M., *et al.*, (*ARS*) 580P
Polypeptides, aprotinin, Aprotinin during liver transplantation, COTTAM, S., *et al.*, (*C*) 882
——, Aprotinin during liver transplantation, LENTSCHENER, C., *et al.*, (*C*) 882
Polypeptides, endotoxin, Methylprednisolone inhibits endotoxin-induced depression of contractile function in human arteries *in vitro*, TSUNEYOSHI, I., *et al.* 251–257
Position, effects, Laparoscopic cholecystectomy: haemodynamic and neuroendocrine responses after pneumoperitoneum and changes in position, O'LEARY, E., *et al.* 640–644
Position, supine, Anatomical configuration of the spinal column in the supine position. III. Comparison of

adolescent and adult volunteers, HIRABAYASHI, Y., *et al.* 508–510

Position, Trendelenburg, Effect of pneumoperitoneum and Trendelenburg position on gastro–oesophageal reflux and lower oesophageal sphincter pressure, TOURNADRE, J. P., *et al.* 130–132

——, Laparoscopic cholecystectomy: haemodynamic and neuroendocrine responses after pneumoperitoneum and changes in position, O'LEARY, E., *et al.* 640–644

Potency, anaesthetic, MAC, Effect of age on MAC in humans: a meta-analysis, MAPLESON, W. W. 179–185

Pregnancy, Maternal sequelae of childbirth, HUTTER, C. D. D., (*C*) 474

——, Maternal sequelae of childbirth, REYNOLDS, F., (*C*) 474–475

Premedication, Midazolam *vs* trimeprazine premedication for children during day-care surgery, NATHWANI, D., *et al.*, (*ARS*) 589P

Premedication, hyoscine, Effect of transdermal hyoscine on nausea and vomiting, FOSTER, R. N., (*C*) 749

——, Effect of transdermal hyoscine on nausea and vomiting, HONKAVAARA, P., (*C*) 749–750

——, Effect of transdermal hyoscine on nausea and vomiting during and after middle ear surgery under local anaesthesia, HONKAVAARA, P. 49–53

Premedication, midazolam, Dose of propofol for laryngeal mask airway insertion in children: effect of premedication with midazolam, MARTLEW, R. A., *et al.* 308–309

Primer of Intraoperative Neurophysiologic Monitoring, RUSSELL, G. B., *et al.*, (editors), (*R*) 477

Principles and Practice Series: Respiratory Support, SYKES, K., (*R*) 338

Protein, α_1-acid glycoprotein, Perioperative changes in α_1-acid glycoprotein concentrations in infants undergoing major surgery, BOOKER, P. D., *et al.* 365–368

Protein, amino acids, Preoperative infusion of amino acids prevents postoperative hypothermia, SELLDÉN, E., *et al.* 227–234

Protein, cytokines, Predictability of tumour necrosis factor concentration: evidence for a mechanism for mutual regulation of autacoids in systemic inflammatory response syndrome, PITTARD, A. J., *et al.*, (*ARS*) 587P

Protein, immunoglobulins, Immunoglobulin and interleukin 2 production *ex vivo/in vitro* during treatment with oral retarded morphine, PALM, S., *et al.*, (*ARS*) 588–589P

Proteins, Atrial natriuretic peptide (ANP) and N-terminal ANP: relationship to right ventricular function in patients undergoing coronary artery bypass surgery, HONKONEN, E. L., *et al.*, (*EACTA*) A.6

Psychological responses, Parental or anaesthetist's ability to predict a 'stormy' induction in young children, LYONS, B., *et al.*, (*ARS*) 589P

——, Psychological characteristics and patient-controlled analgesia, THOMAS, V. J., *et al.*, (*C*) 595

Psychological responses, postoperative, Cognitive failures after general anaesthesia for day-case surgery, TZABAR, Y., *et al.* 194–197

Publications, Impact factors in anaesthesia journals, SMITH, G., (*E*) 753–754

——, The 11th World Congress of Anaesthesiology, SMITH, G., (*E*) 479–480

Rabbit, Effects of propofol on rabbit mesenteric arteries and veins, KAMITANI, K., (*C*) 333–334

——, Effects of propofol on rabbit mesenteric arteries and veins, STRATFORD, N., (*C*) 333

Rat, Central nuclei and spinal pathways in feedback inhibitory spinal cord potentials in ketamine-anaesthetized rats, DENDA, S., *et al.* 258–265

——, Effect of cooling on the force of contraction of rat and guineapig phrenic nerve hemidiaphragm preparations, ENGLAND, A. J., *et al.*, (*ARS*) 592–593P

——, Effect of halothane on myocardial reoxygenation injury in the isolated rat heart, SCHLACK, W., *et al.* 860–867

——, Effect of low-dose dopamine on intestinal villus microcirculation during normotensive endotoxaemia in rats, SCHMIDT, H., *et al.* 707–712

——, Effect of stimulation rate on force of contraction in partially paralysed rat phrenic nerve hemidiaphragm preparations, RICHARDS, K., *et al.*, (*ARS*) 579–580P

——, Nitrous oxide or halothane, or both, fail to suppress c-*fos* expression in rat spinal cord dorsal horn neurones after subcutaneous formalin, SUN, W. Z., *et al.* 99–105

——, Porphyria, propofol and rats, BÖHRER, H., (*C*) 172

——, Porphyria, propofol and rats, GORCHEIN, A., (*C*) 172

——, Porphyria, propofol and rats, TIDMARSH, M. D., (*C*) 171–172

——, Volatile anaesthetics antagonize nitrous oxide and morphine-induced analgesia in the rat, GOTO, T., *et al.* 702–706

Receptors, cholinergic, Differential effects of desflurane and halothane on peripheral airway smooth muscle, MAZZEO, A. J., *et al.* 841–846

Receptors, opioid, Effects of morphine on human nasal cilia beat frequency *in vitro*, SELWYN, D. A., *et al.* 274–277

——, Fentanyl increases intracellular Ca^{2+} concentrations in SH-SY5Y cells, WANDLESS, A. L., *et al.* 461–463

——, Use of regional i.v. morphine analgesia in patients undergoing total knee arthroplasty, CORBETT, A. R., *et al.*, (*ARS*) 593–594P

Receptors, postsynaptic, Effect of stimulation rate on force of contraction in partially paralysed rat phrenic nerve hemidiaphragm preparations, RICHARDS, K., *et al.*, (*ARS*) 579–580P

Receptors, presynaptic, Effect of stimulation rate on force of contraction in partially paralysed rat phrenic nerve hemidiaphragm preparations, RICHARDS, K., *et al.*, (*ARS*) 579–580P

Recovery, Org 21465 a new i.v. anaesthetic agent, DANIELL, C. J., *et al.*, (*ARS*) 586–587P

Recovery, postoperative, Heart rate variability in patients recovering from general anaesthesia, IRELAND, N., *et al.* 657–662

Regional Anesthesia: An Atlas of Anatomy and Techniques, HAHN, M. B., *et al.*, (editors), (*R*) 751

Rewarming, A comparison of core temperature with thermal energy balance in predicting adequacy of rewarming from hypothermic cardiopulmonary bypass, DEAKIN, C. D., *et al.*, (*EACTA*) A.41

Risk factors, Does Parsonnet score predict the usefulness of Sv_{O_2} pulmonary artery catheter (Sv_{O_2}PAC) during heart surgery? VEDRINNE, C., *et al.*, (*EACTA*) A.85

——, Scoring systems *versus* subjective assessment as an outcome predictor in adult cardiac surgery, SMITH, E., *et al.*, (*EACTA*) A.86

Sedation, Evaluation of bispectral index as an objective sedation score in the intensive care unit, PEARSON, A. J., *et al.*, (*ARS*) 577–578P

Sedation and Analgesia in the Critically Ill, PARK, G. R., *et al.*, (editors), (*R*) 174

Serotonin (5-hydroxytryptamine), Interaction of i.v. anaesthetic agents with 5-HT_3 receptors, APPADU, B. L., *et al.* 271–273

——, Serotonin in pre-eclampsia, GAJRAJ, N. M., *et al.*, (*C*) 748–749

Sleep, Postoperative sleep disturbances: mechanisms and clinical implications, ROSENBERG-ADAMSEN, S., *et al.* 552–559

Sleep, postoperative, Postoperative sleep disturbances: mechanisms and clinical implications, ROSENBERG-ADAMSEN, S., *et al.* 552–559

Spinal cord, Antinociceptive actions of intrathecal xylazine: interactions with spinal cord opioid pathways, GOODCHILD, C. S., *et al.* 544–551

——, Evoked potentials challenge the concept of Adamkiewicz's artery, VUYLSTEKE, A., *et al.*, (*EACTA*) A.50

Spinal cord, evoked potentials, Central nuclei and spinal pathways in feedback inhibitory spinal cord potentials in ketamine-anaesthetized rats, DENDA, S., *et al.* 258–265

——, Total i.v. anaesthesia for transcranial magnetic evoked potential spinal cord monitoring, WATT, J. W. H., *et al.* 870–871

Statistics, A pitfall in the use of the Altman nomogram for power estimation, EVANS, M. J., *et al.*, (*C*) 334

Statistics, cusum, Measurement of competence, GOODMAN, N. W., (*C*) 750

Strabismus, Prevention of vomiting after paediatric strabismus surgery, MORTON, N. S., (*C*) 473

——, Prevention of vomiting after paediatric strabismus surgery, TRAMÈR, M., *et al.*, (*C*) 473–474

Surgery, Is tramadol better than ketorolac after day-case laparoscopy? SABAR, M. A., *et al.*, (*ARS*) 584P

Surgery, abdominal, Postoperative analgesia by continuous extradural infusion of ropivacaine after upper abdominal surgery, SCHUG, S. A., *et al.* 487–491

Surgery, aneurysm, Myocardial ischaemia associated with Ehlers–Danlos syndrome, PRICE, C. M., *et al.* 464–466

Surgery, aortic, Epiaortic scanning of the ascending aorta identifies arteriosclerotic plaques and changes surgical practice during CABG? VAN DER LINDEN, J., *et al.*, (*EACTA*) A.82

Surgery, cardiovascular, Comparison of the effects of urapidil and sodium nitroprusside on haemodynamic state, myocardial metabolism and function in patients during coronary artery surgery, VAN DER STROOM, J. G., *et al.* 645–651

——, Convective warming combined with vasodilator therapy accelerates core rewarming after coronary artery bypass surgery, HARRISON, S. J., *et al.* 511–514
——, Haemodynamic responses to incision and sternotomy in relation to the auditory evoked potential and spontaneous EEG, DE BEER, N. A. M., *et al.* 685–693
——, Pulmonary lactate flux after cardiopulmonary bypass, KULKARNI, V., *et al.*, (*ARS*) 586P
——, Use of i.m. temperature probes during cardiopulmonary bypass in humans, BENSON, J. P., *et al.*, (*C*) 472
——, Use of i.m. temperature probes during cardiopulmonary bypass in humans, MANNERS, J. M., (*C*) 471–472
Surgery, day-case, Midazolam *vs* trimeprazine premedication for children during day-care surgery, NATHWANI, D., *et al.*, (*ARS*) 589P
Surgery, emergency, Transoesophageal echocardiography and haemodynamic monitoring in emergency surgical revascularization for extensive acute myocardial infarction, GUARRACINO, F., *et al.*, (*EACTA*) A.45
Surgery, endarterectomy, Airway problems after carotid endarterectomy, MUNRO, F. J., *et al.* 156–159
——, Cervical haematoma and airway obstruction, CALDER, I., *et al.*, (*C*) 888
——, Cervical haematoma and airway obstruction, MUNRO, F. J., *et al.*, (*C*) 888–889
Surgery, endoscopy, Sevoflurane–nitrous oxide or halothane–nitrous oxide for paediatric bronchoscopy and gastroscopy, MERETOJA, O. A., *et al.* 767–771
Surgery, facial, Regional anaesthesia for outpatient nasal surgery, MOLLIEX, S., *et al.* 151–153
Surgery, gynaecological, Combination of ondansetron and dexamethasone in the prophylaxis of postoperative nausea and vomiting, LÓPEZ-OLAONDO, L., *et al.* 835–840
——, Does pre-incisional thoracic extradural block combined with diclofenac reduce postoperative pain after abdominal hysterectomy? ESPINET, A., *et al.* 209–213
——, Influence of dose and timing of administration of morphine on postoperative pain and analgesic requirements, MANSFIELD, M. D., *et al.* 358–361
——, Naproxen after day-case laparoscopic sterilization, DUNN, T. J., *et al.*, (*C*) 168
——, Naproxen after day-case laparoscopic sterilization, WILLIAMS, P. I., (*C*) 168
Surgery, hepatic, Early effects of total hepatectomy on haemodynamic state and organ uptake of catecholamines in the pig, JAMES, M. F. M., *et al.* 713–720
Surgery, hormonal response, Laparoscopic cholecystectomy: haemodynamic and neuroendocrine responses after pneumoperitoneum and changes in position, O'LEARY, E., *et al.* 640–644
Surgery, laparoscopy, Carbon dioxide output in laparoscopic cholecystectomy, KAZAMA, T., *et al.* 530–535
——, Effect of pneumoperitoneum and Trendelenburg position on gastro–oesophageal reflux and lower oesophageal sphincter pressure, TOURNADRE, J. P., *et al.* 130–132
——, Laparoscopic cholecystectomy: haemodynamic and neuroendocrine responses after pneumoperitoneum and changes in position, O'LEARY, E., *et al.* 640–644
Surgery, lung, Stable right ventricular pressure-volume relation during lung volume reducing surgery for diffuse emphysema, GELINDER, S., *et al.*, (*EACTA*) A.80
Surgery, ophthalmological, Day-case cataract surgery, GOOLD, J. E., (*C*) 333
——, Day-case cataract surgery, MALTBY, J. R., *et al.*, (*C*) 333
——, Prevention of vomiting after paediatric strabismus surgery, MORTON, N. S., (*C*) 473
——, Prevention of vomiting after paediatric strabismus surgery, TRAMÈR, M., *et al.*, (*C*) 473–474
Surgery, orthopaedic, Continuous extradural infusion of ropivacaine for prevention of postoperative pain after major orthopaedic surgery, TURNER, G., *et al.* 606–610
——, Use of regional i.v. morphine analgesia in patients undergoing total knee arthroplasty, CORBETT, A. R., *et al.*, (*ARS*) 593–594P
Surgery, otolaryngological, Comparison of ondansetron and prochlorperazine for the prevention of nausea and vomiting after adenotonsillectomy, VAN DEN BERG, A. A. 449–451
——, Effect of ondansetron on nausea and vomiting after middle ear surgery during general anaesthesia, HONKAVAARA, P. 316–318
——, Effect of transdermal hyoscine on nausea and vomiting, FOSTER, R. N., (*C*) 749
——, Effect of transdermal hyoscine on nausea and vomiting, HONKAVAARA, P., (*C*) 749–750
——, Effect of transdermal hyoscine on nausea and vomiting during and after middle ear surgery under local anaesthesia, HONKAVAARA, P. 49–53
——, Metabolic and hormonal responses to induced hypotension for middle ear surgery, NEWTON, M. C., *et al.* 352–357
——, RAE tube obstruction during tonsil dissection, GRAHAM, D., *et al.*, (*C*) 170–171
Surgery, plastic, Airway management in cleft lip and palate surgery, HATCH, D. J., (*E*) 755–756
——, Difficult laryngoscopy in cleft lip and palate surgery, GUNAWARDANA, R. H. 757–759
——, Regional anaesthesia for outpatient nasal surgery, MOLLIEX, S., *et al.* 151–153
Surgery, thoracic, Absence of an early pre-emptive effect after thoracic extradural bupivacaine in thoracic surgery, AGUILAR, J. L., *et al.* 72–76
——, Continuous extrapleural paravertebral infusion of bupivacaine for post-thoracotomy analgesia in young infants, KARMAKAR, M. K., *et al.* 811–815
——, Does propofol change the phenotype of monocytes in thoracic surgery? LAßNIGG, A., *et al.*, (*EACTA*) A.18
Surgery, vascular, Aortic stent surgery, BARANOWSKI, A. P., *et al.*, (*C*) 882–883
——, Aortic stent surgery, THOMPSON, M. M., *et al.*, (*C*) 883
——, Delayed forced air warming prevents hypothermia during abdominal aortic surgery, KARAYAN, J., *et al.* 459–460
——, Preoperative inhibition of angiotensin-converting enzyme improves systemic and renal haemodynamic changes during aortic abdominal surgery, LICKER, M., *et al.* 632–639
——, Rheological properties of commonly used plasma substitutes during preoperative normovolaemic acute haemodilution, FREYBURGER, G., *et al.* 519–525
Surgery, ventilatory response, Effects of surgical skin incision on respiration in patients anaesthetized with enflurane, SUTHERLAND, R. W., *et al.* 777–779
Survey, Echocardiography by the anaesthetist: a French survey, LEHOT, J. J., *et al.*, (*EACTA*) A.43
Sympathetic nervous system, adrenergic block, A comparison of the limitation of sympathetic responses by β_1-blocker esmolol and α_2-adrenergic agonist dexmedetomidine, WILLIGERS, H. M. M., *et al.*, (*EACTA*) A.23
——, Antinociceptive actions of intrathecal xylazine: interactions with spinal cord opioid pathways, GOODCHILD, C. S., *et al.* 544–551
Sympathetic nervous system, catecholamines, Early effects of total hepatectomy on haemodynamic state and organ uptake of catecholamines in the pig, JAMES, M. F. M., *et al.* 713–720
——, Methylprednisolone inhibits endotoxin-induced depression of contractile function in human arteries *in vitro*, TSUNEYOSHI, I., *et al.* 251–257
Sympathetic nervous system, clonidine, Extradural analgesia in the first stage of labour, BUGGY, D., *et al.*, (*C*) 887
——, Extradural analgesia in the first stage of labour, FERNANDO, R., *et al.*, (*C*) 886–887
——, Extradural analgesia with clonidine and fentanyl compared with 0.25% bupivacaine in the first stage of labour, BUGGY, D. J., *et al.* 319–321
——, Extradural clonidine for postoperative pain relief, COOK, B., *et al.*, (*C*) 881
——, Extradural clonidine for postoperative pain relief, NISHIKAWA, T., (*C*) 171
——, Extradural clonidine for postoperative pain relief, NISHIKAWA, T., (*C*) 881–882
——, Influence of oral clonidine on the ventilatory response to acute and sustained isocapnic hypoxia in human males, FOO, I. T., *et al.* 214–220
——, Spinal clonidine produces less urinary retention than spinal morphine, GENTILI, M., *et al.* 872–873
Sympathetic nervous system, dopamine, Effect of low-dose dopamine on intestinal villus microcirculation during normotensive endotoxaemia in rats, SCHMIDT, H., *et al.* 707–712
Sympathetic nervous system, dopexamine, Effects of dopamine and dopexamine on splanchnic microcirculation during major surgery in humans, BELLAMY, M. C., *et al.*, (*ARS*) 587P
Sympathetic nervous system, esmolol, A comparison of the limitation of sympathetic responses by β_1-blocker esmolol and α_2-adrenergic agonist dexmedetomidine, WILLIGERS, H. M. M., *et al.*, (*EACTA*) A.23
Sympathetic nervous system, lidoflazine, Effects of lidoflazine on left ventricular function, DEIRUE, G. L., *et al.*, (*EACTA*) A.10
Sympathetic nervous system, metaraminol, Hypotension during subarachnoid anaesthesia: haemodynamic effects of colloid and metaraminol, CRITCHLEY, L. A. H., *et al.* 734–736
Sympathetic nervous system, xylazine, Antinociceptive actions of intrathecal xylazine: interactions with spinal cord opioid pathways, GOODCHILD, C. S., *et al.* 544–551

Temperature, A comparison of core temperature with thermal energy balance in predicting adequacy of rewarming from hypothermic cardiopulmonary bypass, DEAKIN, C. D., *et al.*, (*EACTA*) A.41
——, Continuous temperature and O_2 saturation monitoring of jugular blood during DHCA procedures for aortic surgery, PAINO, R., *et al.*, (*EACTA*) A.40
Temperature, body, Convective warming combined with vasodilator therapy accelerates core rewarming after coronary artery bypass surgery, HARRISON, S. J., *et al.* 511–514
——, Perioperative inadvertent hypothermia: what do we need to prevent? CARLI, F., *et al.*, (*E*) 601–603
——, Preoperative infusion of amino acids prevents postoperative hypothermia, SELLDÉN, E., *et al.* 227–234
Temperature, effect, Elevated serum levels of S-100 after deep hypothermic circulatory arrest correlate with duration of circulatory arrest, VAN DER LINDEN, J., *et al.*, (*EACTA*) A.84
Temperature, metabolism, Preoperative infusion of amino acids prevents postoperative hypothermia, SELLDÉN, E., *et al.* 227–234
Temperature, monitoring, Convective warming combined with vasodilator therapy accelerates core rewarming after coronary artery bypass surgery, HARRISON, S. J., *et al.* 511–514
——, Delayed forced air warming prevents hypothermia during abdominal aortic surgery, KARAYAN, J., *et al.* 459–460
——, Perioperative inadvertent hypothermia: what do we need to prevent? CARLI, F., *et al.*, (*E*) 601–603
——, Use of i.m. temperature probes during cardiopulmonary bypass in humans, BENSON, J. P., *et al.*, (*C*) 472
——, Use of i.m. temperature probes during cardiopulmonary bypass in humans, MANNERS, J. M., (*C*) 471–472
The ABC of Resuscitation, 3rd Edn, COLQUHOUN, M. C., *et al.*, (editors), (*R*) 338–339
Theories of anaesthetic action, molecular, Voltage-sensitive Ca^{2+} channels and anaesthesia, HIROTA, K., *et al.*, (*E*) 344–346
Therapy, Does perioperative transoesophageal echocardiography change the therapy of cardiothoracic patients? BRASE, R., *et al.*, (*EACTA*) A.47
Thrombus, pulmonary, Minimal incidence of reperfusion pulmonary oedema after pulmonary thromboendarterectomy, MARES, P., *et al.*, (*EACTA*) A.75
Transfusion, Consensus statement on autologous transfusion, ROYAL COLLEGE OF PHYSICIANS OF EDINBURGH, 470
Transfusion, autotransfusion, Consensus statement on autologous transfusion, ROYAL COLLEGE OF PHYSICIANS OF EDINBURGH, 470

Understanding Anaesthesia, 3rd Edn, CARRIE, L. E. S., *et al.*, (*R*) 892–893

Veins, Effects of propofol on rabbit mesenteric arteries and veins, KAMITANI, K., (*C*) 333–334
——, Effects of propofol on rabbit mesenteric arteries and veins, STRATFORD, N., (*C*) 333
Ventilation, Non-invasive pressure support ventilation (NPSV) as an alternative to reintubation, PAULUS, S., *et al.*, (*EACTA*) A.73
Ventilation, apnoea, A model to describe the rate of oxyhaemoglobin desaturation during apnoea, FARMERY, A. D., *et al.* 284–291
——, A model to describe the rate of oxyhaemoglobin desaturation during apnoea, FARMERY, A. D., *et al.*, (*e*) 890
Ventilation, carbon dioxide response, Carbon dioxide output in laparoscopic cholecystectomy, KAZAMA, T., *et al.* 530–535
——, Ventilatory response to carbon dioxide, DAHAN, A., *et al.*, (*C*) 747
——, Ventilatory response to carbon dioxide, SAITO, Y., *et al.*, (*C*) 747–748
Ventilation, deadspace, Carbon dioxide output in laparoscopic cholecystectomy, KAZAMA, T., *et al.* 530–535
Ventilation, effects, Effects of surgical skin incision on respiration in patients anaesthetized with enflurane, SUTHERLAND, R. W., *et al.* 777–779
Ventilation, high frequency jet, Airway pressure signals during high frequency jet ventilation, LIN, E. S., (*ARS*) 576–577P
Ventilation, hyperventilation, Slow ventilatory dynamics after isocapnic hypoxia and voluntary hyperventilation in humans: effects of isoflurane, DAHAN, A., *et al.* 374–381
Ventilation, hypoxic response, Influence of oral clonidine on the ventilatory response to acute and sustained isocapnic hypoxia in human males, FOO, I. T., *et al.* 214–220
——, Slow ventilatory dynamics after isocapnic hypoxia and voluntary hyperventilation in humans: effects of isoflurane, DAHAN, A., *et al.* 374–381
Ventilation, mechanical, Volumetric analysis of aeration in the lungs during general anaesthesia, REBER, A., *et al.* 760–766
Ventilation, pattern, Effects of surgical skin incision on respiration in patients anaesthetized with enflurane, SUTHERLAND, R. W., *et al.* 777–779
Ventilation, positive end-expiratory pressure, Systolic pressure variation—a way to recognize dynamic hyperinflation, MYLES, P. S., (*C*) 169
——, Systolic pressure variation—a way to recognize dynamic hyperinflation, PEREL, A., *et al.*, (*C*) 168–169
Vomiting, antiemetics, Combination of ondansetron and dexamethasone in the prophylaxis of postoperative nausea and vomiting, LÓPEZ-OLAONDO, L., *et al.* 835–840
——, Comparison of ondansetron and prochlorperazine for the prevention of nausea and vomiting after adenotonsillectomy, VAN DEN BERG, A. A. 449–451
——, Effect of ondansetron on nausea and vomiting after middle ear surgery during general anaesthesia, HONKAVAARA, P. 316–318
——, Effect of transdermal hyoscine on nausea and vomiting, FOSTER, R. N., (*C*) 749
——, Effect of transdermal hyoscine on nausea and vomiting, HONKAVAARA, P., (*C*) 749–750
——, Effect of transdermal hyoscine on nausea and vomiting during and after middle ear surgery under local anaesthesia, HONKAVAARA, P. 49–53
——, Interaction of i.v. anaesthetic agents with 5-HT_3 receptors, APPADU, B. L., *et al.* 271–273
——, Prevention of vomiting after paediatric strabismus surgery, MORTON, N. S., (*C*) 473
——, Prevention of vomiting after paediatric strabismus surgery, TRAMÈR, M., *et al.*, (*C*) 473–474
——, Single dose i.v. tropisetron in the prevention of postoperative nausea and vomiting after gynaecological surgery, CAPOUET, V., *et al.* 54–60
——, Single-dose i.v. granisetron in the prevention of postoperative nausea and vomiting, WILSON, A. J., *et al.* 515–518
Vomiting, incidence, Prediction of postoperative nausea and vomiting using a logistic regression model, TONER, C. C., *et al.* 347–351
Vomiting, nausea, Combination of ondansetron and dexamethasone in the prophylaxis of postoperative nausea and vomiting, LÓPEZ-OLAONDO, L., *et al.* 835–840
——, Comparison of ondansetron and prochlorperazine for the prevention of nausea and vomiting after adenotonsillectomy, VAN DEN BERG, A. A. 449–451
——, Effect of ondansetron on nausea and vomiting after middle ear surgery during general anaesthesia, HONKAVAARA, P. 316–318
——, Effect of transdermal hyoscine on nausea and vomiting, FOSTER, R. N., (*C*) 749
——, Effect of transdermal hyoscine on nausea and vomiting, HONKAVAARA, P., (*C*) 749–750
——, Effect of transdermal hyoscine on nausea and vomiting during and after middle ear surgery under local anaesthesia, HONKAVAARA, P. 49–53
——, Interaction of i.v. anaesthetic agents with 5-HT_3 receptors, APPADU, B. L., *et al.* 271–273
——, Nausea and vomiting after cardiac surgery, GREBENIK, C., *et al.*, (*EACTA*) A.76
——, Omitting nitrous oxide in general anaesthesia: meta-analysis of intraoperative awareness and postoperative emesis in randomized controlled trials, TRAMÈR, M., *et al.* 186–193
——, Prediction of postoperative nausea and vomiting using a logistic regression model, TONER, C. C., *et al.* 347–351
——, Single dose i.v. tropisetron in the prevention of postoperative nausea and vomiting after gynaecological surgery, CAPOUET, V., *et al.* 54–60
——, Single-dose i.v. granisetron in the prevention of postoperative nausea and vomiting, WILSON, A. J., *et al.* 515–518
Vomiting, nausea, anaesthetic factors, Omitting nitrous oxide in general anaesthesia: meta-analysis of intraoperative awareness and postoperative emesis in randomized controlled trials, TRAMÈR, M., *et al.* 186–193
——, Prediction of postoperative nausea and vomiting using a logistic regression model, TONER, C. C., *et al.* 347–351
Vomiting, nausea, surgical factors, Prediction of postoperative nausea and vomiting using a logistic regression model, TONER, C. C., *et al.* 347–351

Wylie & Churchill-Davidson's A Practice of Anaesthesia, 6th Edn., HEALY, T. E. J., *et al.*, (editors), (*R*) 477